


## Лабораторная работа №7

### Основная схема



## Таблица ClientClasses

Связь client\_id берёт данные из таблицы clients client\_id

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (5)

- classes
- classtrainers
- clientclasses
- clients
- trainers

Trigger Functions

Types

Views

Subscriptions

postgres

login/Group Roles (17)

- Kaisar
- pg\_checkpoint
- pg\_create\_subscription

```
1 SELECT * FROM public.clientclasses
2 ORDER BY client_id ASC
```

Data Output Messages Notifications

	client_id [PK] integer	class_id integer	registration_date date
1	1	1	[null]

clients

trainers

Trigger Functions

Types

Views

Subscriptions

postgres

login/Group Roles (17)

- Kaisar
- pg\_checkpoint
- pg\_create\_subscription

```
1 SELECT * FROM public.clientclasses
2 ORDER BY client_id ASC
```

Data Output Messages Notifications

	id [PK] integer	first_name character varying (100)	last_name character varying (100)	email character varying (100)	phone integer
1	1	Кайсар	Ерденбек	erdenbekkaisar@mail.ru	77777777

Таблица ClientClasses

Связь class\_id берёт данные из таблицы classes class\_id

>

clientclasses

>

clients

>

trainers

Trigger Functions

Types

Views

Subscriptions

postgres

Group Roles (17)

Kaiser

pg\_checkpoint

pg\_create\_subscription

Data Output

Messages

Notifications

	client_id [PK] integer	class_id integer	registration_date date
1	1	1	[null]

>

classes

>

classtrainers

>

clientclasses

>

clients

>

trainers

>

Trigger Functions

>

Types

>

Views

Subscriptions

postgres

gin/Group Roles (17)

Kaiser

pg\_checkpoint

pg\_create\_subscription

Data Output

Messages

Notifications

	id [PK] integer	class_name character varying (100)	time integer	location character varying (100)	capacity integer
1	1	GYM	2	GYM	12