

MAPÚA UNIVERSITY

Yang's Fried Rice

An Ordering System Web Application for a Small Restaurant

Web-based Smart Service Management System
Final Project Document

In Partial Fulfillment
Of the Requirements in
Web Systems and Technologies 2 (ITS122)

Submitted by:
Flores, Lleyton Andrew
Panti, Joseph Rey
Rubio, Yuan Miguel
Vinoya, John Marquise
Yang, Stiffler Yanic

Instructor: Prof. Maylyn Bautista

Background

The Client

Yang's Fried Rice is a bustling casual dining restaurant accommodating up to twenty guests. The establishment is powered by a dedicated team of twelve: three staff, three cooks, one dishwasher, one cashier, one online status monitor, a manager, and the business owner. The restaurant specializes in mouthwatering Chinese-style fried rice paired with a wide variety of side dishes like dumplings and deep-fried chicken. Stepping inside feels like entering a warm and welcoming home. A rich wave of aromatics immediately greets you at the door, enticing you to grab a seat and taste the best fried rice in the area.

A typical dining experience relies heavily on traditional hospitality. A server welcomes guests, guides them to a table, and hands over a menu. Once the guests decide on their meal, the server writes the order down on a notepad, walks over to the kitchen window, and hands the slip to the chefs. The server then sets the table while the kitchen staff prepares the meal. Finally, the hot food is served to the waiting customers.

For customers living within a 15-kilometer radius, ordering relies on manual communication. A patron usually calls the restaurant or sends a direct message to their official Facebook page to arrange a delivery or a pickup. A server or an administrative staff member records the details and passes the information to the kitchen. The customer then waits at home for the rider or travels to the store to collect their food.

To reward its growing community, the restaurant offers promotional discounts and loyalty benefits. Recently, the popularity of Yang's Fried Rice exploded. The dining room is now constantly packed, especially during the afternoon and evening rush hours.

The Problem

The sudden boom in business acted like a sudden storm overwhelming a small ship. The traditional, manual processes are no longer capable of keeping up with the sheer volume of requests. Taking orders by hand has become incredibly difficult to manage. The kitchen queue is chaotic, leaving the chefs completely overwhelmed. In the dining area, servers are stretched too thin. They are constantly walking back and forth between the tables, the kitchen window, and the cashier. This exhaustion leads to frequent mistakes and incorrect meals being served.

Remote orders are piling up just as fast, turning order tracking into a highly stressful task. Because the staff is so busy, the restaurant phone often rings unanswered, and online messages are ignored. Customers who do manage to place an order frequently experience long waiting times, severe mix-ups with their delivery addresses, or completely missing food. Tracking the loyalty promotions has also become nearly impossible in this chaotic environment.

For the management and the business owner, these operational bottlenecks are causing severe financial losses. It is similar to a leaky bucket where profits constantly drip out. Mistakes mean that expensive ingredients are wasted on incorrect or abandoned meals.

Furthermore, tracking daily sales is a nightmare because handwritten receipts easily get lost in the shuffle. The restaurant is rapidly losing its regular patrons and driving away potential new ones. If these manual errors are not resolved, the escalating costs and lost revenue could eventually push the beloved restaurant toward bankruptcy.

The Objective

The objective of this project is to design and implement a web-based ordering system that resolves the operational deficiencies of Yang's Fried Rice. The system aims to eliminate order-entry errors by allowing customers to submit orders directly, streamline communication between the front-of-house staff and the kitchen through a digital order queue, automatically manage remote customer inquiries, and provide accurate tracking of daily revenue and promotional benefits.

Target Users

The implementation of the online ordering system is designed to benefit all primary stakeholders involved in the daily operations of Yang's Fried Rice:

- **Customers** - They will no longer experience long wait times or ignored communications when placing remote orders. The system allows them to browse the menu, submit orders directly, track their food's preparation status, and receive estimated pickup times without relying on manual staff confirmation.
- **Staff** - They will be relieved from the stressful burden of manually recording, coordinating, and tracking every dining and remote order. The Kitchen Display System automates the cooking queue, allowing staff to focus on food preparation rather than constantly shuttling between the kitchen, the phone, and customers.
- **Business Owners and Managers** - They will gain automated oversight of daily sales, customer activity, and kitchen performance without having to manually sift through physical receipts. The system prevents financial loss from wasted ingredients and provides accurate tracking of promotional discounts, payment breakdowns, and staff accountability through a comprehensive audit log.

Scope

The scope of this project encompasses the design, development, and deployment of a web-based online ordering system for Yang's Fried Rice. The system covers the complete order lifecycle as well as the administrative tools that the restaurant's management needs to operate effectively.

The scope is grouped by the three sides of the system: the customer side, the server/staff side, and the admin (manager) side.

Customer Side

The system provides a public-facing web application where customers can:

- Browse and search the menu with category filters, keyword search, best-seller badges, and real-time sold-out indicators.
- Build and manage a cart with item quantities (up to 20 per dish, 30 items per order), customizable add-ons, and special instructions. The cart is stored server-side and persists across sessions.
- Check out for pickup with a choice of payment method: pay in store (cash), GCash, or Maya. The system enforces a ₱150 minimum order, a ₱2,000 cap on cash payments (₱1,000 for a first cash order), and blocks cash after repeated no-shows. At checkout, the customer also chooses who will collect the order (themselves or a third-party courier that they book), may add an optional tip (₱20, ₱50, or ₱100), and, for pay-in-store orders, may state the cash amount they will bring so the counter can prepare change.
- Apply Senior Citizen / PWD discounts by uploading a valid ID photo, in compliance with RA 9994 and RA 10754. The customer also enters the ID type, the ID number, and the name on the ID. The order is made VAT-exempt and then discounted by 20%.
- Apply a promo code at checkout and preview the discount before placing the order. A promo code cannot be combined with the Senior Citizen / PWD discount.
- See an estimated ready time, computed from the live kitchen queue, before placing the order.
- Have the cart re-checked before the order is placed. A dish that has sold out or changed price is pointed out, with the option to remove it or accept the new price.
- Pay with GCash or Maya through PayMongo. If the payment fails, the customer can retry it or switch the order to pay in store.
- Track orders in real time via a live tracking page that updates through Supabase Realtime. A shareable tracking link allows someone without an account to follow the order.
- Receive in-app notifications through a notification bell for every status change: payment received or failed, preparing, ready for pickup at Counter 1, picked up, or cancelled with the reason.
- View and print an itemized receipt (Print / Save as PDF) showing the VAT breakdown, discounts, tip, cash tendered, and change.
- Cancel pending orders before the restaurant confirms them, with a confirmation prompt.
- Report problems (missing or wrong items) within 24 hours of pickup, with photo evidence. Damaged items can also be reported, and one report is allowed per order.
- Rate completed orders on food quality (required) and service (optional), with per-dish ratings and written reviews.
- Reorder past meals from the menu page, which restores previous line items and add-ons.

- Manage their profile, including name, photo, password, and account deletion. Forgot-password and email confirmation flows work via email. When a password is created or changed, all password requirements are listed below the password field as a live checklist. Account deletion is refused while an order is still in progress.
- See the store's hours and status. The menu and checkout show when the store is closed, paused, or too busy, and when last orders are taken (30 minutes before closing by default).
- Contact the store through the landing-page contact form for general, bulk-order, order, or feedback inquiries.

Server/Staff Side

- **Kitchen Display System (KDS)** - A real-time cooking queue that shows orders oldest-first, with late-order color warnings, a new-order chime, sort/view toggles, and a "Sold out" switch for individual dishes. Orders are grouped into Active, Payment Issues, For Pickup, Failed Pick-up (ready but uncollected after 90 minutes), and Cancelled tabs. Order timers turn amber at 15 minutes and red at 25 minutes, and each order is labeled Self Pickup or 3rd Party Courier.
- **Order management** - Status tabs (pending, preparing, ready, completed, cancelled), search by order number, customer name, or phone, date/payment/type filters, and a detail view with the order's full status history. Staff confirms an order (pending to preparing), marks it ready, and marks it picked up. A cancellation requires a reason (Out of stock, Store closing, Customer request, Duplicate order, or Other), and a no-show is recorded with a reason. A "Picked up" mark can be undone within 10 minutes, and orders waiting more than 5 minutes for acceptance flash on the staff screens.
- **Menu management** - Full CRUD for dishes, categories, and add-ons. Products are archived rather than deleted, so historical orders always display the correct item name and price. Each dish has a photo, an availability switch, a featured switch, and a preparation time, and shows its customer reviews. Staff can edit dishes, but only a manager can change prices; this is enforced by both the application and a database trigger.
- **Problem reports** - Customer reports of missing, wrong, or damaged items appear in an open-issues panel, where staff view the details and photo and mark the report resolved.
- **Own profile** - Staff can view and edit their personal details, photo, and password, or deactivate their own account.

Admin Side

The admin side is used by the Manager role, which has every staff capability plus the following:

- Dashboard with store pause/busy controls, refund queue, latest customer ratings, and key performance metrics. The manager can pause the store (for 5, 15, or 30 minutes, a custom time of up to 240 minutes, or until resumed), edit opening and closing hours, add extra preparation time, set the last-orders cut-off and the busy limit

(maximum active orders), and force the store open. Orders rated 2 stars or lower are flagged for follow-up.

- Reports with PDF and CSV export, including payment method breakdowns, hourly and weekday sales, cancellation reason analysis, food/service satisfaction ratings, and ready-on-time rate. Reports can be grouped daily, weekly, monthly, or yearly, and include the most and least sold items, customer statistics, and a daily cash-remitted table. Every export is recorded in the audit log.
- **Promotions** - Managers publish promotion banners on the landing page (image, start and end dates, an active switch, and an optional linked dish or category) and create promo codes. A promo code gives a percentage (1–100%) or fixed peso discount, and can set a minimum spend, a cap on percentage discounts, total and per-customer usage limits, and a restriction to one dish or category. A use is returned when an order is cancelled or its payment fails.
- Customer management with order totals, order history, and lifetime statistics. Managers can edit or disable customer accounts, filter customers by period, order count, and amount spent, and are prompted to disable an account after three missed pickups.
- Employee management for creating, editing, disabling, and role-assigning staff and managers. Employee accounts cannot be deleted. When an employee leaves, the manager disables the account, which blocks sign-in while preserving their records and audit history. Managers can also reset a staff member's password.
- **Payment issues** - A manager-only view of GCash/Maya orders that are still awaiting payment or whose payment failed.
- **Refunds** - A paid GCash/Maya order that is cancelled is refunded in full automatically through PayMongo. A refund that PayMongo refuses is flagged on the dashboard for the manager to complete by hand.
- Audit log - An append-only record of every employee action (order status changes, price changes, account management, report exports, sign-in/sign-out), accessible only to managers. Entries cannot be updated, deleted, or truncated by anyone, including the service role. Personal data in entries is masked, and Senior/PWD ID numbers are redacted.
- **Automated jobs** - Unpaid GCash/Maya orders are cancelled after 30 minutes, orders not accepted by staff are cancelled after 20 minutes, refunds are processed every 5 minutes, and expired personal data (old login attempts, old notifications, and resolved problem reports) is purged daily.

Security

- Server-side enforcement - Store hours, order limits, cart re-checks (sold-out items and price changes), and all business rules are enforced on the server and in the database, not just in the browser.
- Atomic order placement - Orders are placed through the database function, which locks the cart, validates all items, and writes the order in a single transaction. A unique index prevents double orders.
- Login rate limiting - 5 failed attempts per email (15-minute lockout) and 30 per IP address.

- Role-based access - Customers and employees sign in through separate login pages. Middleware and every server action check the role (Manager or Staff), and Row-Level Security in the database enforces the same rules.
- Password policy - New passwords must be 8 to 72 characters and contain a lowercase letter, an uppercase letter, a number, and a symbol.
- Disabled accounts - A disabled employee is signed out and cannot sign in again until a manager re-enables the account.
- Private files - Senior/PWD ID photos and problem-report photos are stored in private buckets and can only be viewed by staff through signed links that expire after 5 minutes.
- Security headers - Every response carries a Content Security Policy, HSTS, and X-Frame-Options.

Limitations

The limitations are the constraints of the system as built: things it does within the scope above, but with restrictions that come from its design, its third-party services, or the project's resources.

Customer Side

- **Courier pickups and abono** - Choosing "A courier will pick it up" only tells the restaurant that a rider will collect the order. The system does not book or track the courier, and it does not support abono, where the courier pays for the order on the customer's behalf. The order must be paid by the customer, either online through GCash or Maya or at the counter.
- **Payment options** - Only GCash and Maya (through PayMongo) and pay in store are accepted, and online payment depends on PayMongo being available.
- **Refunds** - Refunds are full refunds only. Automatic refunds apply only to GCash/Maya orders; pay-in-store refunds are handled by hand at the counter.
- **Cancellation** - A customer can cancel an order only while it is still pending. Once the restaurant confirms it, only staff can cancel it.
- **Order limits** - Pay in store is capped at ₱2,000 including the tip (₱1,000 for a customer's first pay-in-store order) and is blocked after two missed pickups. Orders of more than 20 of one dish or 30 items must be arranged as bulk orders by phone or the contact form.
- **One discount per order** - A promo code cannot be combined with the Senior Citizen / PWD discount.
- **Problem reports** - A problem must be reported within 24 hours of pickup, and only one report is allowed per order.
- **Receipt** - The receipt is the customer's record of the order and is labeled "This is not an official receipt"; the BIR official receipt is issued at the counter.
- **Email notifications** - Cancellation emails are sent only when the Resend email service is configured. Otherwise, notifications are in-app only.

Server/Staff Side

- **Whole-order KDS** - The Kitchen Display System tracks whole orders, not individual dishes, so a cook cannot mark a single item of an order as done.
- **Single staff role** - There is one Staff role. Cooks, cashiers, and servers share the same permissions.
- **Single pickup point** - All orders are collected at one pickup counter (Counter 1).
- **Acceptance window** - An order that staff do not accept within 20 minutes is cancelled automatically, so staff must keep the queue moving during peak hours.
- **Prices** - Staff cannot change menu prices; only a manager can.

Admin Side

- **Fixed roles** - Only two roles exist (Manager and Staff). There are no fine-grained or custom permissions.
- **Report comparisons** - Reports compare a period only with the period before it, not month-over-month or year-over-year.
- **Audit log** - The audit log cannot be exported and has no retention period.
- **Third-party dependence** - The system depends on Supabase for its database, sign-in, and real-time updates, and on PayMongo for online payment. An outage of either stops ordering or online payment.
- **Leaked-password protection** - Passwords are not checked against lists of known breached passwords, because this feature requires a paid Supabase plan.
- **Receipt business details** - The VAT Reg. TIN and BIR permit number on the receipt are configuration values that the owner must supply; until then, the receipt shows a dash for them.

Delimitations

The following features and capabilities are explicitly outside the scope of this project. These delimitations were determined through market research comparing the system against Jollibee, McDelivery PH, Mang Inasal, Chowking, GrabFood, and foodpanda, as well as analysis of Philippine laws and real-world user complaints.

Customer Side

Delivery Service

- The system is pickup-only. There is no delivery workflow, rider role, or address collection. Customers who want food delivered must arrange their own third-party courier (e.g., Lalamove, Grab). The original proposal included delivery drivers, but this was removed to focus the development effort on a reliable pickup experience.

Payment Methods

- Only GCash, Maya, and pay-in-store (cash) are supported. Credit card and debit card payments are not implemented. While PayMongo supports cards, enabling them requires 3-D Secure handling and a separate test flow that exceeds the development window.

Vouchers, Loyalty Programs, and Gamification

- Promo code is not fully implemented and there is no loyalty points ledger, membership tier, birthday rewards program, or gamification feature (e.g., spin-the-wheel). These features require tracking each customer's points and rewards over time, which constitutes a standalone module beyond the project's timeline.

Scheduled and Advance Orders

- Customers cannot schedule orders for a future date or time. All orders are placed for immediate preparation. Implementing advance orders would require changes to the store hours logic, ETA engine, KDS ordering, and payment timing.

In-App Communication

- There is no live chat between customers and restaurant support staff. Customer inquiries outside of the ordering flow must go through the restaurant's existing communication channels (phone, Facebook).

SMS and Push Notifications

- The system does not send SMS messages or push notifications. SMS requires a paid third-party provider (e.g., Semaphore, Twilio), and push notifications require a service worker and VAPID key infrastructure. In-app notifications and optional email notifications serve as the current alternatives.

Filipino Language Support

- The entire interface is in English. Translating every screen, label, error message, and notification into Filipino would constitute a localization effort beyond the project timeline.

Server/Staff Side

Dine-In Table Ordering

- The system does not support QR-based table ordering for dine-in customers. This represents a different business flow involving table management, waiter assignment, and bill splitting, which is outside the scope of a pickup ordering system.

Inventory Management

- While a `/manage/inventory` route exists as a placeholder, there is no ingredient-level inventory system. Implementing stock tracking would require recipes, stock

movement records, and automatic deductions per order - a substantial module of its own.

Admin Side

Promotions Management

- The system includes a basic promotions module: managers can publish promotion banners and create promo codes with configurable rules (see Promotions in the Scope). The module is built as a foundation for future expansion; automatic promotions such as buy-one-take-one or bundle deals, customer targeting and segmentation, recurring scheduled campaigns, and promotion performance analytics are outside the scope of this project.

Multi-Branch Support

- The system is designed for a single restaurant location. Supporting multiple branches would require adding a `branch_id` to every major table, a store picker interface, and branch-specific menus and staff.

CAPTCHA

- Bot protection via CAPTCHA (e.g., Cloudflare Turnstile) is not yet implemented. It requires third-party account registration and API keys. The existing login rate limiting (5 failed attempts per email, 30 per IP) provides baseline protection against brute-force attacks.

Two-Factor Authentication

- Manager and staff accounts do not have two-factor authentication. The employee login uses a separate signed cookie session (`jose`), so integrating Supabase's TOTP support would require additional wiring across two authentication flows.

BIR Official Receipts

- The system generates printable receipts, but these are labeled "This is not an official receipt." BIR-accredited invoicing and e-invoicing require government registration and compliance with BIR regulations, which are outside the scope of an academic project. The receipt does, however, carry the fields of a standard sales receipt (see Revisions Based on the Professor's Recommendations).

Implementation

Technology Stack

Area	**Tools**
Frontend	Next.js 14 (App Router), React 18, TypeScript, Tailwind CSS, ShadCN-style UI components, Lucide React icons

Area	Tools
Backend	Next.js server actions and API routes, Supabase (PostgreSQL, Auth, Realtime, Storage, Edge Functions)
Validation	Zod for schema validation on both client and server
Employee Sessions	Jose for signed session cookies
Payments	PayMongo (GCash and Maya) through Supabase Edge Functions
Email	Resend (optional) for cancellation and contact-form emails
Charts and Reports	Recharts for data visualization, jsPDF and jspdf-autotable for PDF generation
Testing	Vitest, React Testing Library, jsdom
Code Quality	ESLint and Prettier

System Architecture

The application follows a full-stack architecture built on Next.js 14 with the App Router pattern:


- Client Layer - React 18 components organized by domain area (shop, account, auth, manage) with server-side rendering and client-side interactivity. The UI uses a ShadCN-style component library with Tailwind CSS for styling.
- Server Layer - Next.js server actions handle business logic, input validation (via Zod schemas), and authentication checks. API routes in `app/api/` provide REST endpoints organized into routers (admin, orders, reports, audit, add-ons).
- Database Layer - Supabase provides a managed PostgreSQL database with Row Level Security, database functions (RPCs), triggers for audit logging and data integrity, and pg_cron for scheduled jobs.
- Real-time Layer - Supabase Realtime subscriptions on `order`, `order_status_log`, and `notification` tables power live updates for the tracking page, KDS, orders page, and notification bell.
- Payment Layer - PayMongo integration through Supabase Edge Functions (`create-payment-intent` and `payment-webhook`) for GCash and Maya wallets, with signed webhook verification and a 5-minute replay window.
- Storage Layer - Supabase Storage buckets for menu images (public), profile photos (public), and sensitive files like Senior/PWD ID photos and order issue photos (private, signed URLs only).

User Roles

Role	Access
Customer	Browse the menu, search and filter items, manage a cart, place pickup orders, choose a payment method, track order status, cancel pending orders, view order history, submit ratings and reviews, manage profile, and apply Senior/PWD discounts. Also apply promo codes, choose self or courier pickup, add a tip, report a problem, and print receipts.
Staff	View incoming orders in a sequential queue on the KDS, mark orders as preparing/ready/completed, manage sold-out status of dishes, and manage their own profile. Also record no-shows, cancel orders with a reason, resolve problem reports, and edit menu items (except prices).
Manager	All staff capabilities, plus: add/edit/archive menu items and categories, manage employees and customers, update order statuses, create promotions, view the dashboard and reports, export data as PDF/CSV, and access the audit log. Also create promo codes, change prices, control store hours and pausing, handle payment issues and refunds, and disable (not delete) employee accounts.

Order Lifecycle

The order follows a defined status flow enforced by both the application and the database:



Orders can be `cancelled` at any stage along the way. The "Picked up" status can be undone within 10 minutes. For wallet payments (GCash, Maya), orders begin as `awaiting_payment` and advance to `pending` only after PayMongo confirms the payment. A refused payment transitions to `payment_failed`, and the customer can retry or switch to cash.

Orders still pending after 20 minutes are cancelled automatically, as are wallet orders left unpaid for 30 minutes. A ready order that is not collected within 90 minutes moves to Failed Pick-up on the KDS.

Revised Entity Relationship Diagram

[Revised ERD to be inserted here]

Figure X. Revised Entity Relationship Diagram

External Services

Service	Purpose
Supabase	Database, authentication, real-time subscriptions, image storage, Edge Functions, and scheduled jobs
PayMongo	GCash and Maya payment processing (create payment intent, receive webhook confirmation, process refunds)
Resend	Email notifications for order cancellations (optional; when RESEND_API_KEY and EMAIL_FROM are set) and delivery of landing-page contact-form messages

LocationIQ and OpenStreetMap Nominatim, listed in earlier drafts for address lookup, were removed when the system became pickup-only and no longer collects addresses.

Revisions Based on the Professor's Recommendations

Following the professor's review of the system, four revisions were made. Each is described below with the recommendation, what changed, and how it now works.

1. Password Requirements Listed Upfront

Recommendation: Show all password requirements at once, instead of revealing them one error at a time and having the user revise the password each time.

What changed: Every form where a password is created lists all of the requirements below the password field: customer sign-up, password reset, the profile's change-password card,

and the manager's employee form. Each requirement is ticked with a green check or flagged with a red cross as the user types, so the full rule is visible before the form is submitted.

Requirement	Checklist text
Length	8 to 72 characters
Lowercase	A lowercase letter (a–z)
Uppercase	An uppercase letter (A–Z)
Number	A number (0–9)
Symbol	A symbol such as ! @ # or ?

How it works: The checklist, the form validation, and the strength meter all read one shared list of rules, so they always agree. The server re-validates every new password with the same rules.

2. "Strong" Only When Every Requirement Is Met

Recommendation: The strength meter should not call a password strong unless it meets the requirements.

Previous behavior: The meter scored five signals (length of 8+, length of 12+, mixed case, a number, a symbol), and any four of them produced "Strong". A long password with mixed case and a number but no special character was labeled Strong even though the form rejected it.

What changed: The meter now returns "Strong" only when the password meets every requirement; otherwise it shows "Good" at most. Its symbol check uses the same symbol set as the validation, so a space or an accented letter does not count as a special character.

Example password	Meter	Reason
Abcdefghijk1	Good	No symbol
abcdefghijk1!	Good	No uppercase letter
Abcdefghij 1	Good	A space is not a symbol
Abcdefghijk1!	Strong	Meets every requirement

3. Complete Receipt Details

Recommendation: The receipt should carry complete details, including the added VAT, the senior citizen discount, and all the fields required on a receipt.

What changed: The printable receipt (Print / Save as PDF) now contains the following fields:

Section	Fields
Seller information	Business name, address, telephone number, VAT Reg. TIN, and BIR permit number
Receipt details	Receipt number (an 8-digit serial taken from the sequential order number), order number, date and time placed, date and time picked up, cashier (the staff member who handed the order over), customer name, and order type with the pickup counter and whether a courier collected it
Items	Quantity, dish name, unit price, add-ons with their prices, item notes, and line amount
Amounts	Subtotal (VAT inclusive), less VAT (12%) for Senior Citizen / PWD orders, less discount with its type (Senior Citizen, PWD, or the promo code), total sale, tip, amount due, cash tendered, and change
VAT breakdown	VATable sales, VAT-exempt sales, VAT zero-rated sales, and VAT amount (12%)
Payment	Payment method, paid status, and the PayMongo reference number for GCash/Maya payments
Senior Citizen / PWD	Discount type, OSCA/SC or PWD ID number, name on the ID, and a signature line

Computation: Menu prices already include 12% VAT. For a regular ₱224.00 order, the receipt shows VATable sales of ₱200.00 and VAT of ₱24.00. For a Senior Citizen / PWD order of the same amount, the VAT of ₱24.00 is removed first (VAT-exempt sales of ₱200.00), the 20% discount of ₱40.00 is taken from that, and the amount due is ₱160.00, as required by RA 9994 and RA 10754. A tip is added on top of the sale and is not subject to VAT.

The receipt remains labeled "This is not an official receipt", since the system is not BIR-accredited (see Delimitations).

4. Employee Accounts Are Disabled, Not Deleted

Recommendation: Employee deletion should be disabled, allowing only the disabling of employee accounts upon termination, to preserve records and the audit trail.

What changed: The Delete option was removed from the employee management screen, together with the server action and the API endpoints behind it. This covers both a manager deleting an employee and an employee deleting their own account. When an employee leaves, the manager switches the employee's Account Status to Disabled; the form explains that employees cannot be deleted and that their orders, sign-ins, and audit history are kept.

How it works: A disabled employee cannot sign in. One who is already signed in is signed out within a minute because the account status is re-checked at least once a minute while they use the system, and every server action refuses requests from a disabled account.

Each disable and enable is recorded in the audit log, and a manager can re-enable the account if needed. A manager can disable staff accounts but cannot disable their own.

-