ECMA Test Cases

Sub Cla	Sub Clause T	Type	Element/Attribu	ECMA Spec say
3.3.1.8	sortState	Parent	sortState	
3.3.1.8	sortState	Child	sortState	
3.3.1.8	sortState	Sequence	sortState	
3.3.1.8	sortState	Min	sortCondition	
		Max		
		Type		
3.3.1.8	sortState	Min	extLst	
		Max		
		Type		
3.3.1.8	sortState	Optional	ColumnStart	
		Default		
		Type		
3.3.1.8	sortState	Optional	CaseSensitive	
		Default		
		Type		
3.3.1.8	sortState	Optional	sortMethod	
		Default		
		Type		
3.3.1.8	sortState	Required	Ref	
		Type		
		Type		
3.3.1.89 sortState (Sort State)				
This collection preserves the AutoFilter sort state.				
Parent Elements				
autoFilter (§3.3.1.1); queryTableRefresh (§3.12.6); table				
Child Elements Subclause				
extLst (Future Feature Data Storage Area) §3.2.10				
sortCondition (Sort Condition) §3.3.1.88				
Attributes Description				
caseSensitive				
Flag indicating whether or not the sort is case-sensitive.				
The possible values for this attribute are defined by the X				
columnSort				
Flag indicating whether or not to sort by columns. Only app				
The possible values for this attribute are defined by the X				
ref (Sort Range) The whole range of data to sort (not just				
The possible values for this attribute are defined by the S				
sortMethod				

Strokes or PinYin sort method. Applies only to these applic
Chinese Simplified
Chinese Traditional
Japanese
For these languages, alternate sort methods can be selected
The possible values for this attribute are defined by the S

The following XML Schema fragment 1 defines the contents c

```
2 <complexType name="CT_SortState">
3 <sequence>
4 <element name="sortCondition" minOccurs="0" maxOccurs="64
5 <element name="extLst" type="CT_ExtensionList" minOccurs=
6 </sequence>
7 <attribute name="columnSort" type="xsd:boolean" use="opti
8 <attribute name="caseSensitive" type="xsd:boolean" use="o
9 <attribute name="sortMethod" type="ST_SortMethod" use="op
10 <attribute name="ref" type="ST_Ref" use="required"/>
11 </complexType>
```

Test Case	Priority
Verify sortState is a child under the following pa	Medium
All cases below apply to all sortState parents	Medium
Verify sort state has the following child elements	High
Verify following sequence sortCondition and extLst	High
Verify excel can't load file is sequence if sqeuen	Medium
Verify min is 0	High
Verify max is 64 and excel can't load file is grea	High
Verify type is CT_Sort	High
Verify min is 0	High
Verify max is 1 and excel can't load file is great	High
Verify type is CTExtensionList	High
Verify the attribute is optional. File will still	High
Verify the default is False	High
Verify the type is boolean datatype	High
Verify the attribute is optional. File will still	High
Verify the default is False	High
Verify the type is boolean datatype	High
Verify the attribute is optional. File will still	High
Verify the default is none	High
Verify sortMethod type that can be used (None, Str	High
Verify Attribute is required and excel won't load	High
Verify type St_Ref. Range can be a single cell or	High
Verify can't load a workbook if the cell or range	Medium
(§3.5.1.2); worksheet (§3.3.1.96)	
ML Schema boolean datatype.	
lies to ranges that don't have autofilter applied.	
ML Schema boolean datatype.	
the sort-by column).	
T_Ref simple type (§3.18.64).	

ation UI languages:

, affecting how the data is sorted
T_SortMethod simple type

of this element:

" type="CT_SortCondition"/>
"0" maxOccurs="1"/>

onal" default="false"/>
ptional" default="false"/>
tional" default="none"/>