

This spreadsheet contains various test cases for the functions: Roman
Name of the main junit test class which uses this spreadsheet:
`org.apache.poi.ss.formula.functions.TestRomanFunctionsFromSpreadsheet`
(The content of cell 'Read Me'!A3 is confirmed by the test)

Every sheet besides this first one contains formula evaluation test cases in a standardised format. On row 4 of each sheet, in columns B,C,D there are the column headings "Formula", "Expected Result" and "Error". The test iterates down from row 5 onward until the text "<end>" is found in column A. Rows with "<skip>" in column A are ignored (useful for currently unsupported behaviour). Otherwise column A can be used for commenting the group of rows below.

If the evaluated result of column B does not match the expected result in column C, the junit test will report a failure. Test failures get annotated with the section and row number. Besides the first 4 columns, row 5 onwards, the junit test does not inspect any other cells in the sheet. The other cells can be used freely to set up test data. Care should be taken to not only make the values in column C match those in column B, but also to make sure column C contains only simple literal values. This can be achieved easily by 'pasting special' from column B to C, selecting the 'as values' option.

ed Result" and "Comment"

Sheet Comment: Simple tests of Roman using basic argument values

Formula	Expected Result
---------	-----------------

CDXCIX	CDXCIX
LDVLIV	LDVLIV
XDIX	XDIX
VDIV	VDIV
ID	ID
MMXIII	MMXIII

#VALUE!

#VALUE!

<skip>

#VALUE!

#VALUE!

MMMCMXCIX	MMMCMXCIX
-----------	-----------

#VALUE!

#VALUE!

C	C
---	---

Concise testing with 1

VL	VL
VC	VC
LD	LD
LM	LM
LMVL	LMVL

LDXL	LDXL
LDVL	LDVL
LMXL	LMXL
VCIV	VCIV
VLIV	VLIV

Concise testing with 2

IL	IL
IC	IC
XD	XD
XDV	XDV
XDIX	XDIX
XMV	XMV
XMIX	XMIX
XM	XM

Concise testing with 3

VD	VD
VDIV	VDIV
VM	VM
VMIV	VMIV

Concise testing with 4

ID	ID
IM	IM

<end>

Comment

Classic roman numeral style for 499 (CDXCIX)
More concise version for 499 (LDVLIV)
More concise version for 499 (XDIX)
More concise version for 499 (VDIV)
More concise version for 499 (ID)
Classic roman numeral style for 2013 (MMXIII)
Not a number

If number is negative, the #VALUE! error value is returned.

If number is greater than 3999, the #VALUE! error value is returned.
double number get rounded

value 45
value 95
value 450
value 950
value 995

value 490
value 495
value 990
value 99
value 49

value 49
value 99
value 490
value 495
value 499
value 995
value 999
value 990

value 495
value 499
value 995
value 999

value 499
value 999