

Conditionally Formatted

To navigate to the worksheet you want to

To return to this **Home** worksheet, click

Worksheet	Rule Type
Products1	Cell value
Products2	Cell value (with formula)
Book tour	Top/bottom values Above/below average
Grades	Top/bottom values
Customers1	Unique/duplicate
Quarters	Icon set
Bike rating	Icon set
FY months	Icon set
Regional sales	Icon set
Mountains	Data bars
Category sales	3 color scale
Banded rows	Formula-based
Compare to totals	Formula-based
Products3	Formula-based
Customers2	Formula-based

Formatting Data: Examples and Guidelines

To see, click the worksheet name button in the **Worksheet** column.
Click the **Home** button  in the top left cell.

Description
Find specific numbers, dates, and text in a list of products
See a dynamically changed number or text value in a list of products
Identify top, bottom, and above average values in a recent book tour report
Determine who are the top two students in the class
Find duplicate rows in a list of customers
Quickly see revenue status and trends from one quarter to the next
Compare different product criteria by using a rating scale
Examine profit trends from month to month
Identify regional sales below \$900,000
Compare heights of the tallest mountains
Examine overall sales distributions in key product categories
Shade alternate rows in a range
Compare data in a cell outside the conditionally formatted range of cells
Shade an entire row where several criteria must be true
Shade an entire row if the row is a unique value

Home | [How to create this rule](#)

Date	Product	Region	Amount
#####	Dairy	Denmark	\$1,145.00
#####	Dairy	Denmark	\$1,530.00
#####	Produce	Denmark	\$1,423.50
#####	Produce	Denmark	\$1,423.50
#####	Denmark Total	#####	
#####	Dairy	Finland	\$192
#####	Dairy	Finland	\$351
#####	Grain	Finland	\$560.40
#####	Finland Total	#####	
#####	Dairy	Germany	\$170
#####	Dairy	Germany	\$47
#####	Grain	Germany	\$1,405.00
#####	Grain	Germany	\$470
#####	Grain	Germany	\$17
#####	Grain	Germany	\$747.00
#####	Produce	Germany	\$17
#####	Produce	Germany	\$747.00
#####	Germany Total	#####	
#####	Dairy	Italy	\$3,194.20
#####	Dairy	Italy	\$438
#####	Produce	Italy	\$3,194.20
#####	Produce	Italy	\$438
#####	Italy Total	#####	

Products 1

In a subtotaled list of products, you want to quickly see product sales for the current month, products classified as "Grain," or products with less than \$500 in sales.

Conditional formatting rule	Format	Range
Current month	AaBbCcYyZz	A3:A23
Cell value contains "Grain"	AaBbCcYyZz	B3:B23
Cell value < 500	\$38,718	D3:D23

Because the list is subtotaled, you don't want to filter or sort the data because doing so would change the way the data is displayed. Applying conditional formatting is useful in this case, because the formatting helps you see values based on criteria without having to rearrange the data.

Tip: To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and in the **Show formatting rules for box**, select **this worksheet**.

Home	How to create this rule					Identify a dynamically changed number or text value in a list of products	
Date	Product	Region	Amount	Change Product:	Grain		
#####	Dairy	Denmark	#####				
#####	Produce	Denmark	#####				
#####	Produce	Denmark	#####	Change Amount:	\$200		
		Denmark Total	#####				
#####	Dairy	Finland	\$192				
#####	Dairy	Finland	\$351.00				
#####	Grain	Finland	\$560.40				
		Finland Total	#####				
#####	Dairy	Germany	\$470.00				
#####	Dairy	Germany	\$17				
#####	Grain	Germany	#####				
#####	Grain	Germany	\$470.00				
#####	Grain	Germany	\$10				
#####	Grain	Germany	\$747.00				
#####	Produce	Germany	\$17				
#####	Produce	Germany	\$747.00				
		Germany Total	#####				
#####	Dairy	Italy	#####				
#####	Dairy	Italy	\$438.43				
#####	Produce	Italy	#####				
#####	Produce	Italy	\$438.43				
		Italy Total	#####				

In a subtotaled list of products, you want to quickly see products classified as "Grain," "Dairy," or "Produce," or products with sales between \$100 and \$500.

Conditional formatting rule	Format	Range
Cell value = \$G\$2	AaBbCcYyZz	B3:B23
Cell value < \$G\$5	\$38,718	D3:D23

You can use a formula in the rules to reference a cell outside the conditionally formatted range of cells. In the formula, the cell reference must be an absolute reference, such as \$G\$5.

In this example, data validation is also applied to cells G2 and G5 to create a drop-down list of values.

Tip: To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules**, and in the **Show formatting rules** for box, select **This worksheet**.

Home

How to create this rule

(Top 20%)

(Above Average)

(Bottom 10)

City	Date	Fee	Attendance	Books Sold
Anchorage	15-Mar	\$1,038	179	98
Atlanta	8-Feb	\$1,880	149	95
Boston	25-Jan	\$821	385	146
Charleston	29-Jan	\$1,822	328	124
Cleveland	10-Feb	\$1,073	128	32
Detroit	14-Feb	\$1,881	376	58
Flagstaff	25-Mar	\$1,222	37	6
Los Angeles	5-Mar	\$945	265	47
Memphis	6-Feb	\$910	93	45
New Orleans	31-Mar	\$1,233	415	59
New York	23-Jan	\$1,180	205	147
Philadelphia	31-Jan	\$1,965	145	31
Phoenix	23-Mar	\$955	37	8
Portland	9-Mar	\$781	85	33
Providence	2-Feb	\$1,964	111	73
Salt Lake City	21-Mar	\$1,190	275	37
San Francisco	7-Mar	\$904	171	145
Seattle	11-Mar	\$936	279	109
St. Louis	18-Feb	\$926	354	19
Topeka	20-Feb	\$1,775	66	12
Vancouver, B.C.	13-Mar	\$1,740	69	59
Washington, D.C.	27-Jan	\$1,724	499	151

Identify top, bottom, and above average values in a recent book tour report

In a list of results from your book tour, you want to identify and compare the top 20% cities visited for fees generated, the cities that were above in attendance, and the bottom 10 cities in number of books sold.

Conditional formatting rule	Format	Range
Top 20%	AaBbCcYyZz	C4:C25
Above average	AaBbCcYyZz	D4:D25
Bottom 10	AaBbCcYyZz	E4:E25

In general, use the **Format only top or bottom ranked values** and **Format values that are above and below average** rules to identify the highest and lowest values in a range. You can filter and sort the data without affecting the conditional formatting rules.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules**, and, in the **Show formatting rules** for box, select **This worksheet**.

[Home](#)[How to create this rule](#)

Student	Quiz1	Exam1	Quiz2	Exam2	Grade
Nancy	96	97	90	82	Super! 90
Andrew	59	55	71	94	72
Janet	69	71	98	98	84
Margaret	99	90	59	79	83
Steven	56	86	65	74	75
Michael	57	61	84	67	66
Robert	55	86	59	86	79
Laura	89	91	91	81	Super! 87
Anne	55	77	91	86	79

Determine the top two students

In a summary of quiz and exam grades, determine the top two students in the class and note their achievement.

Conditional formatting rule	Format
Top 2	Super! 38

This rule applies two formats: a bold, italicized font and a custom number format: "Super! "00."

The ability to use a number format is a feature of conditional formatting available in Microsoft Excel.

Tip To see the conditional formatting options, click the arrow next to the **Styles** group, click the arrow next to **Formatting**, click **Manage Rules** and, in the **rules for** box, select **This worksheet**.

Students in the class

is, you want to identify
recognize their

	Range
0718	F3:F11

dark red font, and a

a new feature for
Microsoft Office Excel 2007.

g rules, on the **Home** tab,
xt to **Conditional**
, in the **Show formatting**

Contact Name	Address	City	Postal	C	Country	Phone
Ana Trujillo	Avda. de la Constituci	México D.F.	5021		Mexico	(5) 555-4729
Antonio Moreno	Mataderos 2312	México D.F.	5023		Mexico	(5) 555-3932
Christina Berglund	Berguvsvägen 8	Luleå	S-958 22		Sweden	0921-12 34 65
Frédérique Citeaux	24, place Kléber	Strasbourg	67000		France	88.60.15.31
Thomas Hardy	120 Hanover Sq.	London	WA1 1DP		UK	(171) 555-778
Georg Pipp	Geislweg 14	Salzburg	5020		Austria	6562-9722
Guillermo Fernández	Calle Dr. Jorge Cast	México D.F.	5033		Mexico	(5) 552-3745
Hanna Moos	Forsterstr. 57	Mannheim	68306		Germany	0621-08460
Henriette Pfalzheim	Mehrheimerstr. 369	Köln	50739		Germany	0221-0644327
Henriette Pfalzheim	Mehrheimerstr. 369	Köln	50739		Germany	0221-0644327
Horst Kloss	Taucherstraße 10	Cunewalde	1307		Germany	0372-035188
Isabel de Castro	Estrada da saúde n.	Lisboa	1756		Portugal	(1) 356-5634
Maria Anders	Obere Str. 57	Berlin	12209		Germany	030-0074321
Marie Bertrand	265, boulevard Char	Paris	75012		France	(1) 42.34.22.
Hanna Moos	Forsterstr. 57	Mannheim	68306		Germany	0621-08460
Sergio Gutiérrez	Av. del Libertador 1	Buenos Aires	1010		Argentina	(1) 123-5555
Thomas Hardy	120 Hanover Sq.	London	WA1 1DP		UK	(171) 555-778
Maria Anders	Obere Str. 57	Berlin	12209		Germany	030-0074321
Thomas Hardy	120 Hanover Sq.	London	WA1 1DP		UK	(171) 555-778

Find duplicate values in a list of customers

In a list of customers, you want to quickly identify duplicate values.

Conditional formatting rule	Format	Range
Duplicate values	AaBbCcYyZz	A3:A21

Use the **Format only unique or duplicate values** rule to visually identify how many unique or duplicate values exist in a range. In this case, only the customer's **Contact name** is conditionally formatted.

If you want to filter, copy, or remove duplicate values, you can change settings in the **Advanced Filter** or **Remove Duplicates** dialog boxes.

The **Customers2** example shows how to highlight the entire row by using a formula-based rule.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

[illegible]

[illegible]

Quickly see revenue status at a glance a geographical and quarterly summary want to see status and trend key performance indicators from one quarter to the next to monitor overall performance	
Conditional formatting rule	Format
icon set (Icon only): ✓ Value >= 50 ! Value < 50 and >= 45 ✗ Value < 45	✓ !
icon set (Icon only): ↑ Value >= 5 → Value < 5 and >= 0 ↓ Value < 0	↑ →
status KPI answers the question: Does the value meet a specific number? For the four Status color-coded values are the same, although you could define different thresholds for each range if you had different requirements	

for each region or quarter.				
trend KPI answers the question: What is the value over time? For the four Trend columns, values are 5 million or more, between 5 million and less than zero. The value in the cell is the difference between the current quarter and the previous quarter. The formula; for example, C3-B3 (C3 minus B3).				
Tip To see the conditional formatting rules for this worksheet, in the Styles group, click the arrow next to Conditional Formatting , click Manage Rules and, in the Apply to range box, select This worksheet .				

nd trends	
of gross profits, you ance indicators (KPIs) erall progress.	
	Range
×	D4:D8 G4:G8 J4:J8 M4:M8
↓	E4:E8 H4:H8 K4:K8 N4:N8
a current value meet olumns, the threshold define a different set fferent expectations	

s the trend of the mns, the threshold hillion and zero, and difference between ter expressed as a 3). es, on the Home tab, o Conditional the Show formatting			

Home

[How to create this rule](#)

☒ Excellent ☐ Very Good ☐ Good ☐ Fair ☐ Poor


Product	Shifting	Brakes	Handle Bars	Seat	Frequency of Repair	Overall Score
Mountain Bike	☒	☐	☐	☐	☐	☐
Comfort Rider	☐	☐	☐	☒	☐	☐
Hybrid	☐	☐	☐	☐	☐	☐
Road Bike	☐	☐	☐	☐	☐	☐
Recumbant	☐	☐	☐	☐	☐	☐
Unicycle	☐	☐	☐	☐	☒	☐

Con
a rat


In a c
them l

Con
rule

Icon



Icon



The 5
range
values

In the
condi
text. F
"Exce
"Poor

Tip 1
in the
Form
rules

Compare different product criteria by using a rating scale

In the comparison of different types of bicycles, you want to rate based on a scale of 1 to 5.

Conditional formatting				Format	Range
Icon set (Icons only):					B4:G9
	= 5		= 2		
	= 4		= 1		
	= 3				
Icon set:					B2:F2
	= 5		= 2		
	= 4		= 1		
	= 3				

The **Quarters** icon set is the same for both ranges. In the range B3:G8, the underlying values are 1 through 5, but the values are not visible.

In the range B1:F1, the legend is defined with the same conditional formatting rules. The numbers are represented as text. For each number, the legend displays the words "Excellent" (5), "Very Good" (4), "Good" (3), "Fair" (2), and "Poor" (1) in a custom format in each cell.

To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting for** box, select **This worksheet**.

Home		How to create this rule	
FY 2008	Profits	Trend	
July	\$5,000		
August	\$7,000	↑	\$2,000
September	\$10,000	↑	\$3,000
October	\$2,500	↓	=\$7,500
November	\$4,000	↑	\$1,500
December	\$9,800	↑	\$5,800
January	\$5,400	↓	=\$4,400
February	\$6,700	↑	\$1,300
March	\$4,300	↓	=\$2,400
April	\$11,000	↑	\$6,700
May	\$12,500	↑	\$1,500
June	\$9,800	↓	=\$2,700

Examine profit trends from month to month

In a fiscal year summary of profits for each month, you can identify upward or downward trends from month to month using only two icons.

Conditional formatting rule	Format
Icon set:  Value >= 0  Value < 0 and >=0  Value < 0	  

The 3 Arrows (Colored) icon set is used, but the conditional formatting rule is defined so that only the green up arrow (positive or zero values) or the red down arrow (negative numbers) can appear. The yellow arrow is never shown because the conditional formatting rule applies an impossible condition to it (<0 and >=0 at the same time).

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show form rules for** box, select **This worksheet**.

month

can
th by

Range

C4:C14

onal
W
e
ssible

ne tab,
matting

Home

How to create this

rule

900,000

Region	Sales
NorthWest	\$1,781,345
West	\$534,389
SouthWest	\$1,009,268
South	\$899,999
Central	\$2,345,184
NorthEast	\$900,000
East	\$1,567,090
Territories	\$34,678
Total	\$9,071,953

Identify regional sales at or below \$900,000

In a summary of regional sales, you want to see sales below \$900,000 by using only one icon in the 3 Traffic Lights (Unrimmed) icon set.

Conditional formatting rule	Format	R
Cell value $\geq$ 900000	No Format Set	B
Icon set:		B
 Value $>$ 900000		
 Value $\leq$ 900000 and $\geq$ 0		
 Value $<$ 0		

How to do this:

Rule 1 Set the value opposite to what you want to trigger the icon; in this case, greater than or equal to \$900,000, and set the format to **Automatic**. Then, select the **Stop If True** check box.

Rule 2 Set the format to the 3 Traffic Lights (Unrimmed) icon set so that only the yellow icon can show up.

How this works:

If rule 1 is true Excel applies the format, which is set to **Automatic** (black on white). Nothing changes in those cells visually. Then, Excel ignores rule 2 because the **Stop If True** check box is selected.

If rule 1 is false Excel evaluates rule 2:

- The yellow icon is applied if the value is $\leq$ \$900,000.
- The green icon is never applied because rule 1 stops evaluating when $>$ \$900,000.
- The red icon is never applied because there are never any negative values.

Tip To see the conditional formatting rules, on the **Home** tab in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

Range
4:B11
4:B11

y

,

9

[illegible]

Home		How to create this rule				
Country	Region	Dairy	Produce	Grain	Beverage	Total Sales
Finland	North	\$32,726	\$38,483	\$33,016	\$19,474	\$123,699
Finland	South	\$34,733	\$37,971	\$32,236	\$16,734	\$121,674
Spain	North	\$31,062	\$73,611	\$61,085	\$45,120	\$210,878
Spain	South	\$45,389	\$22,189	\$22,040	\$60,116	\$149,734
France	East	\$63,539	\$50,602	\$25,347	\$21,991	\$161,479
France	West	\$49,382	\$39,100	\$55,406	\$31,810	\$175,698
Norway	North	\$21,842	\$62,310	\$42,256	\$19,191	\$145,599
Norway	South	\$15,566	\$28,321	\$21,355	\$47,141	\$112,383
Denmark	East	\$63,332	\$70,239	\$61,149	\$56,706	\$251,426
Denmark	West	\$21,386	\$29,939	\$63,308	\$47,036	\$161,669
Italy	Mid	\$10,471	\$15,781	\$44,755	\$64,064	\$135,071
Italy	South	\$40,282	\$36,045	\$35,135	\$32,748	\$144,210
Germany	East	\$60,161	\$32,055	\$24,207	\$26,952	\$143,375
Germany	West	\$70,606	\$58,763	\$65,356	\$15,132	\$209,857
UK	North	\$13,522	\$36,363	\$24,925	\$56,741	\$131,551
UK	South	\$50,055	\$28,828	\$28,333	\$49,805	\$157,021
Belgium	North	\$57,008	\$65,101	\$73,444	\$29,043	\$224,596
Belgium	Mid	\$52,202	\$60,639	\$38,777	\$52,787	\$204,405
Sweden	Mid	\$65,925	\$10,865	\$41,532	\$10,731	\$129,053
Sweden	South	\$61,525	\$22,930	\$10,785	\$60,148	\$155,388

Examine overall sales distributions in key product categories

In a summary list of product sales, examine the overall sales distributions in key product categories and for total sales by using a gradient color scale.

Conditional formatting rule	Format	Range
Graded two color scale		C3:F22
Graded three color scale		G3:G22

The first rule uses a two color scale to see how numbers vary in a large data set. Using two similar colors creates a visual display akin to a "heat map."

The second rule uses a three color scale with more distinctive colors to compare total sales.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

Account #	Widgets			Whatnots			Whoseits		
	Actuals	Budget	Variance	Actuals	Budget	Variance	Actuals	Budget	Variance
VF-56	\$828,923	\$525,102	58%	\$553,082	\$440,237	26%	\$389,859	\$373,537	4%
NA-16	\$17,911	\$263,640	=93%	\$796,045	\$475,995	67%	\$764,213	\$67,530	1032%
YI-31	\$45,016	\$129,498	=65%	\$578,806	\$680,391	=15%	\$551,418	\$141,283	290%
CF-33	\$437,361	\$84,668	417%	\$178,970	\$490,475	=64%	\$183,076	\$473,213	=61%
AT-38	\$619,932	\$704,848	=12%	\$893,278	\$821,136	9%	\$504,880	\$138,708	264%
IR-59	\$262,543	\$616,172	=57%	\$203,017	\$531,739	=62%	\$699,009	\$161,153	334%
SP-95	\$506,004	\$118,953	325%	\$855,252	\$358,632	138%	\$365,882	\$606,000	=40%
GT-96	\$317,381	\$336,700	=6%	\$626,232	\$797,406	=21%	\$770,559	\$789,980	=2%
AQ-18	\$417,676	\$549,676	=24%	\$104,696	\$803,328	=87%	\$642,605	\$153,226	319%
LX-84	\$478,518	\$427,397	12%	\$385,078	\$154,539	149%	\$743,726	\$602,881	23%
BG-53	\$402,440	\$450,463	=11%	\$299,815	\$366,979	=18%	\$468,461	\$172,335	172%
DF-84	\$511,325	\$149,980	241%	\$486,677	\$702,406	=31%	\$602,059	\$703,775	=14%
MM-33	\$287,030	\$772,719	=63%	\$31,254	\$827,509	=96%	\$882,879	\$70,813	1147%
VZ-105	\$449,917	\$444,492	1%	\$609,250	\$303,316	101%	\$667,870	\$394,949	69%
YS-39	\$459,117	\$668,364	=31%	\$133,932	\$504,651	=73%	\$58,487	\$656,804	=91%
TO-55	\$722,245	\$850,786	=15%	\$554,527	\$21,385	2493%	\$505,097	\$350,394	44%
WF-69	\$266,636	\$178,433	49%	\$537,783	\$38,483	1297%	\$57,354	\$863,778	=93%
VA-41	\$270,480	\$794,357	=66%	\$837,665	\$808,048	4%	\$748,117	\$563,125	33%
OL-94	\$464,252	\$205,673	126%	\$366,163	\$186,063	97%	\$890,613	\$16,835	5190%
TL-14	\$477,958	\$461,381	4%	\$240,605	\$474,793	=49%	\$815,550	\$249,015	228%
XZ-75	\$784,017	\$666,658	18%	\$653,507	\$794,167	=18%	\$591,929	\$298,557	98%
BC-92	\$327,856	\$412,337	=20%	\$437,507	\$26,499	1551%	\$295,408	\$512,575	=42%

Shade alternate rows in a range

In a long list of data, you want to shade alternate rows without applying a style.

Conditional formatting rule	Format	Range
=MOD(ROW(),2)=1		A4:J25

This formula shades every other row in the range of cells a blue cell color with a top and bottom border line:

- The **MOD** function returns a remainder after a number (the first argument) is divided by the divisor (the second argument).
- The **ROW** function returns the current row number.
- When you divide the current row number by 2, you always get either a 0 remainder for an even number or a 1 remainder for an odd number.
- Because 0 is FALSE and 1 is TRUE, every odd numbered row is formatted with the shading.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

	Q1	Q2	Q3	Q4	Totals
Division A					
North	\$55	####	\$55	<u>\$70</u>	\$220
East	####	<u>\$98</u>	\$76	\$90	\$323
South	\$60	####	<u>\$86</u>	\$78	\$270
West	<u>\$90</u>	\$65	\$82	####	\$282
Division B					
North	####	<u>\$81</u>	\$54	\$61	\$243
East	<u>\$89</u>	\$63	\$71	\$58	\$281
South	\$61	####	<u>\$88</u>	<u>\$86</u>	\$284
West	####	\$64	<u>\$91</u>	\$73	\$282
Division C					
North	\$76	####	\$78	<u>\$92</u>	\$291
East	<u>\$81</u>	\$62	####	\$59	\$249
South	\$85	####	\$82	\$83	\$312
West	####	\$72	\$72	<u>\$89</u>	\$289

[How to create this rule](#)

Compare data in a cell outside the conditionally formatted range of cells

In a quarterly report summary, you want to find quarterly results that contribute 30 percent or more to the total, or 20 percent or less to the total.

Conditional formatting rule	Format
=B4>=\$F4*0.3	<u>\$38718</u>
=B4<=\$F4*0.2	(\$38718)

Each value in the range B4:E17 is evaluated by the formula because B4 is a relative reference. The formula uses a mixed reference to refer to the corresponding total value in the row outside the conditionally formatted range of cells. So, B4, C4, D4, and E4 are compared to \$F4; B5, C5, D5, and E5 are compared to \$F5; and so on.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formula rules for** box, select **This worksheet**.

	Q1	Q2	Q3	Q4	Totals
Division A					
North	\$52	\$88	\$52	\$70	\$262
East	\$59	\$89	\$76	\$90	
South	\$60	\$46	\$86	\$78	
West	\$90	\$65	\$82	\$45	
Division B					
North	\$53	\$66	\$54	\$61	
East	\$89	\$63	\$71	\$58	
South	\$61	\$49	\$88	\$88	
West	\$54	\$64	\$91	\$73	
Division C					
North	\$76	\$45	\$78	\$92	
East	\$81	\$62	\$47	\$59	
South	\$85	\$64	\$82	\$83	
West	\$56	\$72	\$72	\$89	

0

Range
B4:E17
B4:E17

ila
xed
ow
C4,

tab,

etting

Home | [How to create this rule](#)

Date	Product	Region	Amount
#####	Dairy	Denmark	#####
#####	Produce	Denmark	#####
#####	Produce	Denmark	#####
#####		Denmark Total	#####
#####	Dairy	Finland	\$192.10
#####	Dairy	Finland	\$351.00
#####	Grain	Finland	\$490.50
#####		Finland Total	#####
#####	Dairy	Germany	\$470.00
#####	Dairy	Germany	\$17.40
#####	Grain	Germany	#####
#####	Grain	Germany	\$470.00
#####	Grain	Germany	\$17.40
#####	Grain	Germany	\$447.00
#####	Produce	Germany	\$17.40
#####	Produce	Germany	\$747.00
#####		Germany Total	#####
#####	Dairy	Italy	#####
#####	Dairy	Italy	\$438.43
#####	Produce	Italy	#####
#####	Produce	Italy	\$438.43
#####		Italy Total	#####

Shade an entire row where several criteria must be true

In a products list, you want to shade the entire row when the product sales are for the current month, products are classified as "Grain," and the product's sales are less than \$500.

Conditional formatting rule	Format	Range
=AND(MONTH(A3)=MONTH(TODAY()), B3="Grain", D3<500)	AaBbCcYyZz	A3:A23
=AND(B3="Grain", MONTH(A3)=MONTH(TODAY()), D3<500)	AaBbCcYyZz	B3:B23
=AND(C3<C3, B3="Grain", MONTH(A3)=MONTH(TODAY()), D3<500)	AaBbCcYyZz	C3:C23
=AND(C3<500, B3="Grain", MONTH(A3)=MONTH(TODAY()))	AaBbCcYyZz	D3:D23

Each formula formats the row only if all three conditions are true. It's necessary to repeat the formula for each column, but the absolute cell reference should appear first in the formula so that the formatting is applied to that column. For example, in range A3:A23, the criteria for A3 is the first argument in the AND function; in range B3:B23, the criteria for B3 is the first argument, and so on.

Note For the data shown on this worksheet, you see a shaded row only when the current month is one of the following: June, July, August, or October. To see a shaded row for other months, you can add a row that matches the criteria for the rule.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules**, and in the **Show formatting rules for box**, select **This worksheet**.

[Home](#)[How to create this rule](#)

Contact Name	Address	City	Postal Co	Country	Phone	#	T/F
Christina Berglund	Berguvsvägen	Luleå	S-958 22	Sweden	0921-12 34	1	TRUE
Hanna Moos	Forsterstr. 57	Mannheim	68306	Germany	0621-08460	2	FALSE
Henriette Pfalzheim	Mehrheimerstr.	Köln	50739	Germany	0221-06443	2	FALSE
Maria Anders	Obere Str. 57	Berlin	12209	Germany	030-007432	2	FALSE
Sergio Gutiérrez	Av. del Libertador	Buenos Aires	1010	Argentina	(1) 123-54	1	TRUE
Thomas Hardy	120 Hanover Sq	London	WA1 1DP	UK	(171) 555-	3	FALSE
Marie Bertrand	265, blvd. Charles	Paris	75012	France	(1) 42.34.	1	TRUE
Thomas Hardy	120 Hanover Sq	London	WA1 1DP	UK	(171) 555-	3	FALSE
Antonio Moreno	Mataderos 231	México D.F.	5023	Mexico	(5) 555-34	1	TRUE
Maria Anders	Obere Str. 57	Berlin	12209	Germany	030-007432	2	FALSE
Isabel de Castro	Estrada da sal	Lisboa	1756	Portugal	(1) 356-56	1	TRUE
Guillermo Fernández	Calle Dr. Jorge	México D.F.	5033	Mexico	(5) 552-37	1	TRUE
Frédérique Citeau	24, place Kléber	Strasbourg	67000	France	88.60.15.3	1	TRUE
Thomas Hardy	120 Hanover Sq	London	WA1 1DP	UK	(171) 555-	3	FALSE
Horst Kloss	Taucherstraße	Cunewalde	1307	Germany	0372-03518	1	TRUE
Georg Pipps	Geislweg 14	Salzburg	5020	Austria	6562-9722	1	TRUE
Hanna Moos	Forsterstr. 57	Mannheim	68306	Germany	0621-08460	2	FALSE
Henriette Pfalzheim	Mehrheimerstr.	Köln	50739	Germany	0221-06443	2	FALSE

Shadow

In a list

Conditional
formula
rule

=AND

In this example, the formula is used to count the number of rows where the value in the column is greater than 5, and the value in the column is not equal to 1. The formula is used to create a new column with the results (TRUE or FALSE).

The column is created by using the formula =AND(A1>5,B1<1). The entire row is highlighted if the formula returns TRUE.

Tip To create a conditional formula rule, click on the Conditional Formula icon in the ribbon.

Highlight an entire row if the row is unique

If you have a list of customers, you want to highlight unique rows.

Conditional formatting	Format	Range
Conditional formatting rule (A3:H3)	AaBbCcYyZz	A3:H20

In this example, two calculated columns, G and H, are added to the worksheet. Column G uses the new **COUNTIFS** function to count the number of duplicate values in columns A through H. Column H is used to return the number of duplicate rows. Column H is used to create a TRUE or FALSE condition: if the number of rows is greater than 1, the condition is true (there is at least one duplicate row); otherwise it is false (there are no duplicate rows). Then the entire condition is negated by using the **NOT** function to identify the unique rows.

The conditional formatting rule formula checks the entire row using the **AND** function. When the value in column H is greater than 1, the entire row is found to be unique and, therefore, the row is formatted.

To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional formatting**, click **Manage Rules** and, in the **Show formatting for** box, select **This worksheet**.