

This spreadsheet contains various test cases for the functions: DMIN, DMAX, DSUM
Name of the main junit test class which uses this spreadsheet:
`org.apache.poi.ss.formula.functions.TestDStarFunctionsFromSpreadsheet`
(The content of cell 'Read Me'!A3 is confirmed by the test)

Every sheet besides this first one contains formula evaluation test cases in a standardised format.
On row 4 of each sheet, in columns B,C,D there are the column headings "Formula", "Expected Result", "Actual Result".
The test iterates down from row 5 onward until the text "<end>" is found in column A.
Rows with "<skip>" in column A are ignored (useful for currently unsupported behaviour).
Otherwise column A can be used for commenting the group of rows below.

If the evaluated result of column B does not match the expected result in column C, the junit test will report a failure. Test failures get annotated with the section and row number.
Besides the first 4 columns, row 5 onwards, the junit test does not inspect any other cells in the sheet. The other cells can be used freely to set up test data.

Care should be taken to not only make the values in column C match those in column B, but also to make sure column C contains only simple literal values. This can be achieved easily by 'pasting special' from column B to C, selecting the 'as values' option.

ed Result" and "Comment"

Sheet Comment: D* tests

Formula	Expected Result	Comment
DMIN	6	6 integer results
	0	0 no match
	0	0 non integer column
	45	45 mixed column
	47	47 min without 45
DMAX	8	8 integer results
	0	0 no match
	0	0 non integer column
	47	47 mixed column
	65	65 max without 70
DSUM	21	21 integer results
	0	0 no match
	0	0 non integer column
	92	92 mixed column
	64	64 string equal
	83	83 string other than

<end>

database

name	age	size
Huey	8	45
Dewey	7	fourty-six
Louie	6	47
Donald	32	70
Scrooge	62	65
Donald	32	70

age	age	size	size	size	size
<10	>100	<50	<50	<>45	<>70
name	name				
=donald	<>donald				