

ECMA Test Cases

Sub Clause	Type	Element/Attribute	ECMA Specification
3.3.1.8	Parent	sortState	
3.3.1.8	Child	sortState	
3.3.1.8	Sequence	sortState	
3.3.1.8	Min	sortCondition	
	Max		
	Type		
3.3.1.8	Min	extLst	
	Max		
	Type		
3.3.1.8	Optional	ColumnStart	
	Default		
	Type		
3.3.1.8	Optional	CaseSensitive	
	Default		
	Type		
3.3.1.8	Optional	sortMethod	
	Default		
	Type		
3.3.1.8	Required	Ref	
	Type		
	Type		
3.3.1.89 sortState (Sort State)			
This collection preserves the AutoFilter sort state.			
Parent Elements			
autoFilter (§ 3.3.1.1); queryTableRefresh (§ 3.12.6); table			
Child Elements Subclause			
extLst (Future Feature Data Storage Area) § 3.2.10			
sortCondition (Sort Condition) § 3.3.1.88			
Attributes Description			
caseSensitive			
Flag indicating whether or not the sort is case-sensitive.			
The possible values for this attribute are defined by the X			
columnSort			
Flag indicating whether or not to sort by columns. Only app			
The possible values for this attribute are defined by the X			
ref (Sort Range) The whole range of data to sort (not just			
The possible values for this attribute are defined by the S			
sortMethod			

Strokes or PinYin sort method. Applies only to these applic
Chinese Simplified
Chinese Traditional
Japanese

For these languages, alternate sort methods can be selected
The possible values for this attribute are defined by the S

The following XML Schema fragment 1 defines the contents c

```
2 <complexType name="CT_SortState">  
3 <sequence>  
4 <element name="sortCondition" minOccurs="0" maxOccurs="64  
5 <element name="extLst" type="CT_ExtensionList" minOccurs=  
6 </sequence>  
7 <attribute name="columnSort" type="xsd:boolean" use="opti  
8 <attribute name="caseSensitive" type="xsd:boolean" use="o  
9 <attribute name="sortMethod" type="ST_SortMethod" use="op  
10 <attribute name="ref" type="ST_Ref" use="required"/>  
11 </complexType>
```

Test Case	Priority
Verify sortState is a child under the following parents	Medium
All cases below apply to all sortState parents	Medium
Verify sort state has the following child elements	High
Verify following sequence sortCondition and extLst	High
Verify excel can't load file is sequence if sequence	Medium
Verify min is 0	High
Verify max is 64 and excel can't load file is greater	High
Verify type is CT_Sort	High
Verify min is 0	High
Verify max is 1 and excel can't load file is greater	High
Verify type is CTEExtensionList	High
Verify the attribute is optional. File will still load	High
Verify the default is False	High
Verify the type is boolean datatype	High
Verify the attribute is optional. File will still load	High
Verify the default is False	High
Verify the type is boolean datatype	High
Verify the attribute is optional. File will still load	High
Verify the default is none	High
Verify sortMethod type that can be used (None, StrSortMethod)	High
Verify Attribute is required and excel won't load if not	High
Verify type St_Ref. Range can be a single cell or a range	High
Verify can't load a workbook if the cell or range is not	Medium
(§ 3.5.1.2); worksheet (§ 3.3.1.96)	
ML Schema boolean datatype.	
lies to ranges that don't have autofilter applied.	
ML Schema boolean datatype.	
the sort-by column).	
St_Ref simple type (§ 3.18.64).	

action UI languages:

, affecting how the data is sorted

T_SortMethod simple type

of this element:

```

" type="CT_SortCondition"/>

```

```
:"0" maxOccurs="1"/>
```

```
onal" default="false"/>
```

```
optional" default="false"/>
```

```
optional" default="none"/>
```