

SQL PORTFOLIO PROJECT

Pizza Sales Data Analysis

Uncovering Revenue Trends & Business Insights Using MySQL

PREPARED BY :

KAJAL PANDEY

SWIPE TO VIEW SQL
QUERIES



project overview

OBJECTIVE :
ANALYZE 1-YEAR
PIZZA SALES DATA TO
EXTRACT ACTIONABLE
BUSINESS INSIGHTS.

TECH STACK: MYSQL
WORKBENCH (DATA
AGGREGATION,
JOINS, WINDOW
FUNCTIONS).

KEY FOCUS AREAS:
KPI METRICS, PEAK
SALES HOURS,
CATEGORY REVENUE
SHARE, AND
PRODUCT RANKINGS



RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

Uncovering Revenue Trends & Business Insights Using
MySQL

Result Grid	
	total_orders
▶	21350

CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.

```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
          2) AS total_sales
FROM
    order_details
    JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

Result Grid	
	total_sales
▶	817860.05

IDENTIFY THE HIGHEST-PRICED PIZZA.

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
order by pizzas.price desc limit 1;
```

Result Grid			Filter Row
	name	price	
▶	The Greek Pizza	35.95	

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.

```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

Result Grid			Filter
	size	order_count	
▶	L	8526	
	M	15385	
	S	14137	
	XL	544	
	XXL	28	

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.

```
SELECT
    pizza_types.name, sum(order_details.quantity) as quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name
order by quantity desc limit 5 ;
```

Result Grid			Filter Rows:
	name	quantity	
▶	The Classic Deluxe Pizza	2453	
	The Barbecue Chicken Pizza	2432	
	The Hawaiian Pizza	2422	
	The Pepperoni Pizza	2418	
	The Thai Chicken Pizza	2371	

DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.

```
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time);
```

Result Grid				
	hour	order_count		
▶	11	1231		
	12	2520		
	13	2455		
	14	1472		
	15	1468		
	16	1920		
	17	2336		
	18	2399		
	19	2009		
	20	1642		
	21	1198		
	22	663		
	23	28		
	10	8		
	9	1		

Thank
you

