Lengstu vaxandi hlutrunur

Bergur Snorrason

February 19, 2024

- Við höfum nú þegar skoðað hvernig finna megi lengstu vaxandi hlutrunur með tæmandi leit.

- Við höfum nú þegar skoðað hvernig finna megi lengstu vaxandi hlutrunur með tæmandi leit.
- Sjáum núna hvernig við getum gert það með kvikri bestun.

Hlutrunur

- Látum $(a_1, \ldots, a_n)$ vera runu af tölum.

Hlutrunur

- Látum $(a_1, \ldots, a_n)$ vera runu af tölum.
- Runa $(b_1, \ldots, b_k)$ er *hlutruna* rununnar ef til eru heiltölur $j_1 < \cdots < j_k$ þannig að $a_{j_m} = b_m$.

Hlutrunur

- Látum $(a_1, \ldots, a_n)$ vera runu af tölum.
- Runa $(b_1, \ldots, b_k)$ er *hlutruna* rununnar ef til eru heiltölur $j_1 < \cdots < j_k$ þannig að $a_{j_m} = b_m$.
- Runan $(1, 2, 3, 4, 5)$ hefur, til dæmis, hlutrunurnar $(1, 2, 5)$, $(1, 3, 5)$ og (4).

Hlutrunur

- Látum $(a_1, \ldots, a_n)$ vera runu af tölum.
- Runa $(b_1, \ldots, b_k)$ er *hlutruna* rununnar ef til eru heiltölur $j_1 < \cdots < j_k$ þannig að $a_{j_m} = b_m$.
- Runan $(1, 2, 3, 4, 5)$ hefur, til dæmis, hlutrunurnar $(1, 2, 5)$, $(1, 3, 5)$ og (4).
- En aftur á móti eru $(2, 1)$ og $(1, 6)$ ekki hlutrunur.

Hlutrunur

- Látum $(a_1, \ldots, a_n)$ vera runu af tölum.
- Runa $(b_1, \ldots, b_k)$ er *hlutruna* rununnar ef til eru heiltölur $j_1 < \cdots < j_k$ þannig að $a_{j_m} = b_m$.
- Runan $(1, 2, 3, 4, 5)$ hefur, til dæmis, hlutrunurnar $(1, 2, 5)$, $(1, 3, 5)$ og (4).
- En aftur á móti eru $(2, 1)$ og $(1, 6)$ ekki hlutrunur.
- Við viljum nú, fyrir gefna runu, finna lengdina á lengstu vaxandi hlutrunum hennar.

Hlutrunur

- Látum $(a_1, \ldots, a_n)$ vera runu af tölum.
- Runa $(b_1, \ldots, b_k)$ er *hlutruna* rununnar ef til eru heiltölur $j_1 < \cdots < j_k$ þannig að $a_{j_m} = b_m$.
- Runan $(1, 2, 3, 4, 5)$ hefur, til dæmis, hlutrunurnar $(1, 2, 5)$, $(1, 3, 5)$ og (4).
- En aftur á móti eru $(2, 1)$ og $(1, 6)$ ekki hlutrunur.
- Við viljum nú, fyrir gefna runu, finna lengdina á lengstu vaxandi hlutrunum hennar.
- Það er oft talað um að finna „lengstu vaxandi hlutrununa" þó það geti verið margar jafn langar „lengstu vaxandi hlutrunur".

- Látum $(a_1, \ldots, a_n)$ vera n talna runu.

- Látum $(a_1, \ldots, a_n)$ vera n talna runu.
- Látum $f(x)$ tákna lengd lengstu vaxandi hlutrunu $(a_1, \ldots, a_x)$, sem endar í a_x.

- Látum $(a_1, \ldots, a_n)$ vera n talna runu.
- Látum $f(x)$ tákna lengd lengstu vaxandi hlutrunu $(a_1, \ldots, a_x)$, sem endar í a_x.
- Þá fáum við

$$f(x) = \begin{cases} 1, & \text{ef } x = 1, \\ \max\limits_{\substack{1 \le k < x \\ a_k \le a_x}} f(k) + 1, & \text{annars.} \end{cases}$$

```
 6 int v[MAXN], d[MAXN];
 7 int dp_lookup(int x)
 8 {
 9     if (d[x] != -1) return d[x];
10     if (x == 0) return 1;
11     int i;
12     for (d[x] = 1, i = 0; i < x; i++) if (v[i] <= v[x])
13         d[x] = max(d[x], dp_lookup(i) + 1);
14     return d[x];
15 }
16
17 int lis(int *a, int n)
18 {
19     int i, r = 1;
20     for (i = 0; i < n; i++) d[i] = -1, v[i] = a[i];
21     for (i = 0; i < n; i++) r = max(r, dp_lookup(i));
22     return r;
23 }
```

- Við erum með einvítt stöðurúm af stærð n og hver uppfærsla er í $\mathcal{O}(\quad)$.

- Við erum með einvítt stöðurúm af stærð n og hver uppfærsla er í $\mathcal{O}(n)$.

- Við erum með einvítt stöðurúm af stærð n og hver uppfærsla er í $\mathcal{O}(\, n\,)$.
- Heildartímaflækjan er því $\mathcal{O}(\quad)$.

- Við erum með einvítt stöðurúm af stærð n og hver uppfærsla er í $\mathcal{O}(\, n\,)$.
- Heildartímaflækjan er því $\mathcal{O}(n^2)$.

- Við erum með einvítt stöðurúm af stærð n og hver uppfærsla er í $\mathcal{O}(\, n\,)$.
- Heildartímaflækjan er því $\mathcal{O}(n^2)$.
- Við getum bætt þetta, en fyrst þurfum við að leysa þetta aftur með kvikri bestun, en annarri rakningarformúlu.

- Látum nú $f(x, y)$ tákna minnsta mögulega aftasta stak vaxandi hlutrunu $(a_1, \ldots, a_x)$ af lengd y.

- Látum nú $f(x, y)$ tákna minnsta mögulega aftasta stak vaxandi hlutrunu $(a_1, \ldots, a_x)$ af lengd y.
- Við fáum því

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Látum nú $f(x, y)$ tákna minnsta mögulega aftasta stak vaxandi hlutrunu $(a_1, \ldots, a_x)$ af lengd y.
- Við fáum því

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Grunntilvikin eru til að auðvelda útfærlsu.

- Látum nú $f(x, y)$ tákna minnsta mögulega aftasta stak vaxandi hlutrunu $(a_1, \ldots, a_x)$ af lengd y.
- Við fáum því

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Grunntilvikin eru til að auðvelda útfærlsu.
- Lengd lengstu vaxandi hlutrunanna er þá stærsta ℓ þannig að $f(n, \ell) < \infty$.

```
 7 int v[MAXN], d[MAXN][MAXN];
 8 int dp_lookup(int x, int y)
 9 {
10     if (x == -1) return y == 0 ? -INF : INF;
11     if (d[x][y] != -1) return d[x][y];
12     if (v[x] < dp_lookup(x - 1, y - 1)) return d[x][y] = dp_lookup(x - 1, y);
13     return d[x][y] = min(dp_lookup(x - 1, y), v[x]);
14 }
15
16 int lis(int *a, int n)
17 {
18     int i, j, x;
19     for (i = 0; i < n; i++) v[i] = a[i];
20     for (i = 0; i < n; i++) for (j = 0; j < n + 1; j++) d[i][j] = -1;
21     for (x = n; dp_lookup(n - 1, x) == INF; x--);
22     return x;
23 }
```

- Við erum með tvívítt stöðurúm af stærð $(n+1) \cdot (n+1)$ og hver uppfærsla er í $\mathcal{O}(\quad)$.

- Við erum með tvívítt stöðurúm af stærð $(n+1) \cdot (n+1)$ og hver uppfærsla er í $\mathcal{O}(1)$.

- Við erum með tvívítt stöðurúm af stærð $(n+1) \cdot (n+1)$ og hver uppfærsla er í $\mathcal{O}(\,1\,)$.
- Heildartímaflækjan er því $\mathcal{O}(\quad)$.

- Við erum með tvívítt stöðurúm af stærð $(n+1) \cdot (n+1)$ og hver uppfærsla er í $\mathcal{O}(1)$.
- Heildartímaflækjan er því $\mathcal{O}(n^2)$.

- Við erum með tvívítt stöðurúm af stærð $(n+1) \cdot (n+1)$ og hver uppfærsla er í $\mathcal{O}(1)$.
- Heildartímaflækjan er því $\mathcal{O}(n^2)$.
- En þetta er sama tímaflækja og við fengum áðan.

- Við erum með tvívítt stöðurúm af stærð $(n+1) \cdot (n+1)$ og hver uppfærsla er í $\mathcal{O}(1)$.
- Heildartímaflækjan er því $\mathcal{O}(n^2)$.
- En þetta er sama tímaflækja og við fengum áðan.
- Prófum að útfæra þetta neðansækið og sjáum hvað við fáum.

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Sjáum að fallgildi $f(x,y)$ ákvarðast af $f(x-1,y)$ og $f(x-1,y-1)$.

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Sjáum að fallgildi $f(x,y)$ ákvarðast af $f(x-1,y)$ og $f(x-1,y-1)$.
- Svo við getum fyllt í töfluna í lestrarröð.

```
 7 int lis(int *a, int *b, int n)
 8 {
 9     int i, j, x, y, d[n + 1][n + 1];
10     for (i = 0; i < n + 1; i++) d[0][i] = INF;
11     for (i = 0; i < n + 1; i++) d[i][0] = -INF;
12     for (i = 1; i < n + 1; i++) for (j = 0; j < n + 1; j++)
13     {
14         if (a[i - 1] < d[i - 1][j - 1]) d[i][j] = d[i - 1][j];
15         else d[i][j] = min(d[i - 1][j], a[i - 1]);
16     }
17     for (x = n; d[n][x] == INF; x--);
18     for (i = 0; i < x; i++) b[i] = d[n - x + i + 1][i + 1];
19     return x;
20 }
```

- Heildartímaflækjan er sú sama og áðan, svo hún er $\mathcal{O}(\quad)$.

- Heildartímaflækjan er sú sama og áðan, svo hún er $\mathcal{O}(n^2)$.

- Heildartímaflækjan er sú sama og áðan, svo hún er $\mathcal{O}(n^2)$.
- Skoðum núna hvernig uppfærslan á töflunni fer fram og sjáum hvort við getum bætt tímaflækjuna.

3, 6, 2, 1, 5, 8, 4, 7, 9

```
-INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
-INF
-INF
-INF
-INF
-INF
-INF
-INF
-INF
-INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
^
                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
         |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
         |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
   ^
                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
> -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
         |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
         |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
                     |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
                     |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^
                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
      ^

                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
> -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
          ^
          |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
>  -INF
   -INF
   -INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
          ^
          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^
                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^
               |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^
                          |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    6  INF
   -INF
   -INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^
                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^
```

```
                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
         ^

                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
             ^

          |
   -INF   INF   INF   INF   INF   INF   INF   INF   INF   INF
   -INF     3   INF   INF   INF   INF   INF   INF   INF   INF
   -INF     3     6   INF   INF   INF   INF   INF   INF   INF
   -INF     2     6   INF   INF   INF   INF   INF   INF   INF
   -INF     1     6   INF   INF   INF   INF   INF   INF   INF
>  -INF
   -INF
   -INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
            ^
            |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
            ^
              |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^
                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
             ^

                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
          ^
                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^
                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
           ^

                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

          |
   -INF   INF   INF   INF   INF   INF   INF   INF   INF   INF
   -INF     3   INF   INF   INF   INF   INF   INF   INF   INF
   -INF     3     6   INF   INF   INF   INF   INF   INF   INF
   -INF     2     6   INF   INF   INF   INF   INF   INF   INF
   -INF     1     6   INF   INF   INF   INF   INF   INF   INF
   -INF     1     5   INF   INF   INF   INF   INF   INF   INF
>  -INF
   -INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

          |
   -INF   INF   INF   INF   INF   INF   INF   INF   INF   INF
   -INF     3   INF   INF   INF   INF   INF   INF   INF   INF
   -INF     3     6   INF   INF   INF   INF   INF   INF   INF
   -INF     2     6   INF   INF   INF   INF   INF   INF   INF
   -INF     1     6   INF   INF   INF   INF   INF   INF   INF
   -INF     1     5   INF   INF   INF   INF   INF   INF   INF
>  -INF     1
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                  |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                  |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                     |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                     |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                ^

                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5    8
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                           |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8  INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5    8  INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5    8  INF  INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5    8  INF  INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5    8  INF  INF  INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                  |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8  INF  INF  INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                  |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8  INF  INF  INF  INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
> -INF    1    5    8  INF  INF  INF  INF
  -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                        |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8  INF  INF  INF  INF  INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                                  |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8  INF  INF  INF  INF  INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                                  |
   -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
   -INF    3    6  INF  INF  INF  INF  INF  INF  INF
   -INF    2    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    6  INF  INF  INF  INF  INF  INF  INF
   -INF    1    5  INF  INF  INF  INF  INF  INF  INF
>  -INF    1    5    8  INF  INF  INF  INF  INF  INF
   -INF
   -INF
   -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                 |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^

                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                  ^
                                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

         |
  -INF   INF   INF   INF   INF   INF   INF   INF   INF   INF
  -INF     3   INF   INF   INF   INF   INF   INF   INF   INF
  -INF     3     6   INF   INF   INF   INF   INF   INF   INF
  -INF     2     6   INF   INF   INF   INF   INF   INF   INF
  -INF     1     6   INF   INF   INF   INF   INF   INF   INF
  -INF     1     5   INF   INF   INF   INF   INF   INF   INF
  -INF     1     5     8   INF   INF   INF   INF   INF   INF
  -INF     1     4     8   INF   INF   INF   INF   INF   INF
> -INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^
                     |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^
                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^

                                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^

                                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^
                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                     ^
                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^

                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^
                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                    ^
                                                          |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
> -INF    1    4    7  INF  INF  INF  INF  INF  INF
  -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                       ^
                       |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                        |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                                  |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^

                                                    |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF  INF  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF  INF  INF
```

```
3, 6, 2, 1, 5, 8, 4, 7, 9
                        ^
                                                                |
  -INF  INF  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3  INF  INF  INF  INF  INF  INF  INF  INF
  -INF    3    6  INF  INF  INF  INF  INF  INF  INF
  -INF    2    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    6  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5  INF  INF  INF  INF  INF  INF  INF
  -INF    1    5    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    8  INF  INF  INF  INF  INF  INF
  -INF    1    4    7  INF  INF  INF  INF  INF  INF
> -INF    1    4    7    9  INF  INF  INF  INF  INF
```

3, 6, 2, 1, 5, 8, 4, 7, 9

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
-INF	1	4	7	9	INF	INF	INF	INF	INF

- Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.

- Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.
- Annað sem við sjáum er að línurnar eru allar vaxandi.

- Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.
- Annað sem við sjáum er að línurnar eru allar vaxandi.
- Að lokum sjáum við að hver lína er aðeins uppfærð einu sinni í hverri ítrun.

- Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.
- Annað sem við sjáum er að línurnar eru allar vaxandi.
- Að lokum sjáum við að hver lína er aðeins uppfærð einu sinni í hverri ítrun.
- En afhverju gildir þetta?

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf $-\infty, \infty, \ldots, \infty$, sem er röðuð.

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf $-\infty, \infty, \ldots, \infty$, sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu x og við þurfum að uppfæra y.

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf $-\infty, \infty, \ldots, \infty$, sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu x og við þurfum að uppfæra y.
- Þá þarf $a_x \geq f(x-1,y-1)$ því uppfærlsa á sér aðeins stað í síðasta tilfellinu.

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf $-\infty, \infty, \ldots, \infty$, sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu x og við þurfum að uppfæra y.
- Þá þarf $a_x \geq f(x-1,y-1)$ því uppfærlsa á sér aðeins stað í síðasta tilfellinu.
- En einnig þarf $a_x < f(x-1,y)$.

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf $-\infty, \infty, \ldots, \infty$, sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu x og við þurfum að uppfæra y.
- Þá þarf $a_x \geq f(x-1,y-1)$ því uppfærlsa á sér aðeins stað í síðasta tilfellinu.
- En einnig þarf $a_x < f(x-1,y)$.
- Svo $f(x-1,y-1) \leq f(x,y) < f(x-1,y)$.

Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf $-\infty, \infty, \ldots, \infty$, sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu x og við þurfum að uppfæra y.
- Þá þarf $a_x \geq f(x-1,y-1)$ því uppfærlsa á sér aðeins stað í síðasta tilfellinu.
- En einnig þarf $a_x < f(x-1,y)$.
- Svo $f(x-1,y-1) \leq f(x,y) < f(x-1,y)$.
- En þá fæst líka að $f(x,y) < f(x-1,y) \leq f(x,y+1)$.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Gerum ráð fyrir að við séum í línu x og við þurfum að uppfæra y.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Gerum ráð fyrir að við séum í línu x og við þurfum að uppfæra y.
- Eins og við sáum áðan þá er $f(x-1,y-1) \leq a_x < f(x-1,y)$ nauðsynlegt skilyrði fyrir uppfærslu.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x,y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1,y), & \text{ef } a_x < f(x-1,y-1), \\ \min(f(x-1,y), a_x), & \text{annars.} \end{cases}$$

- Gerum ráð fyrir að við séum í línu x og við þurfum að uppfæra y.
- Eins og við sáum áðan þá er $f(x-1,y-1) \leq a_x < f(x-1,y)$ nauðsynlegt skilyrði fyrir uppfærslu.
- Þetta getur þó bara átt sér stað, í mesta lagi, einu sinni í röðuðum lista.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Við getum því lýst uppfærslu y-tu línunnar með:

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Við getum því lýst uppfærslu y-tu línunnar með:
  - Finnum x þannig að $f(x-1, y-1) \leq a_x < f(x-1, y)$.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Við getum því lýst uppfærslu y-tu línunnar með:
  - Finnum x þannig að $f(x-1, y-1) \leq a_x < f(x-1, y)$.
  - Látum $f(x, y) = a_x$.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Við getum því lýst uppfærslu y-tu línunnar með:
  - Finnum x þannig að $f(x-1, y-1) \leq a_x < f(x-1, y)$.
  - Látum $f(x, y) = a_x$.
  - Uppfærum næstu línu.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Við getum því lýst uppfærslu y-tu línunnar með:
  - Finnum x þannig að $f(x-1, y-1) \leq a_x < f(x-1, y)$.
  - Látum $f(x, y) = a_x$.
  - Uppfærum næstu línu.
- Í neðansæknu útfærslunni framkvæmum við línulega leit í fyrsta skrefinu.

Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Við getum því lýst uppfærslu y-tu línunnar með:
  - Finnum x þannig að $f(x-1, y-1) \leq a_x < f(x-1, y)$.
  - Látum $f(x, y) = a_x$.
  - Uppfærum næstu línu.
- Í neðansæknu útfærslunni framkvæmum við línulega leit í fyrsta skrefinu.
- En þar sem línurnar eru allar raðaðar getum við í staðinn framkvæmt helmingunarleit.

```
10 int lis(int *a, int *b, int n)
11 {
12     int i, j, x, y, r, s, d[n + 1], e[n];
13     for (i = 0; i < n + 1; i++) d[i] = i == 0 ? -INF : INF;
14     for (i = 0; i < n; i++)
15     {
16         for (s = n + 1; s >= 1; s /= 2)
17             while (r = -1, r + s < n + 1 && d[r + s] < a[i]) r += s;
18         d[r + 1] = a[i], e[i] = d[r];
19     }
20     for (x = n; d[x] == INF; x--);
21     for (i = n - 1, j = x - 1, y = d[x]; j >= 0; i--) if (a[i] == y)
22         y = e[i], b[j--] = a[i];
23     return x;
24 }
```

- Nú er forritið einföld `for`-lykkja af lengd n sem framkvæmir helmingunarleit í hverri ítrun.

- Nú er forritið einföld `for`-lykkja af lengd n sem framkvæmir helmingunarleit í hverri ítrun.
- Helmingunarleitin er $\mathcal{O}(\quad)$.

- Nú er forritið einföld `for`-lykkja af lengd n sem framkvæmir helmingunarleit í hverri ítrun.
- Helmingunarleitin er $\mathcal{O}(\log n)$.

- Nú er forritið einföld `for`-lykkja af lengd n sem framkvæmir helmingunarleit í hverri ítrun.
- Helmingunarleitin er $\mathcal{O}(\log n)$.
- Heildartímaflækan er því $\mathcal{O}($ $)$.

- Nú er forritið einföld `for`-lykkja af lengd n sem framkvæmir helmingunarleit í hverri ítrun.
- Helmingunarleitin er $\mathcal{O}(\log n)$.
- Heildartímaflækan er því $\mathcal{O}(n \log n)$.