

# Lengstu vaxandi hlutrunur

Bergur Snorrason

February 19, 2024

- ▶ Við höfum nú þegar skoðað hvernig finna megí lengstu vaxandi hlutrunur með tæmandi leit.

- ▶ Við höfum nú þegar skoðað hvernig finna megi lengstu vaxandi hlutrunur með tæmandi leit.
- ▶ Sjáum núna hvernig við getum gert það með kvikri bestun.

# Hlutrúður

- ▶ Látum  $(a_1, \dots, a_n)$  vera runu af tölum.

# Hlutrúnur

- ▶ Látum  $(a_1, \dots, a_n)$  vera runu af tölum.
- ▶ Runa  $(b_1, \dots, b_k)$  er *hlutrúna* rununnar ef til eru heiltölur  $j_1 < \dots < j_k$  þannig að  $a_{j_m} = b_m$ .

# Hlutrunur

- ▶ Látum  $(a_1, \dots, a_n)$  vera runu af tölum.
- ▶ Runa  $(b_1, \dots, b_k)$  er *hlutruna* rununnar ef til eru heiltölur  $j_1 < \dots < j_k$  þannig að  $a_{j_m} = b_m$ .
- ▶ Runan  $(1, 2, 3, 4, 5)$  hefur, til dæmis, hlutrunurnar  $(1, 2, 5)$ ,  $(1, 3, 5)$  og  $(4)$ .

# Hlutrunur

- ▶ Látum  $(a_1, \dots, a_n)$  vera runu af tölum.
- ▶ Runa  $(b_1, \dots, b_k)$  er *hlutruna* rununnar ef til eru heiltölur  $j_1 < \dots < j_k$  þannig að  $a_{j_m} = b_m$ .
- ▶ Runan  $(1, 2, 3, 4, 5)$  hefur, til dæmis, hlutrunurnar  $(1, 2, 5)$ ,  $(1, 3, 5)$  og  $(4)$ .
- ▶ En aftur á móti eru  $(2, 1)$  og  $(1, 6)$  ekki hlutrunur.

# Hlutrunur

- ▶ Látum  $(a_1, \dots, a_n)$  vera runu af tölum.
- ▶ Runa  $(b_1, \dots, b_k)$  er *hlutruna* rununnar ef til eru heiltölur  $j_1 < \dots < j_k$  þannig að  $a_{j_m} = b_m$ .
- ▶ Runan  $(1, 2, 3, 4, 5)$  hefur, til dæmis, hlutrunurnar  $(1, 2, 5)$ ,  $(1, 3, 5)$  og  $(4)$ .
- ▶ En aftur á móti eru  $(2, 1)$  og  $(1, 6)$  ekki hlutrunur.
- ▶ Við viljum nú, fyrir gefna runu, finna lengdina á lengstu vaxandi hlutrunum hennar.



# Hlutrúnur

- ▶ Látum  $(a_1, \dots, a_n)$  vera runu af tölum.
- ▶ Runa  $(b_1, \dots, b_k)$  er *hlutruna* rununnar ef til eru heiltölur  $j_1 < \dots < j_k$  þannig að  $a_{j_m} = b_m$ .
- ▶ Runan  $(1, 2, 3, 4, 5)$  hefur, til dæmis, hlutrunurnar  $(1, 2, 5)$ ,  $(1, 3, 5)$  og  $(4)$ .
- ▶ En aftur á móti eru  $(2, 1)$  og  $(1, 6)$  ekki hlutrúnur.
- ▶ Við viljum nú, fyrir gefna runu, finna lengdina á lengstu vaxandi hlutrunum hennar.
- ▶ Það er oft talað um að finna „lengstu vaxandi hlutrununa“ þó það geti verið margar jafn langar „lengstu vaxandi hlutrúnur“.

- ▶ Látum  $(a_1, \dots, a_n)$  vera  $n$  talna runu.

- ▶ Látum  $(a_1, \dots, a_n)$  vera  $n$  talna runu.
- ▶ Látum  $f(x)$  tákna lengd lengstu vaxandi hlutrunu  $(a_1, \dots, a_x)$ , sem endar í  $a_x$ .

- ▶ Látum  $(a_1, \dots, a_n)$  vera  $n$  talna runu.
- ▶ Látum  $f(x)$  tákna lengd lengstu vaxandi hlutrunu  $(a_1, \dots, a_x)$ , sem endar í  $a_x$ .
- ▶ Þá fáum við

$$f(x) = \begin{cases} 1, & \text{ef } x = 1, \\ \max_{\substack{1 \leq k < x \\ a_k \leq a_x}} f(k) + 1, & \text{annars.} \end{cases}$$

```

6  int v[MAXN], d[MAXN];
7  int dp_lookup(int x)
8  {
9      if (d[x] != -1) return d[x];
10     if (x == 0) return 1;
11     int i;
12     for (d[x] = 1, i = 0; i < x; i++) if (v[i] <= v[x])
13         d[x] = max(d[x], dp_lookup(i) + 1);
14     return d[x];
15 }
16
17 int lis(int *a, int n)
18 {
19     int i, r = 1;
20     for (i = 0; i < n; i++) d[i] = -1, v[i] = a[i];
21     for (i = 0; i < n; i++) r = max(r, dp_lookup(i));
22     return r;
23 }

```

- ▶ Við erum með einvítt stöðurúm af stærð  $n$  og hver uppfærsla er í  $\mathcal{O}(\quad)$ .

- ▶ Við erum með einvítt stöðurúm af stærð  $n$  og hver uppfærsla er í  $\mathcal{O}(n)$ .

- ▶ Við erum með einvítt stöðurúm af stærð  $n$  og hver uppfærsla er í  $\mathcal{O}(n)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}(\quad)$ .



- ▶ Við erum með einvítt stöðurúm af stærð  $n$  og hver uppfærsla er í  $\mathcal{O}(n)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}(n^2)$ .

- ▶ Við erum með einvítt stöðurúm af stærð  $n$  og hver uppfærsla er í  $\mathcal{O}(n)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}(n^2)$ .
- ▶ Við getum bætt þetta, en fyrst þurfum við að leysa þetta aftur með kvikri bestun, en annarri rakningarformúlu.

- ▶ Látum nú  $f(x, y)$  tákna minnsta mögulega aftasta stak vaxandi hlutrunu  $(a_1, \dots, a_x)$  af lengd  $y$ .

- ▶ Látum nú  $f(x, y)$  tákna minnsta mögulega aftasta stak vaxandi hlutrunu  $(a_1, \dots, a_x)$  af lengd  $y$ .
- ▶ Við fáum því

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- ▶ Látum nú  $f(x, y)$  tákna minnsta mögulega aftasta stak vaxandi hlutrunu  $(a_1, \dots, a_x)$  af lengd  $y$ .
- ▶ Við fáum því

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x - 1, y), & \text{ef } a_x < f(x - 1, y - 1), \\ \min(f(x - 1, y), a_x), & \text{annars.} \end{cases}$$

- ▶ Grunntilvikin eru til að auðvelda útfærslu.

- ▶ Látum nú  $f(x, y)$  tákna minnsta mögulega aftasta stak vaxandi hlutrunu  $(a_1, \dots, a_x)$  af lengd  $y$ .
- ▶ Við fáum því

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- ▶ Grunntilvikin eru til að auðvelda útfærslu.
- ▶ Lengd lengstu vaxandi hlutrunanna er þá stærsta  $\ell$  þannig að  $f(n, \ell) < \infty$ .

```

7 int v[MAXN], d[MAXN][MAXN];
8 int dp_lookup(int x, int y)
9 {
10     if (x == -1) return y == 0 ? -INF : INF;
11     if (d[x][y] != -1) return d[x][y];
12     if (v[x] < dp_lookup(x - 1, y - 1)) return d[x][y] = dp_lookup(x - 1, y);
13     return d[x][y] = min(dp_lookup(x - 1, y), v[x]);
14 }
15
16 int lis(int *a, int n)
17 {
18     int i, j, x;
19     for (i = 0; i < n; i++) v[i] = a[i];
20     for (i = 0; i < n; i++) for (j = 0; j < n + 1; j++) d[i][j] = -1;
21     for (x = n; dp_lookup(n - 1, x) == INF; x--);
22     return x;
23 }

```

- ▶ Við erum með tvívítt stöðurúm af stærð  $(n + 1) \cdot (n + 1)$  og hver uppfærsla er í  $\mathcal{O}(\quad)$ .



- ▶ Við erum með tvívítt stöðurúm af stærð  $(n + 1) \cdot (n + 1)$  og hver uppfærsla er í  $\mathcal{O}(1)$ .

- ▶ Við erum með tvívítt stöðurúm af stærð  $(n + 1) \cdot (n + 1)$  og hver uppfærsla er í  $\mathcal{O}(1)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}( \quad )$ .

- ▶ Við erum með tvívítt stöðurúm af stærð  $(n + 1) \cdot (n + 1)$  og hver uppfærsla er í  $\mathcal{O}(1)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}(n^2)$ .

- ▶ Við erum með tvívítt stöðurúm af stærð  $(n + 1) \cdot (n + 1)$  og hver uppfærsla er í  $\mathcal{O}(1)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}(n^2)$ .
- ▶ En þetta er sama tímaflækja og við fengum áðan.

- ▶ Við erum með tvívítt stöðurúm af stærð  $(n + 1) \cdot (n + 1)$  og hver uppfærsla er í  $\mathcal{O}(1)$ .
- ▶ Heildartímaflækjan er því  $\mathcal{O}(n^2)$ .
- ▶ En þetta er sama tímaflækja og við fengum áðan.
- ▶ Prófum að útfæra þetta neðansækið og sjáum hvað við fáum.

► Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Sjáum að fallgildi  $f(x, y)$  ákvarðast af  $f(x-1, y)$  og  $f(x-1, y-1)$ .

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Sjáum að fallgildi  $f(x, y)$  ákvarðast af  $f(x-1, y)$  og  $f(x-1, y-1)$ .
- Svo við getum fyllt í töfluna í lestrarröð.



```

7 int lis(int *a, int *b, int n)
8 {
9     int i, j, x, y, d[n + 1][n + 1];
10    for (i = 0; i < n + 1; i++) d[0][i] = INF;
11    for (i = 0; i < n + 1; i++) d[i][0] = -INF;
12    for (i = 1; i < n + 1; i++) for (j = 0; j < n + 1; j++)
13    {
14        if (a[i - 1] < d[i - 1][j - 1]) d[i][j] = d[i - 1][j];
15        else d[i][j] = min(d[i - 1][j], a[i - 1]);
16    }
17    for (x = n; d[n][x] == INF; x--);
18    for (i = 0; i < x; i++) b[i] = d[n - x + i + 1][i + 1];
19    return x;
20 }

```

- ▶ Heildartímaflækjan er sú sama og áðan, svo hún er  $\mathcal{O}(\quad)$ .

- ▶ Heildartímaflækjan er sú sama og áðan, svo hún er  $\mathcal{O}(n^2)$ .

- ▶ Heildartímaflækjan er sú sama og áðan, svo hún er  $\mathcal{O}(n^2)$ .
- ▶ Skoðum núna hvernig uppfærslan á töflunni fer fram og sjáum hvort við getum bætt tímaflækjuna.

3, 6, 2, 1, 5, 8, 4, 7, 9

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF   INF   INF   INF   INF   INF   INF   INF   INF   INF

> -INF

-INF

-INF

-INF

-INF

-INF

-INF

-INF

-INF







3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF							
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF							
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF						
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF					
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF					
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF				
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF				
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF			
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF			
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF	INF		
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF		
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF	INF	
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF	INF	
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF   INF   INF   INF   INF   INF   INF   INF   INF   INF

-INF   3   INF   INF   INF   INF   INF   INF   INF   INF

> -INF

-INF

-INF

-INF

-INF

-INF

-INF

-INF



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
------	-----	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
------	---	-----	-----	-----	-----	-----	-----	-----	-----

> -INF      3

-INF

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF   INF   INF   INF   INF   INF   INF   INF   INF   INF

-INF   3   INF   INF   INF   INF   INF   INF   INF   INF

> -INF   3

-INF

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF   INF   INF   INF   INF   INF   INF   INF   INF   INF

-INF   3   INF   INF   INF   INF   INF   INF   INF   INF

> -INF   3   6

-INF

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
------	-----	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
------	---	-----	-----	-----	-----	-----	-----	-----	-----

> -INF      3      6

-INF

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF						
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF						
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF						
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF					
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF					
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF	INF			
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF	INF			
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF	INF	INF		
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF	INF	INF		
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
> -INF	3	6	INF	INF	INF	INF	INF	INF	
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	6	INF	INF	INF	INF	INF	
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
>	-INF	3	6	INF	INF	INF	INF	INF	INF
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
------	-----	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
------	---	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	6	INF	INF	INF	INF	INF	INF	INF
------	---	---	-----	-----	-----	-----	-----	-----	-----

> -INF

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
------	-----	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
------	---	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	6	INF	INF	INF	INF	INF	INF	INF
------	---	---	-----	-----	-----	-----	-----	-----	-----

> -INF 2

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF   INF   INF   INF   INF   INF   INF   INF   INF   INF

-INF   3   INF   INF   INF   INF   INF   INF   INF   INF

-INF   3   6   INF   INF   INF   INF   INF   INF   INF

> -INF   2

-INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6							
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6							
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF						
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6	INF						
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6	INF	INF					
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6	INF	INF					
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
> -INF	2	6	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF	INF	INF	INF			
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF	INF	INF	INF			
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									





3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF	INF	INF	INF	INF		
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

	-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF	INF	INF	INF	INF	INF	
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									
	-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF	INF	INF	INF	INF	
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF
>	-INF	2	6	INF	INF	INF	INF	INF	INF
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
------	-----	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
------	---	-----	-----	-----	-----	-----	-----	-----	-----

-INF	3	6	INF	INF	INF	INF	INF	INF	INF
------	---	---	-----	-----	-----	-----	-----	-----	-----

-INF	2	6	INF	INF	INF	INF	INF	INF	INF
------	---	---	-----	-----	-----	-----	-----	-----	-----

> -INF

-INF

-INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6							
-INF									
-INF									
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6							
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF						
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF						
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF					
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF					
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF	INF			
-INF									
-INF									
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF	INF			
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF	INF	INF		
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF	INF	INF		
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	6	INF	INF	INF	INF	INF	INF	
-INF									
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF
	-INF	2	6	INF	INF	INF	INF	INF	INF
>	-INF	1	6	INF	INF	INF	INF	INF	
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF
	-INF	2	6	INF	INF	INF	INF	INF	INF
>	-INF	1	6	INF	INF	INF	INF	INF	INF
	-INF								
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF

> -INF  
-INF  
-INF  
-INF  
-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5							
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5							
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF						
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF						
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF					
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF					
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF				
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF	INF			
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF	INF			
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF	INF	INF		
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF	INF	INF		
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	INF	INF	INF	INF	INF	INF	
-INF									
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF
	-INF	2	6	INF	INF	INF	INF	INF	INF
	-INF	1	6	INF	INF	INF	INF	INF	INF
>	-INF	1	5	INF	INF	INF	INF	INF	
	-INF								
	-INF								
	-INF								
	-INF								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

	-INF	INF	INF	INF	INF	INF	INF	INF	INF
	-INF	3	INF	INF	INF	INF	INF	INF	INF
	-INF	3	6	INF	INF	INF	INF	INF	INF
	-INF	2	6	INF	INF	INF	INF	INF	INF
	-INF	1	6	INF	INF	INF	INF	INF	INF
>	-INF	1	5	INF	INF	INF	INF	INF	INF
	-INF								
	-INF								
	-INF								
	-INF								



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF

> -INF

-INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5							
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5							
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8						
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8						
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF					
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF					
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF				
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF				
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF			
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF			
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF	INF		
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF	INF		
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF	INF	INF	
-INF									
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF	INF	INF	
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
> -INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF									
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF

> -INF

-INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4							
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4							
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8						
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8						
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF					
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF					
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF				
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF				
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF			
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF			
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF	INF		
-INF									
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF	INF		
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF	INF	INF	
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF	INF	INF	
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF									
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF

> -INF

-INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1								
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4							
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4							
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7						
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7						
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF					
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF					
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF				
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF					
-INF										

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF			
-INF									



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF			
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF	INF		
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF	INF		
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF	INF	INF	
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF	INF	INF	
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	INF	INF	INF	INF	INF	INF
-INF									

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF

> -INF

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1								



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1								

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4							

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4							

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7						

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7						

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9					

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9					

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF				



3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF				

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF			

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF			

3, 6, 2, 1, 5, 8, 4, 7, 9

^

|

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF	INF		

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF	INF		

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF	INF	INF	

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF	INF	INF	

3, 6, 2, 1, 5, 8, 4, 7, 9

^

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
> -INF	1	4	7	9	INF	INF	INF	INF	INF



3, 6, 2, 1, 5, 8, 4, 7, 9

-INF	INF	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	INF	INF	INF	INF	INF	INF	INF	INF
-INF	3	6	INF	INF	INF	INF	INF	INF	INF
-INF	2	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	6	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	INF	INF	INF	INF	INF	INF	INF
-INF	1	5	8	INF	INF	INF	INF	INF	INF
-INF	1	4	8	INF	INF	INF	INF	INF	INF
-INF	1	4	7	INF	INF	INF	INF	INF	INF
-INF	1	4	7	9	INF	INF	INF	INF	INF

- ▶ Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.

- ▶ Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.
- ▶ Annað sem við sjáum er að línurnar eru allar vaxandi.

- ▶ Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.
- ▶ Annað sem við sjáum er að línurnar eru allar vaxandi.
- ▶ Að lokum sjáum við að hver lína er aðeins uppfærð einu sinni í hverri ítrun.

- ▶ Tökum eftir að við þurfum í raun alltaf bara að geyma síðustu línuna sem við kláruðum.
- ▶ Annað sem við sjáum er að línurnar eru allar vaxandi.
- ▶ Að lokum sjáum við að hver lína er aðeins uppfærð einu sinni í hverri ítrun.
- ▶ En afhverju gildir þetta?

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf  $-\infty, \infty, \dots, \infty$ , sem er röðuð.



## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf  $-\infty, \infty, \dots, \infty$ , sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf  $-\infty, \infty, \dots, \infty$ , sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .
- Þá þarf  $a_x \geq f(x-1, y-1)$  því uppfærsla á sér aðeins stað í síðasta tilfellinu.

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf  $-\infty, \infty, \dots, \infty$ , sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .
- Þá þarf  $a_x \geq f(x-1, y-1)$  því uppfærsla á sér aðeins stað í síðasta tilfellinu.
- En einnig þarf  $a_x < f(x-1, y)$ .

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf  $-\infty, \infty, \dots, \infty$ , sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .
- Þá þarf  $a_x \geq f(x-1, y-1)$  því uppfærsla á sér aðeins stað í síðasta tilfellinu.
- En einnig þarf  $a_x < f(x-1, y)$ .
- Svo  $f(x-1, y-1) \leq f(x, y) < f(x-1, y)$ .

## Afhverju eru allar línurnar raðaðar?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Þetta fæst með einfaldri þrepun.
- Fyrst línan er alltaf  $-\infty, \infty, \dots, \infty$ , sem er röðuð.
- Gerum nú ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .
- Þá þarf  $a_x \geq f(x-1, y-1)$  því uppfærsla á sér aðeins stað í síðasta tilfellinu.
- En einnig þarf  $a_x < f(x-1, y)$ .
- Svo  $f(x-1, y-1) \leq f(x, y) < f(x-1, y)$ .
- En þá fæst líka að  $f(x, y) < f(x-1, y) \leq f(x, y+1)$ .

## Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

## Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Gerum ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .

## Afhverju uppfærum við bara einu sinni í hverri ítrun?

- Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- Gerum ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .
- Eins og við sáum áðan þá er  $f(x-1, y-1) \leq a_x < f(x-1, y)$  nauðsynlegt skilyrði fyrir uppfærslu.



## Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Rifjum upp að

$$f(x, y) = \begin{cases} -\infty, & \text{ef } x = 0 \text{ og } y = 0, \\ \infty, & \text{annars, ef } x = 0, \\ f(x-1, y), & \text{ef } a_x < f(x-1, y-1), \\ \min(f(x-1, y), a_x), & \text{annars.} \end{cases}$$

- ▶ Gerum ráð fyrir að við séum í línu  $x$  og við þurfum að uppfæra  $y$ .
- ▶ Eins og við sáum áðan þá er  $f(x-1, y-1) \leq a_x < f(x-1, y)$  nauðsynlegt skilyrði fyrir uppfærslu.
- ▶ Þetta getur þó bara átt sér stað, í mesta lagi, einu sinni í röðuðum lista.

## Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Við getum því lýst uppfærslu  $y$ -tu línunnar með:

# Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Við getum því lýst uppfærslu  $y$ -tu línunnar með:
  - ▶ Finnum  $x$  þannig að  $f(x-1, y-1) \leq a_x < f(x-1, y)$ .

# Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Við getum því lýst uppfærslu  $y$ -tu línunnar með:
  - ▶ Finnum  $x$  þannig að  $f(x-1, y-1) \leq a_x < f(x-1, y)$ .
  - ▶ Látum  $f(x, y) = a_x$ .

# Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Við getum því lýst uppfærslu  $y$ -tu línunnar með:
  - ▶ Finnum  $x$  þannig að  $f(x-1, y-1) \leq a_x < f(x-1, y)$ .
  - ▶ Látum  $f(x, y) = a_x$ .
  - ▶ Uppfærum næstu línu.

# Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Við getum því lýst uppfærslu  $y$ -tu línunnar með:
  - ▶ Finnum  $x$  þannig að  $f(x-1, y-1) \leq a_x < f(x-1, y)$ .
  - ▶ Látum  $f(x, y) = a_x$ .
  - ▶ Uppfærum næstu línu.
- ▶ Í neðansæknu útfærslunni framkvæmum við línulega leit í fyrsta skrefinu.

# Afhverju uppfærum við bara einu sinni í hverri ítrun?

- ▶ Við getum því lýst uppfærslu  $y$ -tu línunnar með:
  - ▶ Finnum  $x$  þannig að  $f(x-1, y-1) \leq a_x < f(x-1, y)$ .
  - ▶ Látum  $f(x, y) = a_x$ .
  - ▶ Uppfærum næstu línu.
- ▶ Í neðansæknu útfærslunni framkvæmum við línulega leit í fyrsta skrefinu.
- ▶ En þar sem línurnar eru allar raðaðar getum við í staðinn framkvæmt helmingunarleit.

```

10 int lis(int *a, int *b, int n)
11 {
12     int i, j, x, y, d[n + 1], e[n];
13     for (i = 0; i < n + 1; i++) d[i] = i == 0 ? -INF : INF;
14     for (i = 0; i < n; i++)
15     {
16         int r = -1, s;
17         for (s = n + 1; s >= 1; s /= 2)
18             while (r + s < n + 1 && d[r + s] < a[i]) r += s;
19         d[r + 1] = a[i], e[i] = d[r];
20     }
21     for (x = n; d[x] == INF; x--);
22     for (i = n - 1, j = x - 1, y = d[x]; j >= 0; i--) if (a[i] == y)
23         y = e[i], b[j--] = a[i];
24     return x;
25 }

```



- ▶ Nú er forritið einföld `for`-lykkja af lengd  $n$  sem framkvæmir helmingunarleit í hverri ítrun.

- ▶ Nú er forritið einföld `for`-lykkja af lengd  $n$  sem framkvæmir helmingunarleit í hverri ítrun.
- ▶ Helmingunarleitin er  $\mathcal{O}(\quad)$ .

- ▶ Nú er forritið einföld `for`-lykkja af lengd  $n$  sem framkvæmir helmingunarleit í hverri ítrun.
- ▶ Helmingunarleitin er  $\mathcal{O}(\log n)$ .

- ▶ Nú er forritið einföld `for`-lykkja af lengd  $n$  sem framkvæmir helmingunarleit í hverri ítrun.
- ▶ Helmingunarleitin er  $\mathcal{O}(\log n)$ .
- ▶ Heildartímaflækan er því  $\mathcal{O}(\quad)$ .

- ▶ Nú er forritið einföld `for`-lykkja af lengd  $n$  sem framkvæmir helmingunarleit í hverri ítrun.
- ▶ Helmingunarleitin er  $\mathcal{O}(\log n)$ .
- ▶ Heildartímaflækan er því  $\mathcal{O}(n \log n)$ .

