

NAME: K. RAMYA(192311149)

The screenshot displays the IntelliJ IDEA IDE interface with a project named 'JAVA' located at 'C:\Users\Gayathri\IdeaProjects\JAVA'. The project structure includes 'src' and 'Ex4' folders. The 'Ex4.java' file is open, showing the following code:

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3 import java.applet.Applet;
4
5 public class Q1 extends Applet{
6
7     public void init() { System.out.println("Init Method"); }
8
9     public void start() { System.out.println("Start Method"); }
10
11     public void paint(Graphics g) { g.drawString("Java Applet", 50, 50); }
12
13     public void stop() { System.out.println("Stop Method"); }
14
15     public void destroy() { System.out.println("Destroy Method"); }
16 }
```

The Run configuration is set to 'Ex4'. The command prompt shows the execution of the following commands:

```
C:\Users\ramya\OneDrive\Desktop\Java - A\Activity\Applets\Q1>javac Q1.java
C:\Users\ramya\OneDrive\Desktop\Java - A\Activity\Applets\Q1>appletviewer sample.html
```

The output of the commands is:

```
Init Method
Start Method
```

The 'Applet Viewer: Q1.class' window is open, displaying the text 'Java Applet' and 'Applet started.'.

IDEA JAVA Version Control

Project

- JAVA C:\Users\Gayathri\IdeaProjects\JAVA
 - .idea
 - out
 - src
 - Ex4
 - .gitignore
 - JAVA.iml
 - External Libraries
 - Scratches and Consoles

Ex4.java Q1 (1).java Q2_1.java

```
1 import java.applet.Applet;
2 import java.awt.*;
3
4 public class Q2_1 extends Applet {
5
6     public void paint(Graphics g) {
7
8         // Background
9         g.setColor(Color.cyan);
10        g.fillRect(0, 0, 600, 450);
11
12        // =====
13        // SUN
14        // =====
15        g.setColor(Color.yellow);
16        g.fillOval(50, 50, 80, 80);
```

Run Ex8 x Ex7 x Ex6 x Ex5 x Ex4 x


"C:\Program Files\Java\jdk-21\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.4\lib\idea_rt.jar=52025" -Dfile.encoding

C:\Users\ramya\OneDrive\Desktop\Java - A\Activity\Applets\Q2_1>javac Q2_1.java

C:\Users\ramya\OneDrive\Desktop\Java - A\Activity\Applets\Q2_1>appletviewer sample.html

Applet Viewer: Q2_1.class

Applet



Applet started.

34°C Mostly sunny

Search

ENG IN

11:52 22-08-2026

IntelliJ IDEA interface showing a Java project named "JAVA" with a source file "Q2_1.java". The code defines a class "Q2_1" extending "Applet" with a "paint" method that sets a cyan background and a yellow oval.

```
1 import java.applet.Applet;
2 import java.awt.*;
3
4 public class Q2_1 extends Applet {
5
6     public void paint(Graphics g) {
7
8         // Background
9         g.setColor(Color.cyan);
10        g.fillRect(0, 0, 600, 450);
11
12        // =====
13        // SUN
14        // =====
15        g.setColor(Color.yellow);
16        g.fillOval(50, 50, 80, 80);
17    }
18 }
```

The Run configuration shows the command: `"C:\Program Files\Java\jdk-21\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.4\lib\idea_rt.jar=52025" -Dfile.encoding=...`


The terminal output shows the command: `C:\Users\ramya\OneDrive\Desktop\Java - A\Activity\Applets\Q3_1>javac Q3_1.java` and the command: `C:\Users\ramya\OneDrive\Desktop\Java - A\Activity\Applets\Q3_1>appletviewer sample.html`

The Applet Viewer window displays the output of the applet:

Calculator Applet

Number 1: 20
Operator: +
Number 2: 10
Result: 30.0

Applet started.



Student Profile

Name

Register No

Gender

☐ Male ☐ Female

Department

CSE


Year

1

Skills

Java
Python
C++

Generate Report



7	8	9	+
4	5	6	-
1	2	3	*
0	=	C	/

JA JAVAVersion Control

Ex6

Start Free Trial

Project

JAVA C:\Users\Gayathri\IdeaProjects\JAVA

.idea

out

src

Ex6

.gitignore

JAVA.iml

External Libraries

Scratches and Consoles

Ex6.java

```
1 import java.awt.*;
2 import java.awt.event.*;
3
4 public class Ex6 extends Frame implements ActionListener {
5
6     TextField name, reg, email; 3 usages
7     Button submit, reset; 4 usages
8
9     Ex6() { 1 usage
10
11         setTitle("Registration Form");
12         setSize( width: 400, height: 400);
13
14         setLayout(new GridBagLayout());
```

Run



Ex8Ex7Ex6

```
"C:\Program Files\Java\jdk-21\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.4\lib\idea_rt.jar=51775" -Dfile.encoding=UTF-8
```


JAVA > src > Ex64:8 LF UTF-8 4 spaces

Registration Form

Name	
Register No	
Email	
Submit	Reset



Q8



Student Form

Student Information Name:

Student Form

Academic Information Course:

Student Form

Confirmation / Report