



SIMATS Online Programming Lab

JAVA PROGRAMMING



KALAHSTHI RAMYA ✓
192311149RA

QUESTIONS

2 / 2 completed

AtomicInteger

ATOMICINTEGER

Write a Java program to demonstrate how to use the AtomicInteger class to provide atomic access to a shared integer variable.

Output:

Shared value: 20000

This confirms that the two threads were able to increment the shared value atomically and the final value of the shared value is as expected. The exact number may vary as it depends on the scheduling of the threads, but it should always be 20000.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.concurrent.atomic.AtomicInteger;
2
3 public class AtomicIntegerDemo {
4     public static void main(String[] args) throws InterruptedException
5         // Initialize AtomicInteger with 0
6         AtomicInteger sharedValue = new AtomicInteger(0);
7
8         // Define the number of increments per thread
9         int incrementsPerThread = 10000;
10
11        // Create the first thread
12        Thread thread1 = new Thread(() -> {
13            for (int i = 0; i < incrementsPerThread; i++) {
14                sharedValue.incrementAndGet();
15            }
16        });
17
18        // Create the second thread
19        Thread thread2 = new Thread(() -> {
20            for (int i = 0; i < incrementsPerThread; i++) {
21                sharedValue.incrementAndGet();
```

OUTPUT

Your OUTPUT will appear here!

INPUT

Your INPUT goes here!

© 2026 **SIMATS Online Lab**. All rights reserved.