■ Select MySQL 8.0 Command Line Client - Unicode Enter password: ********** Welcome to the MySQL monitor. Commands end with ; or \g. Your MySQL connection id is 19 Server version: 8.0.30 MySQL Community Server - GPL	٥	×
Copyright (c) 2000, 2022, Oracle and/or its affiliates.		
Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.		
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.		
mysql> show databases;		
Database		
dbms		
mysql> create database data; Query OK, 1 row affected (0.01 sec)		
mysql> show databases;		
Database		
data dbms information_schema mysql performance_schema sys		
6 rows in set (0.00 sec)		
mysql> use data Database changed		

	mmand Line Client - Unico	ode											o	×
					ır(20),author v	archar(20	0),price i	int(20),pu	blisher	varchar((20));			ı
mysql> descri	oe book;													
Field	Type	Null	Key	Default	Extra									
s_no b_name author price publisher	int varchar(20) varchar(20) int varchar(20)	YES YES YES YES YES		NULL NULL NULL NULL NULL										
5 rows in set	(0.01 sec)	+	+											
mysql> insert Query OK, 1 re	into book val ow affected (0	ues(1,' .02 sec	python :)	ı','kalai',	2000','python.	org');								
mysql> insert Query OK, 1 re	into book val ow affected (0	ues(2,' .00 sec	java', :)	'dharshini	,'3000','java.	org');								
mysql> insert Query OK, 1 re	into book val ow affected (0	ues(3,' .00 sec	c++',' :)	swathi','3	00','c++.org')	;								
mysql> insert Query OK, 1 re	into book val ow affected (0	ues(4,' .01 sec	javasc :)	ript','raj	th','500','js.	org');								
mysql> descri	pe book;													
Field	Type	Null	Key	Default	Extra									
s_no b_name author price publisher	int varchar(20) varchar(20) int varchar(20)	YES YES YES YES YES		NULL NULL NULL NULL NULL										
5 rows in set	(0.00 sec)	+	+	+										
mysql> select	* from book;													
s_no b_nai	ne autho	+- r	price	+ publishe	.									

```
Query OK, 0 rows affected (0.00 sec)
mysql> insert into book values(5,'mysql','jasmine','2500','mysql.org');
Query OK, 1 row affected (0.00 sec)
mysql> select * from book;
                     author
                                 price | publisher
 s_no | b_name
                     kalai
                                   2000
                                          python.org
        python
                                   3000
                     dharshini
        java
                                          java.org
                     swathi
                                   3500
        C++
                                          c++.org
        javascript
                     rajath
                                   500
                                          js.org
                                  2500
        mysql
                     jasmine
                                          mysql.org
5 rows in set (0.00 sec)
mysql> savepoint ins;
Query OK, 0 rows affected (0.00 sec)
mysql> savepoint b;
Query OK, 0 rows affected (0.00 sec)
mysql> rollback to b;
Query OK, 0 rows affected (0.00 sec)
mysql> select * from book;
 s_no | b_name
                     author
                                 price |
                                          publisher
        python
                     kalai
                                   2000
                                          python.org
                                   3000
                     dharshini
        java
                                          java.org
                                   3500
                     swathi
        C++
                                          c++.org
                                   500
        javascript
                     rajath
                                          js.org
        mysql
                                  2500
                     jasmine
                                          mysql.org
5 rows in set (0.00 sec)
mysql> _
```

Select MySQL 8.0 Command Line Client - Unicode

0