

Enter password: \*\*\*\*\*

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 30

Server version: 8.0.30 MySQL Community Server - GPL

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;

Database
clause
data
data1
dbms
information_schema
mysql
performance_schema
sys

8 rows in set (0.00 sec)

mysql> create database employee;

Query OK, 1 row affected (0.01 sec)

mysql> show databases;

Database
clause
data
data1
dbms
employee
information_schema
mysql
performance_schema

```
mysql> create database employee;  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> show databases;
```

Database
clause
data
data1
dbms
employee
information_schema
mysql
performance_schema
sys

```
+-----+  
9 rows in set (0.00 sec)
```

```
mysql> use employee;
```

```
Database changed
```

```
mysql> create table employee(s_no int(20),E_name varchar(20),designation varchar(20),branch varchar(20));
```

```
Query OK, 0 rows affected, 1 warning (0.06 sec)
```

```
mysql> show table;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1
```

```
mysql> show tables;
```

Tables_in_employee
employee

```
+-----+  
1 row in set (0.00 sec)
```

```
mysql> insert into employee values(1,'kalai','Manager','chennai');
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into employee values(2,'dharshini','TL','neyveli');
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into employee values(3,'rajath','CEO','kolkata');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> insert into employee values(3,'rajath','CEO','kolkata');  
Query OK, 1 row affected (0.00 sec)
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right  
syntax to use near ')' at line 1
```

```
mysql> insert into employee values(3,'rajath','CEO','kolkata');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select * from employee;
```

s_no	E_name	designation	branch
1	kalai	Manager	chennai
2	dharshini	TL	neyveli
3	rajath	CEO	kolkata
3	rajath	CEO	kolkata

```
4 rows in set (0.00 sec)
```

```
mysql> select E_name  
-> from employee  
-> where designation='manager' and branch='chennai';
```

E_name
kalai

```
1 row in set (0.00 sec)
```

```
mysql>
```