### **New Test Suite1**

#### **Execution Environment**

Host name HP - 20.23.0.89 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/MELUR-COLLEGE/New Test Suite1

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 14-06-2024 14:59:06 End 14-06-2024 15:04:00

Elapsed 4m - 53.455s

#	ID	Description	Status
1	Test Cases/MELUR COLLEGE/New Test Case1		FAILED
2	Test Cases/MELUR COLLEGE/New Test Case2		FAILED

### Information

ID Test Cases/MELUR COLLEGE/New Test Case1

Description

Tag

Start 14-06-2024 15:03:08 End 14-06-2024 15:03:12

Elapsed 3.318s
Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	1.430s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("http://www.melurgac.in/")	1.806s	PASSED
	Navigate to 'http://www.melurgac.in/' successfully		

Description		Elapsed	Statu
click(findTestObject("Object Repository/N College - Melur/a_Administration"))	MELUR-COLLEGE-CHECK/Page_Govt.Arts	0.043s	FAILE
	ory/MELUR-COLLEGE-CHECK/Page_Govt.Arts		
College - Melur/a_Administration' (Root c			
	object 'Object Repository/MELUR-COLLEGE-		
CHECK/Page_Govt.Arts College - Melur/	/a_Administration i.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)	i.keyword.internai.weborkeywordiviain.stepFalled		
	i.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26)	i.keyword.iiiteriiai.webonteywordiviaiii.ruiiteyword		
	i.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)			
	i.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)			
at com.kms.katalon.core.keywo	ord.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExe	ecutor.groovy:74)		
	i.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)			
at New Test Case1.run(New Te			
	ScriptEngine.run(ScriptEngine.java:194)		
	ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)	TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)	TestCaseExecutor.TuriScript(TestCaseExecutor.		
	TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)	Todioaco Zacouloria o Zacouloria o Caco Zacouloria		
	TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)			
	TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)			
	TestCaseExecutor.execute(TestCaseExecutor.		
java:285)	TestCoopEvenuter avenute/TestCoopEvenuter		
	TestCaseExecutor.execute(TestCaseExecutor.		
java:369)	TestCaseExecutor.execute(TestCaseExecutor.		
java:369)	TestCaseExecutor.execute(TestCaseExecutor.		
	TestCaseExecutor.execute(TestCaseExecutor.		
java:369)			
	non.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)			
at com.kms.katalon.core.main.	TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150)			
	TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	T		
	TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	607 run/TompTootQuito1710257220627 groovs/25\		
	627.run(TempTestSuite1718357339627.groovy:35) .NativeMethodAccessorImpl.invoke0(Native		
Method)	vauvoiviounocoosoominpl.liivokeo(ivauve		
	.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)			
	.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)			
	hWindowException: no such window: target window		

from unknown error: web view not found (Session info: chrome=125.0.6422.142)

Status

```
Description
                                                                                            Elapsed
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'DESKTOP-F4CQMTN', ip: '20.23.0.89', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59439}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 77cae24b3aef828960939f077d693eb7
*** Element info: {Using=xpath, value=//div[@id='app']/div/div[6]/div[2]/div/a}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.iava:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at\ com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementBvNormalMethods(WebUiCommonHelper.iava:1036)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:921)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:902)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsBySelectedMethod(WebUiCommonHelper.java:897)

Elapsed

Status

```
Description
                        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
 findElementsByDefault(WebUiCommonHelper.java:893)
                        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
 findElementsWithSelfHealing(WebUiCommonHelper.java:739)
                        at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
 (WebUiCommonHelper.java:723)
                        at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
 (WebUiCommonHelper.java:1416)
                        at\ com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
 find Web Element (Web UIAbstract Keyword. groovy: 27) \\
                        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
 doCall(ClickKeyword.groovy:65)
                        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
 (ClickKeyword.groovy)
                        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUlKeywordMain.groovy:20)
                        at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. click (Click Keyword. builtin. Click Keyword. builtin. 
 groovy:74)
                        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
 (ClickKeyword.groovy:40)
                        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                        at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click
 (WebUiBuiltInKeywords.groovy:659)
                        at Script1718355424185.run(Script1718355424185.groovy:24)
```

... 18 more

### Information

ID Test Cases/MELUR COLLEGE/New Test Case2

Description

Tag

Start 14-06-2024 15:03:45 End 14-06-2024 15:03:57

Elapsed 11.497s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.469s	PASSED
2	navigateToUrl("http://www.melurgac.in/")  Navigate to 'http://www.melurgac.in/' successfully	5.964s	PASSED
3	click(findTestObject("Object Repository/MELUR-COLLEGE-TEST2/Page_Govt.Arts College - Melur/a_Admission Fee Structure"))  Object: 'Object Repository/MELUR-COLLEGE-TEST2/Page_Govt.Arts College - Melur/a_Admission Fee Structure' is clicked on	0.800s	PASSED
4	click(findTestObject("Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_Admission Fee Structure"))  Object: 'Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_Admission Fee Structure' is clicked on	0.748s	PASSED
5	click(findTestObject("Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/div_HomeAbout usAcademicsStudent Activities_c9deed"))  Object: 'Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/div_HomeAbout usAcademicsStudent Activities_c9deed' is clicked on	0.283s	PASSED

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_More"))	0.300s	PASSED
	Object: 'Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_More' is clicked on		

Description	Elapsed	Statu
click(findTestObject("Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_Language"))	0.900s	FAILE
Unable to click on object 'Object Repository/MELUR-COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_Language' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to click on object 'Object Repository/MELUR-		
COLLEGE-TEST2/Page_Melur Government Arts College - Admiss_9fd9ac/a_Language' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywor (WebUIKeywordMain.groovy:26)	rd	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)  at New Test Case2.run(New Test Case2:32)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)	)	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav	a:	
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at TempTestSuite1718357339627.run(TempTestSuite1718357339627.groovy:35	5)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable		

(Session info: chrome=125.0.6422.142)


Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'

Elapsed

Status

```
Description
System info: host: 'DESKTOP-F4CQMTN', ip: '20.23.0.89', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59601}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 61c7920696ac2e4a4aa5d9dc0828e9d4
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at jdk.internal.reflect.GeneratedMethodAccessor18.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at idk.internal.reflect.GeneratedMethodAccessor16.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
```

(ClickKeyword.groovy)



TAMIL

**ENGLISH** 

Contact Us 0452-2415467 +91 93445 76046 Mail Us

gacmelur@yahoo.co.in

OVER ALL