01. CREATION OF BASE TABLE AND DML OPERATION DEPT: CSE (CYBERSECURITY)

NAME: KALAIYARASI.M ROLLNO: 231901503

1) CREATE MY_EMPLOYEE TABLE:

Create table my_employee (id number (4), last_name varchar (25), first_name Varchar (25), userid varchar (25), salary number (9,2));

| Column Name | Data Type | Nullable | Default | Primary Key |
|-------------|--------------|----------|---------|-------------|
| ID | NUMBER(4,0) | No | - | - |
| LAST_NAME | VARCHAR2(25) | Yes | - | - |
| FIRST_NAME | VARCHAR2(25) | Yes | - | - |
| USERID | VARCHAR2(25) | Yes | - | - |
| SALARY | NUMBER(9,2) | Yes | - | - |

OUTPUT:

Table created

2) ADDING ROWS DATA TO TABLE:

Insert into my_employee values (1,'Patel','Ralph','rpatel', 895) Insert into my_employee values ('2','Dancs','Betty','bdancs', 860)

OUTPUT:

1 row(s) inserted.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |

1 row(s) inserted.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 2 | Dancs | Betty | bdancs | 860 |

3) DISPLAY TABLE MY_EMPLOYEE:

Select *from my_employee; OUTPUT:

| D | LAST_NAME | FIRST_NAME | USERID | SALARY |
|---|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 2 | Dancs | Betty | bdancs | 860 |

4) POPULATE THE NEXT TWO ROWS OF DATE FROM SAMPLE DATA:

Insert into my_employee values (3,'biri','ben','bbiri', 1100); Insert into my_employee values (4,'newman','chad','cnewman', 1550);

OUTPUT:

1 row(s) inserted.

| D | LAST_NAME | FIRST_NAME | USERID | SALARY |
|---|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 2 | Dancs | Betty | bdancs | 860 |
| 3 | biri | ben | bbiri | 1100 |

1 row(s) inserted.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|---------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 2 | Dancs | Betty | bdancs | 860 |
| 3 | biri | ben | bbiri | 1100 |
| 4 | newman | chad | cnewman | 1550 |

5) DELETE BETTY dancs FROM MY_EMPLOYEE:

Delete from my_employee where first_name='Betty'; **OUTPUT**:

1 row(s) deleted.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|---------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 3 | biri | ben | bbiri | 1100 |
| 4 | newman | chad | cnewman | 1550 |

6) EMPTY THE FOURTH ROW OF THE EMPLOYEE TABLE:

Delete from my_employee where id=4;

OUTPUT:

1 row(s) deleted.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 3 | biri | ben | bbiri | 1100 |

7) MAKE THE DATA ADDITIONS PERMANENT:

Commite;

OUTPUT:

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 3 | biri | ben | bbiri | 1100 |

8) CHANGE THE NAME OF EMPLOYEE 3 TO DREXLER:

Update my_employee set last_name='Drexler' where id=3;

Output:

1 row(s) updated.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 895 |
| 3 | Drexler | ben | bbiri | 1100 |

9) CHANGE THE SALARY TO 1000 FOR ALL EMPLOYEES WITH A SALARY LESS THAN 900:

Update my_employee set salary=1000 where salary<900;

OUTPUT:

1 row(s) updated.

| ID | LAST_NAME | FIRST_NAME | USERID | SALARY |
|----|-----------|------------|--------|--------|
| 1 | Patel | Ralph | rpatel | 1000 |
| 3 | Drexler | ben | bbiri | 1100 |