

RACTYSH GROUP — Environment Variables & API Reference

Project: Ractysh-v2-2 (Monorepo)

Date: June 30, 2026

Total Projects: 6

Total Environment Variables: 95+

Total API Endpoints: 24

Table of Contents

- 1. [Monorepo Structure](#)
- 2. [apps/web — Main Public Website](#)
- 3. [apps/api — Express.js Backend API](#)
- 4. [apps/admin — Admin Panel](#)
- 5. [otc-exchange — OTC Exchange](#)
- 6. [Architecture-Site](#)
- 7. [Construction-site](#)
- 8. [Shared Services Summary](#)
- 9. [All .env File Locations](#)

1. Monorepo Structure

```
Ractysh-v2-2/
├─ apps/
│   ├─ api/                → Express.js backend (port 5000)
│   ├─ admin/              → Next.js admin panel (port 3001)
│   └─ web/
│       ├─ apps/
│       │   ├─ api/        → Duplicate Express.js backend (port 5000)
│       │   └─ web/        → Next.js public website (port 3000)
│       └─ packages/       → Shared packages for web
├─ packages/
│   ├─ shared/             → Shared utilities
│   ├─ db/                 → MongoDB/Mongoose database layer
│   ├─ auth/               → Authentication (session cookie)
│   ├─ ui/                 → UI components
│   └─ types/              → TypeScript types
├─ Architecture-Site/      → Standalone Next.js Architecture site
├─ Construction-site/      → Standalone Next.js Construction site
├─ otc-exchange/           → Standalone Next.js OTC Exchange site
├─ scripts/                → Utility/migration scripts
└─ tests/                  → Playwright tests
```

2. apps/web — Main Public Website

Framework: Next.js 15 (App Router) + React 19

Port: 3000

Env File: apps/web/apps/web/.env.example + apps/web/.env.local

2.1 Database

Variable	Example Value	Descriptio
----------	---------------	------------

MONGODB_URI	mongodb+srv://kalandars2004_db_user:ZdMVxbcd92vgkFNH@ractyshcluster.n1ltweb.mongodb.net/ractysh?retryWrites=true&w=majority&appName=RactyshCluster	MongoDB Atlas connection string
-------------	--	---------------------------------

2.2 API / URLs

Variable	Value	Description
NEXT_PUBLIC_API_URL	http://localhost:5000	Public API base URL
INTERNAL_API_URL	http://localhost:5000	Internal API URL (server-side)
NEXT_PUBLIC_SITE_URL	https://ractysh.com	Public site URL
NEXT_PUBLIC_ADMIN_URL	http://localhost:3001	Admin panel URL
ADMIN_ORIGIN	http://localhost:3001	Admin origin (CORS)
EMAIL_PUBLIC_BASE_URL	https://ractysh.com	Public URL for email links
NEWSLETTER_PUBLIC_BASE_URL	https://ractysh.com	Newsletter public URL

2.3 Email — Resend

Variable	Value	Description
RESEND_API_KEY	re_YYDuCpdD_KHjmr7rj1KfSaGWglugXe8tA	Resend API key
RESEND_FROM	Ractysh <noreply@ractysh.com>	Default sender email
NEWSLETTER_FROM	Ractysh Newsletter <newsletter@ractysh.com>	Newsletter sender
NEWSLETTER_DELIVERY_MODE	<i>(empty)</i>	Set <code>test</code> for dev mode
NEWSLETTER_TEST_RECIPIENT	<i>(empty)</i>	Test email recipient

2.4 Email — SMTP / Nodemailer

Variable	Value	Description
SMTP_HOST	<i>(empty, defaults to smtp.resend.com)</i>	SMTP server host
SMTP_PORT	587	SMTP port (465 for TLS)
SMTP_USER	<i>(empty, defaults to resend)</i>	SMTP username
SMTP_PASS	<i>(empty, defaults to RESEND_API_KEY)</i>	SMTP password
SMTP_SECURE	false	Use TLS

2.5 Email — Recipients (Notification Routing)

Variable	Value	Description
MAIL_TO	ractysh@gmail.com	General notification recipient
MAIL_FROM	Ractysh <noreply@ractysh.com>	General sender

CONTACT_MAIL_TO	ractysh@gmail.com	Contact form recipient
CONTACT_MAIL_FROM	Ractysh Contact <contact@ractysh.com>	Contact form sender
CONTACT_NOTIFICATION_EMAIL	<i>(empty)</i>	Contact notification (alt)
CONTACT_NOTIFICATION_FROM	Ractysh Contact <contact@ractysh.com>	Contact notification sender
DEMO_MAIL_TO	ractysh@gmail.com	Demo request recipient
DEMO_MAIL_FROM	Ractysh Contact <contact@ractysh.com>	Demo request sender
CAREERS_MAIL_TO	ractysh@gmail.com	Career application recipient
CAREERS_MAIL_FROM	Ractysh Careers <careers@ractysh.com>	Career application sender
CAREERS_RECEIVER_EMAIL	<i>(empty)</i>	Career receiver (alt)
CONSULTATION_NOTIFY_TO	<i>(empty)</i>	Consultation notification recipient
CONSULTATION_NOTIFY_FROM	Ractysh Contact <contact@ractysh.com>	Consultation notification sender
SERVICE_REQUEST_MAIL_TO	ractysh@gmail.com	Service request recipient
SERVICE_REQUEST_MAIL_FROM	Ractysh Contact <contact@ractysh.com>	Service request sender

2.6 Cloudinary

Variable	Value	Description
CLOUDINARY_CLOUD_NAME	dhgvbhjz4	Cloudinary cloud name
CLOUDINARY_API_KEY	868267851747887	Cloudinary API key
CLOUDINARY_API_SECRET	pfl8SLpFj8BpdhF5s-sSDM7bvAo	Cloudinary API secret
CLOUDINARY_CAREERS_FOLDER	ractysh-career-applications	Career uploads folder

2.7 Auth

Variable	Value	Description
ADMIN_SECRET	<i>(empty)</i>	Bearer token for admin-only API routes

2.8 API Routes (24 Endpoints)

#	Route	Methods	Purpose
1	/api/contact	POST, GET, PATCH, DELETE	Contact form leads (honeypot + rate limiting)
2	/api/book-demo	POST	Private demo booking
3	/api/book-consultation	POST	Consultation booking with file attachments
4	/api/service-request	POST	Service request from division pages
5	/api/careers/apply	POST	Career application with resume upload
6	/api/career-application	POST, GET, PATCH, DELETE	Legacy career application CRUD

7	/api/newsletter/subscribe	POST	Newsletter subscription
8	/api/blog	GET	Blog listing
9	/api/blog/[slug]	GET	Blog by slug
10	/api/our-works	GET	Portfolio works listing
11	/api/our-works/[slug]	GET	Work by slug
12	/api/portfolio/projects	GET	Portfolio projects
13	/api/portfolio/projects/[slug]	GET	Project by slug
14	/api/portfolio/projects/[slug]/images	GET	Project images
15	/api/portfolio/categories	GET	Portfolio categories
16	/api/consultations	GET, POST	Consultations management
17	/api/consultations/[id]/events	GET	Consultation events
18	/api/consultations/[id]/workflow	GET	Consultation workflow
19	/api/upload	POST	File upload
20	/api/chatbot	POST	AI chatbot
21	/api/inngest	POST	Inngest event handler
22	/api/dashboard	GET	Dashboard data
23	/api/admin/entity-detail	GET	Admin entity details
24	/api/admin/careers	GET	Admin careers management

3. apps/api — Express.js Backend API

Framework: Express.js

Port: 5000

Env File: apps/api/.env

3.1 Server Configuration

Variable	Value	Description
PORT	5000	API server port
WEB_ORIGIN	http://localhost:3000	Web frontend origin (CORS)
ADMIN_ORIGIN	http://localhost:3001	Admin panel origin (CORS)
NEXT_PUBLIC_SITE_URL	https://ractysh.com	Public site URL
EMAIL_PUBLIC_BASE_URL	https://ractysh.com	Public URL for email links

3.2 Database

Variable	Value	Descripti
----------	-------	-----------

MONGODB_URI	mongodb+srv://kalandars2004_db_user:ZdMVxbcD92vgkFNH@ractyshcluster.n1ltweb.mongodb.net/ractysh?retryWrites=true&w=majority&appName=RactyshCluster	MongoDE Atlas connectio
DATABASE_URL	<i>(empty)</i>	Prisma database URL (unused)

3.3 Email — Resend

Variable	Value	Description
RESEND_API_KEY	re_YYDuCpdD_KHjmr7rjlKfSaGWglugXe8tA	Resend API key
RESEND_FROM	Ractysh <noreply@ractysh.com>	Default sender
NEWSLETTER_FROM	Ractysh Newsletter <newsletter@ractysh.com>	Newsletter sender

3.4 Email — Recipients

Variable	Value	Description
MAIL_TO	ractysh@gmail.com	General notification recipient
MAIL_FROM	Ractysh <noreply@ractysh.com>	General sender
CONTACT_MAIL_TO	ractysh@gmail.com	Contact form recipient
CONTACT_MAIL_FROM	Ractysh Contact <contact@ractysh.com>	Contact form sender
CONTACT_NOTIFICATION_FROM	Ractysh Contact <contact@ractysh.com>	Contact notification sender
CONSTRUCTION_CONTACT_MAIL_TO	ractysh@gmail.com	Construction contact recipient
CONSTRUCTION_CONTACT_MAIL_FROM	Ractysh Construction <contact@ractysh.com>	Construction contact sender
DEMO_MAIL_TO	ractysh@gmail.com	Demo request recipient
DEMO_MAIL_FROM	Ractysh Contact <contact@ractysh.com>	Demo request sender
CAREERS_MAIL_TO	ractysh@gmail.com	Career application recipient
CAREERS_MAIL_FROM	Ractysh Careers <careers@ractysh.com>	Career application sender
SERVICE_REQUEST_MAIL_TO	ractysh@gmail.com	Service request recipient
SERVICE_REQUEST_MAIL_FROM	Ractysh Contact <contact@ractysh.com>	Service request sender
CONSULTATION_NOTIFY_FROM	Ractysh Contact <contact@ractysh.com>	Consultation notification sender
CONSULTATION_NOTIFY_TO	<i>(empty)</i>	Consultation notification recipient
CONSULTATION_EMAIL_ATTACHMENTS	true	Attach files in consultation emails

3.5 Cloudinary

Variable	Value	Description
CLOUDINARY_CLOUD_NAME	dhgvbhjz4	Cloud name

CLOUDINARY_API_KEY	868267851747887	API key
CLOUDINARY_API_SECRET	pfl8SLpFj8BpdhF5s-sSDM7bvAo	API secret
CLOUDINARY_CAREERS_FOLDER	ractysh-career-applications	Career uploads folder

3.6 Monitoring & Analytics

Variable	Value	Description
NEXT_PUBLIC_POSTHOG_KEY	<i>(empty)</i>	PostHog analytics key
NEXT_PUBLIC_POSTHOG_HOST	https://app.posthog.com	PostHog host
NEXT_PUBLIC_SENTRY_DSN	<i>(empty)</i>	Sentry DSN
SENTRY_TRACES_SAMPLE_RATE	0.1	Sentry trace sample rate
BETTER_STACK_API_KEY	<i>(empty)</i>	Better Stack monitoring key

3.7 Inngest (Serverless Functions)

Variable	Value	Description
INNGEST_EVENT_KEY	<i>(empty)</i>	Inngest event key
INNGEST_SIGNING_KEY	<i>(empty)</i>	Inngest signing key

4. apps/admin — Admin Panel

Framework: Next.js (App Router)

Port: 3001

Env File: apps/admin/.env

4.1 AI / LLM

Variable	Value	Description
OPENROUTER_API_KEY	<i>(empty)</i>	OpenRouter AI API key
OPENROUTER_MODEL	anthropic/claude-sonnet-4	AI model

4.2 API / URLs

Variable	Value	Description
NEXT_PUBLIC_API_URL	http://localhost:5000	Public API URL
INTERNAL_API_URL	http://localhost:5000	Internal API URL
NEXT_PUBLIC_SITE_URL	http://localhost:3000	Site URL
NEXT_PUBLIC_ADMIN_URL	http://localhost:3001	Admin URL
ADMIN_ORIGIN	http://localhost:3001	Admin origin

4.3 Authentication

Variable	Value	Description
ADMIN_SESSION_SECRET	49f2852cb6e6094467a387ce2d8b39e5aaccde0d357f6db7a205563035de2615	HMAC session signing key
GOOGLE_CLIENT_ID	(empty)	Google OAuth client ID
NEXT_PUBLIC_GOOGLE_CLIENT_ID	(empty)	Google OAuth client ID (public)

4.4 Database

Variable	Value	Descripti
MONGODB_URI	mongodb+srv://kalandars2004_db_user:ZdMVxbcD92vgkFNH@ractyshcluster.n1ltweb.mongodb.net/ractysh?retryWrites=true&w=majority&appName=RactyshCluster	MongoDE Atlas connectio
DATABASE_URL	(empty)	Prisma UI (unused)

4.5 Cloudinary

Variable	Value	Description
CLOUDINARY_CLOUD_NAME	dhgvbhjz4	Cloud name
CLOUDINARY_API_KEY	868267851747887	API key
CLOUDINARY_API_SECRET	pfl8SLpFj8BpdhF5s-sSDM7bvAo	API secret

5. otc-exchange — OTC Exchange

Framework: Next.js

Port: 3000

Env File: otc-exchange/.env + .env.example

5.1 Database

Variable	Value	Descriptio
MONGODB_URI	mongodb+srv://kalandars2004_db_user:ZdMVxbcD92vgkFNH@ractyshcluster.n1ltweb.mongodb.net/Ractysh-Main?retryWrites=true&w=majority&appName=RactyshCluster	MongoDB Atlas (Ractysh-Main DB)

5.2 Cloudinary

Variable	Value	Description
CLOUDINARY_CLOUD_NAME	dhgvbhjz4	Cloud name
CLOUDINARY_API_KEY	868267851747887	API key
CLOUDINARY_API_SECRET	pfl8SLpFj8BpdhF5s-sSDM7bvAo	API secret

5.3 Email (.env.example)

Variable	Value	Description
RESEND_API_KEY	(empty)	Resend API key
NEWSLETTER_FROM	Ractysh Newsletter <newsletter@ractysh.com>	Newsletter sender
NEWSLETTER_PUBLIC_BASE_URL	(empty)	Newsletter public URL
NEWSLETTER_DELIVERY_MODE	(empty)	Set test for dev
NEWSLETTER_TEST_RECIPIENT	(empty)	Test recipient
OTC_ADMIN_EMAIL	ractysh@gmail.com	OTC admin email
OTC_RESEND_FROM_EMAIL	Ractysh OTC <onboarding@resend.dev>	OTC sender
ADMIN_APP_URL	(empty)	Admin app URL

6. Architecture-Site

Framework: Next.js
Port: 3000
Env Files: Architecture-Site/.env + .env.local + .env.example

6.1 Database

Variable	Value	Description
MONGODB_URI	mongodb+srv://kalandars2004_db_user:ZdMVxbcd92vgkFNH@ractyshcluster.n1ltweb.mongodb.net/Ractysh-Main?retryWrites=true&w=majority&appName=RactyshCluster	MongoDB Atlas (Ractysh-Main DB)

6.2 Cloudinary

Variable	Value	Description
CLOUDINARY_CLOUD_NAME	dhgvbhjz4	Cloud name
CLOUDINARY_API_KEY	868267851747887	API key
CLOUDINARY_API_SECRET	pflL8SLpFj8BpdhF5s-sSDM7bvAo	API secret

6.3 Email

Variable	Value	Description
RESEND_API_KEY	re_YYDuCpdD_KHjmr7rj1KfSaGWglugXe8tA	Resend API key

7. Construction-site

Framework: Next.js
Port: 3000
Env Files: Construction-site/.env + .env.local

7.1 Database

Variable	Value	Description
MONGODB_URI	mongodb+srv://kalandars2004_db_user:ZdMVxbcd92vgkFNH@ractyshcluster.n1ltweb.mongodb.net/Ractysh-Main?retryWrites=true&w=majority&appName=RactyshCluster	MongoDB Atlas (Ractysh-Main DB)

7.2 Cloudinary

Variable	Value	Description
CLOUDINARY_CLOUD_NAME	dhgvbhjz4	Cloud name
CLOUDINARY_API_KEY	868267851747887	API key
CLOUDINARY_API_SECRET	pfl8SLpFj8BpdhF5s-sSDM7bvAo	API secret

7.3 Email

Variable	Value	Description
RESEND_API_KEY	re_YYDuCpdD_KHjmr7rj1KfSaGWglugXe8tA	Resend API key
RESEND_FROM_EMAIL	Ractysh Construction <newsletter@ractysh.com>	Construction sender

8. Shared Services Summary

8.1 MongoDB Atlas

Field	Value
Cluster	ractyshcluster.n1ltweb.mongodb.net
User	kalandars2004_db_user
Main DB	ractysh
Division DB	Ractysh-Main
Used By	All 6 projects

8.2 Cloudinary

Field	Value
Cloud Name	dhgvbhjz4
API Key	868267851747887
API Secret	pfl8SLpFj8BpdhF5s-sSDM7bvAo
Careers Folder	ractysh-career-applications
Used By	All 6 projects

8.3 Resend (Email)

Field	Value
API Key	re_YYDuCpdD_KHjmr7rj1KfSaGWglugXe8tA
Primary Sender	Ractysh <noreply@ractysh.com>
Newsletter Sender	Ractysh Newsletter <newsletter@ractysh.com>
Contact Sender	Ractysh Contact <contact@ractysh.com>
Careers Sender	Ractysh Careers <careers@ractysh.com>
Used By	apps/api, apps/web, Architecture-Site, Construction-site

8.4 Primary Email Recipients

Service	Recipient
General	ractysh@gmail.com
Contact Form	ractysh@gmail.com
Demo Requests	ractysh@gmail.com
Career Applications	ractysh@gmail.com
Service Requests	ractysh@gmail.com
Consultations	ractysh@gmail.com

8.5 External Services

Service	Config	Used In
OpenRouter (AI)	anthropic/claude-sonnet-4	apps/admin
Google OAuth	Client ID (empty)	apps/admin
Inngest	Event + Signing keys (empty)	apps/api
PostHog	Analytics key (empty)	apps/api
Sentry	DSN (empty)	apps/api
Better Stack	API key (empty)	apps/api

9. All .env File Locations

#	File Path	Has Actual Values
1	apps/api/.env	Yes
2	apps/api/.env.example	Template only
3	apps/admin/.env	Yes
4	apps/admin/.env.example	Template only
5	apps/web/.env.local	Yes

6	apps/web/apps/api/.env.example	Template only
7	apps/web/apps/web/.env.example	Template only
8	Construction-site/.env	Yes
9	Construction-site/.env.local	Yes
10	otc-exchange/.env	Yes
11	otc-exchange/.env.example	Template only
12	Architecture-Site/.env	Yes
13	Architecture-Site/.env.local	Yes
14	Architecture-Site/.env.example	Template only

10. Database Mapping

Project	MongoDB Database	Connection
apps/web	ractysh	Atlas cluster
apps/api	ractysh	Atlas cluster
apps/admin	ractysh	Atlas cluster
otc-exchange	Ractysh-Main	Atlas cluster
Architecture-Site	Ractysh-Main	Atlas cluster
Construction-site	Ractysh-Main	Atlas cluster

Document generated from source files at `/home/kdx/Downloads/v4/Ractysh-v2-2`