


**Collaborators:**


**(10 points)**

- (a) A cylinder of total height  $h$  and cross-sectional radius  $c$  (as shown in the figure) carries a charge density per unit volume of  $\rho = a \cos(z/h)r^2$ . Find the units of  $a$ . Calculate the total charge inside this cylinder.
- (b) Consider a sphere of radius  $R$  with charge density  $\rho = \rho_0(r/R)^2$ , where  $r$  is the radial coordinate measured from the center of the sphere. What are the units of  $\rho_0$ ? Calculate the average charge density inside this sphere and compare it to  $\rho_0$ . Comment on your result.



■

**Problem 2** Sketch the electric field lines for the electric quadrupole configuration shown in Figure 26-27. Explicitly indicate any points where the field is zero.



**FIGURE 26-27.** Exercise 11

■

**HRK E26.16** A thin glass rod is bent into a semicircle of radius  $r$ . A charge  $+q$  is uniformly distributed along the upper half and a charge  $-q$  is uniformly distributed along the lower half, as shown in Fig. 26-28. Find the electric field  $\vec{E}$  at  $P$ , the center of the semicircle.



**FIGURE 26-28.** Exercise 16.

**HRK E26.18\*** An insulating rod of length  $L$  has charge  $-q$  uniformly distributed along its length, as shown in Fig. 26-29.

- (a) What is the linear charge density of the rod?
- (b) Find the electric field at point  $P$  a distance  $a$  from the end of the rod.
- (c) If  $P$  were very far from the rod compared to  $L$ , the rod would look like a point charge. Show that your answer to (b) reduces to the electric field of a point charge for  $a \gg L$ .




**FIGURE 26-29.** Exercise 18

■

**HRK P26.7** A thin, non-conducting rod of finite length  $L$  carries a uniform linear charge density  $+\lambda$  on the top half and a uniform charge density  $-\lambda$  on the bottom half; compare to Fig 26-6.

- (a) Use a symmetry argument to determine the electric field at  $P$  due to the rod.
- (b) Find  $\vec{E}$  at  $P$ .
- (c) Take the limit of this expression for large  $y$ . How does it depend on  $y$ ? What does this remind you of?



**FIGURE 26-6.** A uniformly charged rod. The electric field at point  $P$  is due to the total effect of all charge elements such as  $dq$ .