Day 1:
<mark>26/08/2023</mark>
SDLC : Software Development Life cycle
Water fall model
Requirement gathering 6 months
Plan
Design
Coding / testing
Build the project development mode
Deploy the project production mode
Provide the service
Increment model
V model
Agile model
Sprint: time duration to develop small module 1 or 2 week. Login page, feedback page
Dashboard
DevOps : Development and Operation
Development people develop the application using any language like java, python, etc
Operation team interact with customer or end user client and they are responsible to maintain the application.
Admin
Developer
Tester
Admin
Database designer
Architecture etc

Devops tools

Git and git hub

Maven and Gradle (Java development)

CI and CD tool using Jenkin (Continuous Integration and Continuous deployment or delivery)

Selenium tool (testing)

Ansible tool (monitoring tool as well as configuration tool)

Docker container

Nagios tool

Kubernetes

Git and github

Sub version control which help to record the application flow.

Dev1 login page

Dev2 java or python code merge the code

Dev3 database

Unix commands

ls: this command display all files and folder present in current directory

pwd: print working directory: it show current path of terminal or command prompt.

mkdir foldername: this command is use to create the folder

cd foldername: move inside a folder

cd .. : come outside a folder or move to parent directory of current folder

rmdir foldername: to remove folder

touch filename : to create empty file

vi filename : open the file in vi mode

once open hit i key to move inside a vi editor mode

write the contents

esc : to come out from editor mode to normal mode

:wq : write and q quite (save and exit)

cat filename : it is use to read contents from a file

cat means concatenate

Git: Git is version control system which help to track or record changes done in the application or project or app.

Git also known a distributed sub version control.

First create the folder

Then create the file and write the contents

git --version

git init it is use to make local folder as git repository

init command create .git folder insider that current directory

ls -a : it display all files and folder with hidden folder.

git status: this command is use to check the current status of your repository

git add filename: to add files or folder normal local folder to stagging area.

Or

git add . : this command is use to add all files and folder present in

Current directory.

git commit -m "message" : this command use to pass the task from stagging area to

local repository.

git config --global user.email "akash300383@gmail.com" git config --global user.name "akash"

steps

- 1. Create folder with any name ie Demo
- 2. Then create the file with any name ie test and write the contents insider that file.
- 3. Then open the terminal inside that folder please use pwd
- 4. git init
- 5. git status
- 6. git add.
- 7. git status
- 8. git commit -m "message"
- 9. first time we need to set config details as emailed and name
- 10. git config --global user.email "akash300383@gmail.com"
- 11. git config --global user.name "akash"
- 12. Then please commit using command as git commit -m "done"
- 13. git status

git branch: branch is like a pointer which hold more than one commit details.

By default git provide default branch. Default branch name may be master or main.

If we want to check branch details present in local repository

git branch

command to create user defined branch

git branch branchname this command is use to create user defined branch

git checkout branchname this command is use to switch from one branch

to another branch.

Current branch is master or any other branch

git merge branchname this command add all task in current branch

<mark>git branch -D branchnar</mark>	me this command is use to remove the branch	
Demo.java		
int a;	akash branch	
int b;	Vikash branch	
Remote repository help	us to share the code between two or more than one tabme.	
Git hub		
Git lab		
Bitbucket		
Aws		
Azure		
Private cloud etc		
git hub: it is a type of remote repository provided by micro soft organization.		

Day 2:

27/08/2023

We want to connect local repository with remote repository

- 1. Token base authentication
- 2. SSH Client More

To connect local repository with remote repository

git remote add origin URL

```
git remote add origin <a href="https://github.com/Kaleakash/test rep.git">https://github.com/Kaleakash/test rep.git</a>
git remote add origin <a href="https://token@github.com/Kaleakash/test rep.git">https://token@github.com/Kaleakash/test rep.git</a>
git push -u origin main (it is use to push the code)
```

how to resolve the conflict

- 1. first create Repo2 folder
- 2. then open terminal inside that folder
- 3. create sample file
- 4. add some data 1st, 2nd
- 5. using git init make folder as repository
- 6. git add .
- 7. git commit -m "done changes in master branch"
- 8. create the branch
- 9. git branch akash

10.git checkout akash

- 11.in akash branch we will add 3rd and 4th message.
- 12. Then git add .
- 13. Then git commit -m "in akash branch done some changes in sample file"
- 14. Create another branch with name as Vikash


```
15. git checkout -b Vikash (it will create the branch and switch to that
      branch)
   16.in sample file in Vikash we will add the message as 5<sup>th</sup> and 6<sup>th</sup>.
   17. Then git add .
   18. Git commit -m "done change in sample file by Vikash branch"
   19. Please move the master branch ie git chechout master.
   20.Please verify current branch using command as git branch
   21. Then in master branch merge the code from akash branch
   22. Git merge akash
   23. Using cat sample read the data from sample file
   24.Out must be 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup>
   25.
Download or clone the repository
   1. Create the folder with any name ie devopstrainig In VM
   2. Then open the terminal
   3. git clone URL
   4. git clone
      https://github.com/Kaleakash/devops_aug_2023_trainig_batch.git
   5. use 1s command to see downloaded folder
   6. using cd command please move inside that folder.
   7. cd devops_aug_2023_trainig_batch
   8. Is command to see the more than one file.
if we do any changes in local repository
we need to add, commit and push
git add .
git commit -m "done some changes in file"
git push -u origin main
   1. open the terminal inside a repository folder
   2. make sure .git folder present using command verify ls -a
   3. git pull
        git clone URL: it help to download fresh repository in local machine
        git pull : it will pull new updated from remote to local repository
```

Git Vs Git hub

Git is Remote repository provided by micro soft.


Command line or GUI tool which

Help to interact with any remote repository



CI and CD tools

Continuous Integration and Continuous delivery or deployment



Generally shared repository can be private or public. While creating or after created that repository we will send the invitation To all developer to join that repository.

Default branch can be master or main.

Dev1 need to create login page using html and css

Dev2 need to create java or python code Dev3 need to create database tables.

If they do all their task in main or master branch after changes done they can add, commit and push the code to shared repository.

Don't do your task in main or master branch. While doing your task please create user defined branch and push that branch in remote repository.

In remote repository we will check user defined branch if code is correct we will merge that code into master or main branch.

Build phase:

You need to compile and run the application using that language.

Javac

Java java

Py python

Ng angular

Dev1 push the code in remote repository

In remote repository we need to verify the code and merge the code. And we need build the application.

After dev2 or dev3 code merge in master or main branch we can build successfully or it generate some error.

CI and CD tools.

Jenkin: it is a type of CI and CD tools. It is an open source ci/cd tool base upon java technologies. Plugin base ci and cd tool. GUI based tool.

http://localhost:8080 it will ask login details username : admin password : admin in Jenkin we need to create the job. Every job responsible to build the project. Day 3: 02/09/2023 Open the terminal in VM. git clone URL next git pull (but make sure terminal open inside that folder). Web Service: Giving the service for web application when both the application running using different technologies API : Application Programming interface. Web Service Java python XML/JSON eXtensible markup language JSON : JavaScript object notation **HDFC** XML/JSON **HSBC**

Open the browser

Micro service :

Please refer the website the set the trigger time using crons

https://crontab.guru/