



```
C.
```

```
void setup() {
  pinMode(13, OUTPUT);
  pinMode(12, OUTPUT);
  pinMode(11, OUTPUT);
  pinMode(7, OUTPUT);
  pinMode(4, OUTPUT);
  pinMode(2, OUTPUT);//Define outputs
// the loop function runs over and over again forever
void loop() {
  digitalWrite(4, HIGH);//Turn on red 2
  delay(500);//Delay half a second
  digitalWrite(11, LOW); //Turn off red 1
  digitalWrite(13, HIGH);//Turn on green 1
  delay(5000); //Run for 5 seconds
  digitalWrite(13, LOW); //Turn off green 1
  digitalWrite(12, HIGH); //Turn on yellow 1
  delay(1000); //Run for one second
  digitalWrite(12, LOW); //Turn off yellow 1
digitalWrite(11, HIGH); //Turn on red 1
delay(500);//Run for half a secon
digitalWrite(4, LOW); //Turn off red 2
digitalWrite(7, HIGH); //Turn on green 2
delay(5000); //Run for 5 seconds
digitalWrite(7, LOW);//Turn off green 2
digitalWrite(2, HIGH); //Turn on yellow 2
delay(1000); //Run for one second
digitalWrite(2, LOW); //Turn off yellow 2
```



Video(1).mov