

1. Overview & specifications

The AquaPure RO Purifier X2 (AquaPure, water-purifier) is covered by this service manual for authorised technicians holding the 'water-treatment' skill. It documents diagnosis, fault codes, and board/mechanical-level repair.

Specifications — type: reverse-osmosis purifier, capacityL: 8, stages: 7, powerW: 60.

Warranty: 12 months. Parts and labour on the RO membrane and booster pump for 12 months. Filters are consumables.

Reference: <https://support.example-fieldflow.test/ap-ro-x2/manual>

AquaPure RO Purifier X2 — Service Manual — page 1

2. Installation & commissioning

Flush the pre-filters for ten minutes, sanitise the RO/UV chamber, set the inlet TDS, and verify reject-to-product ratio before handover.

Record the serial number and commissioning date against the work order. A failed self-test must be cleared before the visit is closed.

3. Fault codes

W1 — Low purified water flow; RO membrane choked. Replace MEM-X2. Skill: water-treatment.

W2 — No water draw; booster pump not building pressure. Replace PUMP-X2. Skill: water-treatment.

W4 — Continuous drain; solenoid valve stuck open. Replace SV-X2. Skill: water-treatment.

W7 — Filter-change reminder (consumable service, no covered part). No part required; inspect and reset. Skill: water-treatment.

4. Part replacement — MEM-X2 / PUMP-X2

MEM-X2 — RO membrane 80 GPD (membrane). Isolate mains and follow the safety SOP. Remove the faulty unit, fit MEM-X2, and run the self-test. Requires 'water-treatment'. This part is covered under active warranty (free). List price ■2,400.

PUMP-X2 — Booster pump 100 psi (pump). Isolate mains and follow the safety SOP. Remove the faulty unit, fit PUMP-X2, and run the self-test. Requires 'water-treatment'. This part is covered under active warranty (free). List price ■3,100.

5. Part replacement — SV-X2 / PCB-X2

SV-X2 — Solenoid inlet valve (valve). Isolate mains and follow the safety SOP. Remove the faulty unit, fit SV-X2, and run the self-test. Requires 'water-treatment'. This part is chargeable (out of warranty scope). List price ■720.

PCB-X2 — Purifier control PCB (board). Isolate mains and follow the safety SOP. Remove the faulty unit, fit PCB-X2, and run the self-test. Requires 'water-treatment'. This part is covered under active warranty (free). List price ■1,400.

6. Part replacement — FILT-SED / FILT-CARB

FILT-SED — Sediment pre-filter (consumable). Isolate mains and follow the safety SOP. Remove the faulty unit, fit FILT-SED, and run the self-test. Requires 'water-treatment'. This part is chargeable (out of warranty scope). List price ■280.

FILT-CARB — Carbon post-filter (consumable). Isolate mains and follow the safety SOP. Remove the faulty unit, fit FILT-CARB, and run the self-test. Requires 'water-treatment'. This part is chargeable (out of warranty scope). List price ■340.

7. Maintenance, safety & warranty

Maintenance: inspect at each visit; clean or replace consumables on the service interval; log any recurring fault code.

Isolate mains and relieve line pressure before opening the pump or valve housing.

Warranty annex: under an active warranty, MEM-X2, PUMP-X2, PCB-X2 are replaced free with labour. Consumables and cosmetic parts are never covered. If warranty is expired or the fault is outside the original scope, the part is chargeable: a quote is raised and payment is collected before the visit is confirmed.

Policy reference: <https://support.example-fieldflow.test/warranty/v5>

AquaPure RO Purifier X2 — Service Manual — page 7