

-  Back to List
-  Status
-  Delete Agent
-  **Configure**
-  Build History
-  Load Statistics
-  Script Console
-  Log
-  System Information
-  Disconnect
-  Open Blue Ocean

Build Executor Status

1 Idle

2 Idle

Name

local

?

Description

?

of executors

2

?

Remote root directory

/home/ubuntu/jenkins

?

Labels

local node

?

Usage

Use this node as much as possible

?

Launch method

Launch slave agents via SSH

?


Host

172.31.2.237

?

Credentials

ubuntu (dev@xinzhili)

 Add

?

Host Key Verification Strategy

Non verifying Verification Strategy

?

Port

22

?

JavaPath

/home/ubuntu/.jenv/candidates/java/current/bin/java

?

JVM Options

?

Prefix Start Slave Command

?

Suffix Start Slave Command

?

Connection Timeout in Seconds

?

Maximum Number of Retries

0

?

Seconds To Wait Between Retries

0

?

Availability

Keep this agent online as much as possible

?

Node Properties

☐ Date pattern for the BUILD_TIMESTAMP (build timestamp) variable

☒ Environment variables

List of variables

Name

JAVA_HOME

Value

/home/ubuntu/.jenv/candidates/java/9

?

Delete

Name

PATH+JAVA_BIN

Value

/home/ubuntu/.jenv/candidates/java/9/bin

?

Delete

Add

☐ Prepare jobs environment

☐ ShiningPanda workspace directory

☐ Tool Locations

Page generated: Mar 31, 2018 3:21:37 PM CST

[REST API](#)

[Jenkins ver. 2.73.2](#)