

**SWT 12041 – Practical
for Web systems and
Technologies**

Department of Information
and Communication
Technology
Faculty of Technology



**Labsheet :02
Reg. Number: SEU/IS/20/ICT/084
Academic Year :2020/2021
Date: 2023.02.01
Practical No :02**

Title: HTML Tags.

Aims:

- **Getting practice to work with some HTML tags.**

Task:

- **Basic Tags**
- **List**
- **Table**
- **Iframe**
- **Video**
- **Audio**

Activities:


1. Lists

Ordered Lists

- i. Apple
- ii. Orange
- iii. Mango
- iv. Guava
- v. Strawberry

```
<!DOCTYPE html>
<html>
  <head>
    <title>Order List</title>
  </head>
  <body>
    <h3>Order List</h3>
    <ol type="i">
      <li>Apple</li>
      <li>Orange</li>
      <li>Mango</li>
      <li>Guava</li>
      <li>Strawberry</li>
    </ol>
  </body>
</html>
```

Output:




Unordered List

- Apple
- Orange
- Mango
- Guava

```
<!DOCTYPE html>
<html>
  <head>
    <title>UnOrder List</title>
  </head>
  <body>
    <ul>
      <li type="none">Unordered List</li>
      <ul>
        <li>Apple</li>
        <li>Orange</li>
        <li>Mango</li>
        <li>Guava</li>
      </ul>
    </ul>
  </body>
</html>
```

Output:



Nested List

o Fruits

- Apple
- Orange
- Mango
- Guava

o Vegetables

- Carrot
- Beans

```
<!DOCTYPE html>
<html>
  <head>
    <title>Nested List</title>
  </head>
  <body>
    <h3>Nested List</h3>


    <ul>

      <li>Fruits</li>
      <ul>
        <li>Apple</li>
        <li>Orange</li>
        <li>Mango</li>
      </ul>
      <li>Guava</li>
      <ul>
        <li>Vegetables</li>
        <li>Carrot</li>
        <li>Beans</li>
      </ul>

    </ul>

  </body>
</html>
```

Output:



2.Table

a. Simple Table

Reg No	Name	Subject
ICT 123	Someone	HTML
ICT 234	Person	JavaScript


```
<!DOCTYPE html>
<html>
  <head>
    <title>a. Simple Table</title>
  </head>
  <body>
    <table border="1">
      <thead>a.Simple Table</thead>
      <tr>
        <td>Reg.no</td>
        <td>Nname</td>
        <td>Subject</td>
      </tr>
      <tr>
        <td>ICT 123</td>
        <td>Someone</td>
        <td>HTML</td>
      </tr>
    </table>
  </body>
</html>
```

```

        <tr>
            <td>ICT 234</td>
            <td>Person</td>
            <td>JavaScript</td>
        </tr>
    </table>
</body>
</html>

```

Output:



b. Table

Reg No	Name	Subject
ICT 123	Someone	HTML
ICT 234	Person	JavaScript

```

<!DOCTYPE html>
<html>
    <head>
        <title>Table A</title>
    </head>
    <body>
        <table border="1">
            <thead>b. Table</thead>
            <tr>
                <th>Reg.no</th>
                <th>Nname</th>
                <th>Subject</th>
            </tr>
            <tr>
                <td>ICT 123</td>
                <td>Someone</td>
                <td>HTML</td>
            </tr>
        </table>
    </body>
</html>


```

```

        </tr>
        <tr>
            <td>ICT 234</td>
            <td>Person</td>
            <td>JavaScript</td>
        </tr>
    </table>
</body>
</html>

```

Output:



Reg.no	Nname	Subject
ICT 123	Someone	HTML
ICT 234	Person	JavaScript

c. Merge Table

Reg No	Name	Subject
ICT 123	Someone	HTML
		JavaScript

```

<!DOCTYPE html>
<html>
    <head>
        <title>c. Merge Table</title>
    </head>
    <body>
        <table border="1">
            <thead>c. Merge Table</thead>
            <tr>
                <th>Reg.no</th>
                <th>Nname</th>
                <th>Subject</th>
            </tr>
            <tr>
                <td rowspan="2">ICT 123</td>
                <td rowspan="2">Someone</td>
                <td>HTML</td>

```




```

        </tr>
        <tr>
            <td>JavaScript</td>
        </tr>
    </table>
</body>
</html>

```

Output:



3. Create an iframe with the height 300px and width 600px.

- Load the <http://www.w3schools.com> page into your iframe.
- Set your customized page into iframe.
- Set the border (Eg: solid 2px solid).
- Create three html pages and name it as red, green, and blue then change the background color of each pages according the page name.
- Create 3 links using <a> tag each link should be connect with respective pages then when you click the link the page should be load into iframe.

Main.html

```

<html>
    <head>
        <title>EX03_01</title>
    </head>
    <body>

        <iframe src="https://www.w3schools.com/" title="www.w3schools.com"
height="300px" width="600px" border: 2px solid black></iframe>

        <br>

```

```
<a href="red.html" target="myIframe">Red</a>
<a href="green.html" target="myIframe">Green</a>
<a href="blue.html" target="myIframe">Blue</a>

</body>
</html>
```

green.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Green Page</title>
  <style>
    body {
      background-color: green;
    }
  </style>
</head>
<body>
  <h1>This is the Green Page</h1>
</body>
</html>
```


red.html




```
<!DOCTYPE html>
<html>
<head>
  <title>Red Page</title>
  <style>
    body {
      background-color: red;
    }
  </style>
</head>
<body>
  <h1>This is the Red Page</h1>
</body>
</html>
```

blue.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Blue Page</title>
  <style>
    body {
      background-color: blue;
    }
  </style>
</head>
<body>
  <h1>This is the Blue Page</h1>
</body>
</html>
```

Output:





04. Adding a video to the web page.

- Add a video using `<video>` tag into your html page.
- Set the video height into 300px and width 600px.
- Set additional attributes to the video (Eg: controls, autoplay, src, muted)


Video and audio format and type

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>EX04</title>
</head>
<body>

  <video width="600px" height="300px" autoplay muted>
    <source src="videor.mp4" type="video/mp4">
  </video>

</body>
</html>
```

Output:



5. Adding an audio to the webpage.


- Add an audio using `<audio>` tag into your html page.
- Set the audio height into 300px and width 600px.
- Set additional attributes to the audio (Eg: controls, autoplay, src, muted)

```
<html>
  <head>
    <title>EX05</title>
  </head>
  <body>
    <audio width="600px" height="300px" controls autoplay muted >

      <source src="audio.wav" type="audio/wav">

    </audio>
  </body>
</html>
```

Output:



Exersices:

1. Create following Nested List in HTML page

1. Fruits


- Apple
 - I. Cripps Pink
 - II. Empire
 - III. Fuji

2. Orange

- Orange
 - I. Navel Orange
 - II. Clementine
 - III. Tangelo

```
<html>
  <head>
    <title>Exersices01</title>
  </head>
  <body>
    <ol type="1">
      <li>Appele</li>
      <ul>
        <li>Apple</li>
        <ol type="I">
          <li>Cripps Pink</li>
          <li>Empire</li>
          <li>Fuji</li>
        </ol>
      </ul>
      <li>Orange</li>
      <ul>
        <li>Orange</li>
        <ol type="I">
          <li>Navel Orange</li>
          <li>Clementine</li>
          <li>Tangelo</li>
        </ol>
      </ul>
    </ol>
  </body>
</html>
```

Output:



2. Create following Table in HTML page

a		b	c
d	e	f	g
h	i		
j		k	

```
<html>
  <head>
    <title>Exersices02<</title>
  </head>
  <body>
    <table border="2px" width="50%" hight="50%">
      <tr>
        <td colspan="2">a</td>
        <td>b</td>
        <td>c</td>
      </tr>
      <tr>
        <td>d</td>
        <td>e</td>
```



```

        <td rowspan="2">f</td>
        <td rowspan="3">g</td>
    </tr>
    <tr>
        <td>h</td>
        <td>i</td>
    </tr>
    <tr>
        <td colspan="2">j</td>
        <td>k</td>
    </tr>
</table>
</body>
</html>

```

Output:

