Pass the CSA in 4 weeks

A week-by-week plan built around the ServiceNow Administration Fundamentals e-book. Plan on about 1.5 to 2 hours a day, five or six days a week.

Ground rules

- **The e-book is the source of truth.** There are no questions on the exam that aren't covered in the book. Read all of it.
- **Take detailed notes.** Writing or typing them yourself is what makes the material stick.
- **Study by weight.** Database Management (27%), Collaboration (20%), and Self-Service & Automation (20%) make up two-thirds of the exam.
- **Use practice questions to find gaps, not to memorize.** Real exam questions change. Understanding beats recognition.
- **Get a Personal Developer Instance** at developer.servicenow.com before day 1.

Week 1: Read and take notes

Get through the first half of the e-book. Skip the labs for now; this week is about understanding.

Days 1 to 5	Read at least 2 modules a day and take detailed notes. Write down every table name, role, and module path you see.
Day 6	Reread your notes. Turn the facts you keep forgetting into flash cards.
Day 7	Rest.

End of week check: you can explain the difference between a user, group, and role, and between a list and a form, without looking.

Week 2: Finish the book, then do the labs

Finish reading, then put your hands on the platform.

Days 1 to 3	Finish reading the remaining modules with the same note-taking. Read the "Note" boxes and lists closely; tricky questions often come from them.
Days 4 and 5	Start the labs in your PDI. Challenge yourself not to use the step-by-step guide; open it only when you're stuck.
Day 6	Continue the labs. Redo any lab you needed the guide for.
Day 7	Rest.

End of week check: you've read every module and started the labs.

Week 3: Labs and the blueprint

Finish every lab, then aim your study at the heaviest domains.

Days 1 and 2	Finish all remaining labs without the step-by-step guide.
Day 3	Print the exam blueprint. Rate yourself 1 to 5 on each domain. Read the Database Management section of the study guide and build a table, a relationship, and an ACL in your PDI.
Day 4	Study guide: Collaboration and Self-Service & Automation. Build a catalog item with a variable set, and a flow with an approval.
Day 5	Study guide: Data Migration, Instance Configuration, and Navigation. Import a small spreadsheet with a transform map and a coalesce field.
Day 6	Visit developer.servicenow.com: work through the admin learning plan topics you rated lowest, and skim the ServiceNow glossary to get comfortable with the lingo.
Day 7	Rest.

End of week check: no domain is rated below 3, and you've done each high-weight task in a PDI at least once.

Week 4: Practice, fix gaps, review

Test under exam conditions and close the gaps you find.

Day 1	Take a timed exam simulation (60 questions, 90 minutes) with answers hidden. Note your weakest domains.
Day 2	Go back to the e-book and your notes for your two weakest domains. Practice them in your PDI. Then do single-domain practice for each.
Day 3	Take a second timed simulation. Retake every missed question and look up why the right answer is right.
Day 4	Work through the full question bank with answers shown, a domain at a time.
Day 5	Final simulation. Review the study guide’s table names and rapid-fire recall. Aim for 85% or higher before you sit the exam.
Day 6	Light review of flash cards only. Sleep well.
Day 7	Exam day. Read every question carefully, and select exactly as many answers as it asks for.

Habits that help

- **Find a study group or accountability partner.** Explaining a topic to someone else is the fastest way to find out whether you really know it.
- **Make flash cards** for table names, roles, and module paths.
- **Take breaks.** Short breaks every 45 to 50 minutes keep your focus sharp.
- **Reward yourself** when you hit a weekly checkpoint, and set a consequence if you skip a day.
- **Behind schedule?** Don’t skip reading to get to practice questions. Push the exam date instead.

ServiceNow Certified System Administrator study guide

Organized by the CSA exam blueprint, with the distinctions the exam actually tests: which module, which table, which role, and which tempting answer is wrong.



Platform overview & navigation	**7%**	Instance configuration	**11%**
Applications for collaboration	**20%**	Self-service & automation	**20%**
Database management	**27%**	Data migration & integration	**15%**

60 questions in 90 minutes. Database Management alone is more than a quarter of the exam. Expect "choose two" and "choose three" questions; select exactly that many. Confirm the current blueprint on ServiceNow University before you book.

How to use this guide

This guide is a companion to the ServiceNow Administration Fundamentals e-book, not a replacement for it. Everything on the exam is covered in that book. Use this guide to check your understanding after each module and to drill the details the exam likes to test.

> **Watch for:** boxes like this mark distractors and traps that show up again and again.

> **Key point:** boxes like this mark facts you should be able to recall cold.

Do everything you read about in a Personal Developer Instance (PDI). Clicking through a module once is worth more than reading about it three times.

Client vs. server

Knowing where something runs eliminates wrong answers fast.

Client side (the browser)

Controls forms and fields as the user works

- Client Scripts (onLoad, onChange, onSubmit, onCellEdit)

Server side (the instance)

Controls data no matter how it arrives

- Business Rules
- Data Policies

- UI Policies
- Catalog Client Scripts and Catalog UI Policies
- Access Control (ACL) scripts
- Flows, Script Includes, transform maps

A **UI Policy** only affects data entered on a form. A **Data Policy** applies to forms, import sets, and web services alike.

1. Platform overview and navigation 7%

ServiceNow is a cloud platform. Scripting uses **JavaScript**. Response time for a user is the **round trip** between client and server: a **request** plus a **response**.

Interfaces and the banner

The platform includes three main interfaces: the **Now Platform user interface** (UI16 / Next Experience), **Service Portal**, and the **Now Mobile** apps.

Banner item	What it does
Instance logo	Returns you to your home page
Global search	Searches across the instance
Connect (chat bubbles)	Opens Connect chat. The full-screen view is **Connect > Connect Workspace**.
Help (question mark)	Help panel: guided tours, docs, and help on inputs and outputs in a flow
Gear (settings)	User preferences: theme, **time zone**, and turning on the **application picker** and **update set picker**
User menu	**Impersonate user**, Elevate role, Log out

Application Navigator

- **Applications** are top-level menus; **modules** are the links inside them.
- **Favorites** (star): create them by dragging a record or list into the navigator, or from a form's additional actions menu. Edit a favorite's label with the **pencil** icon.
- **History** (clock): return to something you viewed recently.
- Type in the filter box to narrow the navigator. `table_name.list` opens a list; `table_name.form` or `table_name.do` opens a new form; typing it in capitals opens a new tab.

Form header icons

- **Additional actions** (three-bar icon, sometimes called the hamburger): the form context menu. You can also right-click the header.
- **More options (…)**: tags, and toggling the template bar.
- Paperclip: attachments.

Lists and filters

A **list** shows many records; each row is a record and each **column is a field**. A **form** shows one record.

> - A filter condition has three parts: **field**, **operator**, and **value**. The operator is always a choice list.
> - The fields offered depend on the table, the columns on it, and the user's access rights.
> - Build two conditions that must both be true with **AND**, then click **Run**. OR means either can match.

Quick filter technique	How
Show only one value	Right-click a value in the list > **Show Matching** (or Filter Out to exclude it)
Column search	Click the list magnifier, type under a column. Text alone means "starts with"; `*email` means **contains**; `%email` means ends with.
Breadcrumbs	Click a breadcrumb to remove the conditions after it
Natural Language Query	Type a plain-language phrase to filter the list

Context menus and tags

Open a context menu by **right-clicking** a list, form header, or column heading, or by clicking the **context menu icon**. Tags can be added from More options (…) > Add Tag. Tag visibility can be **Everyone**, **Groups and users**, or **Me**.

2. Instance configuration 11%

Branding, properties, and plugins

System Properties > Basic Configuration UI16 controls the instance look, including: banner image, banner text, **browser tab title**, **base theme**, **header background color**, banner text color, **module text color**, and background and divider colors. System Properties > My Company holds the company **banner image** and **banner text**.

> **Watch for:** default calendar, font style, startup sound, animation style, and preferred browser are not Basic Configuration UI16 settings.

Users fix their own date and time display by setting their **time zone in user preferences** (gear icon). Don't change the instance time zone for one person.

Plugins

Plugins add applications or functionality. Activate them from System Definition > Plugins (or All Available Applications).

- Try new features on your **Personal Developer Instance**, never first in production.
- Dependent plugins activate automatically.
- Most plugins **cannot be deactivated** once activated. Some offer demo data at activation.

Admin roles, high security, and impersonation

Role	Grants
`admin` (System Administrator)	Almost all features, functions, and data. Exceptions: high security settings, plus HR and Security Operations data that need their own roles.
`security_admin`	Elevated role needed to change high security settings and ACLs. Activate it with **Elevate Role** from the user menu.
`impersonator`	Lets a non-admin impersonate users (but not admins)

Elevation lasts for the session. To return to normal admin security, **log out and back in**.

Common security modules: System Properties > Security, System Security > High Security Settings, and System Security > Access Control (ACL).

Impersonation

- Start it from the **user menu in the banner**. Use it to test what a user sees.
- Return to your own account with **End Impersonation**.

- Impersonation is logged when the `glide.sys.log_impersonation` system property is true.

Forms, fields, and UI Policies

Tool	Open it from	Use it for
Form Layout	Context menu > Configure > Form Layout	Slushbucket: add, remove, and reorder fields and sections
Form Design	Context menu > Configure > Form Design	Drag-and-drop designer; can also create new fields

Both can add fields and change field order. The Form Designer has three main parts: the **page header**, the **field navigator**, and the **form layout**.

- **Sections** display as tabs (when the user has tabbed forms on) once you **give the section a name**.
- To change a field's label, right-click the label and choose **Configure Label**, or edit it from **Configure Dictionary**.
- Templates are opened from the form header's More options (…) icon.

Field types

Need	Type
Free text with letters, numbers, special characters	String
Drop-down of predefined options	Choice
Look up a record in another table	Reference
Checkbox	True/False
Date and time	Date/Time

UI Policies

A UI Policy is the **no-code** way to make fields **mandatory**, **read-only**, or **hidden** based on conditions. Example: make Resolution code mandatory when State is Resolved, and hide a checkbox unless the user has a role. UI Policies run on the client, after Client Scripts, and only for form interactions.

3. Configuring applications for collaboration

20%

Users, groups, and roles

Object	Definition	Table
User	A person who can log in	`sys_user`
Group	A set of users who share a common purpose (a team)	`sys_user_group`
Role	A collection of permissions	`sys_user_role`

- Best practice: assign roles to **groups**, then add users to groups.
- Roles can contain other roles.
- Setting up a new IT worker: **create the user**, then **add them to each group** whose work they'll do.

If an IT user only sees self-service, they're missing the `itil` role, usually because they aren't in a group that grants it. A manager sees nothing in **My Groups Work** if they aren't a *member* of those groups; being listed as the group's manager doesn't count.

Tasks, assignment, and the activity stream

Task work can be assigned to **users** and **groups**. **Assignment rules** automatically decide which group gets which kind of task.

Benefits of assigning to a group: members can pick work by SLA urgency or highest priority, and the group can route work by on-call schedule, skills, and availability.

- The **Activity** section (activity stream) shows the most recent updates and the history of work on a record. Use its **funnel icon** to show only work notes.
- On a list, the activity stream icon opens a frame with live updates for records you're watching.
- **My Approvals**: right-click an approval in the list and choose Approve or Reject.

UI Actions

UI Actions add **buttons, links, and context menu items** to forms and lists.

Form UI Actions	List UI Actions
Form buttons, form context menu items, form links	List buttons, list context menu items, list choices, list links

Notifications

Notifications inform users about activity. They're created in **System Notification > Email > Notifications** and can be triggered by record inserts and updates or by **events**.

Tab	Defines
When to send	Record inserted or updated, or event fired; conditions
Who will receive	Users, groups, and **users/groups in fields**. Dot-walk from Caller to Caller.Manager to include the caller's manager.
What it will contain	Subject, message, and an **email template** for reusable content like a company banner

Reporting and Performance Analytics

Create reports from **Reports > View / Run**, from **Reports > Create New**, or by right-clicking a list column header.

Report designer section	Purpose
Data	Source table or report source, and filters
Type	Visualization: list, bar, horizontal bar, pie, donut, semi-donut, speedometer, line, and more (25+)
Configure	**Grouping and calculations**
Style	**Colors, titles, legend layout**

- Click **Run** to see changes without saving.
- Best practice: copy a report before editing it, using the dropdown next to Save (**Insert and Stay** / Save as).

- Reports on Service Catalog fulfillment of a specific item use **Requested Item [sc_req_item]**.
- Pull in data from a related table with **dot-walking**. If the same complex data set is reused often, give users a **report source**. If data lives in two tables and dot-walking can't reach it, create a **database view**.
- Share reports with yourself, groups, or everyone; schedule them to be emailed; add them to dashboards.

Performance Analytics

Use Performance Analytics when you need data **trended over time** and **forecast** into the future, using scheduled snapshots, KPIs, and dashboards. Standard reports show the data as it is right now. Learn it through a Performance Analytics course on Now Learning.

4. Self-service and automation 20%

Service Catalog

Build	When
Catalog item	One orderable good or service. Options such as color or RAM are **variables**.
Order guide	Several related items ordered together in one request (new employee: laptop, monitor, phone, business cards)
Record producer	A catalog form that creates a record in another table, like an **incident** from a "Get Help" item. Skips the request and requested item.
Variable set	A reusable group of variables added to many items (four shared mandatory fields across 80 items)

Use **Catalog Builder** to create catalog items and record producers through a guided interface.

> - Request flow: **Request (REQ, sc_request) → Requested Item (RITM, sc_req_item) → Catalog Task (SCTASK, sc_task)**.
> - One request has many requested items; one requested item has many approvals and many catalog tasks.
> - Control who can see an item with **user criteria** (Available for / Not available for).
> - One item needed in two catalogs? Create it once and **publish it to both catalogs**.

A manager approval is skipped when the requester's user record has **no manager**. When testing an approval flow: make sure the latest flow is active, impersonate the requester, and confirm the requester has a manager. On instances using legacy workflows, the approval threshold lives in the **Service Catalog Request** workflow.

Flow Designer

Flows automate business logic such as approvals, tasks, notifications, and record operations with little or no code. Open it from **Process Automation > Flow Designer**.

- A flow starts with a **trigger** (record, schedule, or application) and a **condition**.
- **Actions** do the work. Common core actions: Create Record, Look Up Record, Ask for Approval, Wait for Condition.
- Each action's output becomes a **data pill**: a runtime value that stays the same for the rest of the flow. Drag data pills into later steps to reference record data.
- Flows handle multi-level approvals with notifications at each level.

Advantages: less manual scripting, reduced technical debt, and smooth third-party integration through **IntegrationHub spokes**. Spokes are available from the **ServiceNow Store**. **Process Automation Designer** combines cross-enterprise workflows into one unified process.

Knowledge Management

Knowledge Management lets the organization create, categorize, review, approve, and browse information in one shared place.

- Access is controlled with **user criteria** on the knowledge base's **Can Read** and **Can Contribute** lists. Articles can also have their own Can Read user criteria to narrow access further.
- If no access is specified, **any active user** can read.
- With **Match All** selected, a user must meet every condition (company AND department AND group).
- Importing articles requires **Can Contribute** access.
- Check a specific user's access with **User Criteria Diagnostics**.
- **Workflows** control publishing and retiring articles. Article states: Draft, Review, Published, Retired.
- `knowledge_admin` manages multiple knowledge bases; a knowledge manager owns a specific one.
- Continuous improvement: flag articles, mark helpful, rate with stars, and comment.

Virtual Agent delivers help, knowledge, and common tasks through a conversational messaging interface.

Scripting basics

A **Business Rule** runs on the server when a record is displayed, inserted, updated, deleted, or when a table is queried. Its **When** options are **before**, **after**, **async**, and **display**. A **Client Script** runs in the browser.

5. Database management 27%

The biggest domain. Spend real time here, and build tables, relationships, and ACLs in your PDI.

Tables, fields, and relationships

A table holds records (rows); each **field** (column) holds one piece of data for a record. The primary operations on tables are **create, read, write, and delete**.

Term	Meaning
Core table	Ships with the platform (User, Task, Incident)
Custom table	Created by you (`u_` prefix in global; scope prefix such as `x_` or `sn_hr_` in a scoped app)
Base table	Not extended from any other table (Task)
Parent table	Has tables extended from it; may itself extend another table
Child table	Extends another table and inherits its fields

A table can't be both core and custom. Any other combination is possible.

Worked example: Incident extends Task, and Super Incident extends Incident. Task is a **base** and **parent** table. Incident is both a **child** and a **parent**. Super Incident is a **child**.

For a new app whose tickets get assigned to a team, **extend Task** and add your own fields, so you inherit assignment, state, and work notes.

Relationships

Relationship	Example
One-to-many	One request has many requested items (a reference field)
Many-to-many	Vendors sell many products; products come from many vendors. Related lists show on both tables.
Extension	Incident extends Task
Database view	Joins two tables for reporting

- Create tables with **System Definition > Tables** or **Tables & Columns**.
- See a table's relationships with the **schema map**: System Definition > Tables, open the table, Related Links > Show Schema Map.
- The **System Dictionary** defines every table and field. Dictionary overrides change a field's properties on a child table.
- A new custom table gets four ACLs automatically: **create, read, write, delete**.

Access Controls (ACLs)

ACLs control access to records and fields for each operation: create, read, write, delete. Permissions are set with **roles**, **conditions**, and a **script** that sets `answer` to true or false.

Name	Secures
`incident.None`	All records on the table (row level)
`incident.*`	All fields on the table
`incident.short_description`	One field

Let itil users create incidents: Name `incident.None`, Operation **create**, Role **itil**.

> - Table (row) ACLs are evaluated before field ACLs, so a user must have access to the table before field access is considered.
> - If a row rule and a field rule both apply, **both must pass**.
> - Table ACLs go from specific to general: the table, then its parent table, then the wildcard (`*`).

A user who can see a module but gets a blank page on Create New likely has read but not create access on that table.

Data Policies

Data Policies enforce mandatory and read-only rules on the **server**, for every way data arrives: forms, import sets, and web services. Use them for rules like "Short description is mandatory on insert everywhere" or "Number is read-only for all users." A Data Policy can also be applied as a UI Policy on forms.

CMDB and CSDM

Table	Role
`cmdb`	Base Configuration Item table, top of the CMDB hierarchy
`cmdb_ci`	Configuration Item table; CI classes extend it (cmdb_ci_server, cmdb_ci_computer)
`cmdb_rel_ci`	Relationships between CIs

- Defining **suggested relationships** between CI classes makes relating CIs easier, because the platform suggests which types fit.
- The **CI dependency view** graphically shows a CI's infrastructure relationships. Hover over a connection line to see the relationship. Service desk agents use it to trace from a service to the CIs with active issues.
- On a CI form, **Related Items** shows the other CIs it's related to.
- Populate the CMDB with Discovery, Service Mapping, import sets, integrations, or manual entry.

The **Common Service Data Model (CSDM)** is the standard, shared set of service definitions across ServiceNow products. It's the blueprint for mapping your IT services into ServiceNow and supports service-level reporting.

6. Data migration and integration 15%

Import Sets

Import data with the **System Import Sets** application. The steps are: **load data**, **create a transform map**, **transform**, and **clean up** the import set table.

1. **Load Data** (first step) brings the source into an **import set row table**, the staging area.

2. A **transform map** defines where incoming columns go on the target table (field mapping).
3. **Transform** copies data from staging to the target.

Mapping tool	When
Automatic mapping (Auto Map Matching Fields)	Source and target field names match
Mapping Assist	Drag-and-drop linking of source to target fields

> **Coalesce** fields are the unique key. Match found: the record is updated. No match: a new record is inserted. **No coalesce field**: every row is inserted as new, and nothing is updated.

Data source types: local files (CSV, Excel, XML), files on a network server (FTP, HTTP), **JDBC** database connections, and **LDAP**. Target tables can be in the current scope, in global, or in other scopes that allow write access.

Best practice: plan time before importing to clean out obsolete or inaccurate data.

Update Sets

Update sets capture configuration changes so you can move them between instances.

1. Create a named update set and make it current.
2. Make your changes, then mark the set **Complete**.
3. On the target: retrieve, **preview**, then **commit**.

> - Never use the **Default** update set to move changes between instances.
> - Not captured by default: **data records**, **schedules**, and **homepages and dashboards**. Add homepages manually (Homepage Admin > Pages, right-click > Unload Portal Page).
> - Keep update sets small to reduce conflicts and make changes easier to review.
> - Moving several at once? **Batch** them.
> - Data records move with XML export and import, not update sets.

Table names to memorize

The exam asks for exact names. Type each one followed by `.list` in your PDI.

Label	Table
User	`sys_user`
Group	`sys_user_group`
Role	`sys_user_role`
Task	`task`
Request / Requested Item / Catalog Task	`sc_request` / `sc_req_item` / `sc_task`
Catalog Item	`sc_cat_item`
Base CI / CI / CI relationship	`cmdb` / `cmdb_ci` / `cmdb_rel_ci`
System Properties / Business Rules / Client Scripts	`sys_properties` / `sys_script` / `sys_script_client`
Dictionary	`sys_dictionary`

Rapid-fire recall

Say the answer out loud, then open it to check.

- Three parts of a filter condition?

  Field, operator, value.

- Column search for "contains"?

  Start the term with `*`.

- Where do you turn on the update set picker?

  The gear icon (user preferences).

- Role needed for high security settings, and how do you drop it?

  security_admin, elevated for the session. Log out and back in.

- How do you return from impersonation?

  End Impersonation from the user menu.

- Group vs. role?

  A group is a set of users; a role is a collection of permissions. Assign roles to groups.

- Report designer section for grouping? For colors and titles?

  Configure. Style.

- Trend and forecast data over time?

  Performance Analytics.

- Laptop, phone, and badge in one request?

  Order guide.

- Catalog form that creates an incident?

  Record producer.

- Same four variables on 80 items?

  One variable set added to every item.

- Why would a manager approval be skipped for one requester?

  The requester's user record has no manager.

- Where does action output live in a flow?

  In data pills.

- Knowledge base with no user criteria: who can read?

  Any active user.

- Tool to check one user's knowledge access?

  User Criteria Diagnostics.

- Business Rule When options?

  Before, after, async, display.

- ACL to let itil users create incidents?

`incident.None`, operation create, role itil.

- No-code mandatory field on forms only? On all data entry?

  UI Policy. Data Policy.

- Three key CMDB tables?

  cmdb, cmdb_ci, cmdb_rel_ci.

- Blueprint for mapping IT services into ServiceNow?

  CSDM.

- Import steps in order?

  Load data, create transform map, transform, clean up.

- What happens with no coalesce field?

  Every row is inserted as a new record.

- Three things not in an update set by default?

  Data records, schedules, and homepages/dashboards.

- Moving several update sets at once?

  Batch them.

ServiceNow CSA practice exam

179 questions grouped by exam domain. Answer key at the end.

Tip: for a realistic run, time yourself on any 60 questions for 90 minutes. Select exactly as many answers as each question asks for.

Platform Overview & Navigation 23 questions

1. Looking at a long list, you want to quickly show only records with a category of Hardware. How might you do that?

A. On the breadcrumbs, click the > icon, type hardware, and press Enter
B. Right-click the magnifier, type hardware, and press Enter
C. Click the funnel icon, type hardware, and press Enter
D. In the list, right-click the value Hardware and select Show Matching
E. Right-click the Category column header and select Show > Hardware

---

2. Response time for an end user is based on the round trip between client and server. What makes up that round trip?

A. Submit + query
B. Request + response
C. Insert + verify
D. Save + update
E. Write + read

---

3. Which instance resource gives you guided tours, information about actions, and instructions on inputs and outputs in your flow?

A. Getting started
B. Wiki
C. Help panel (question mark icon)
D. Docs
E. User guide
F. Community

---

4. What is a set of conditions applied to a list to show a subset of the data?

A. Mask
B. Divisor
C. Filter
D. Funnel
E. Query

---

5. What are ways to create a favorite for a particular record?

Choose two.

A. From the record's related links, click Add Favorite
B. From the form header, click the star icon
C. From the form header, open the additional actions menu and select Create Favorite
D. From the list, click the star icon
E. From the list, drag the record number to Favorites in the navigator
F. From the form header, click the paperclip icon

---

6. What language is used for scripting in ServiceNow?

A. Perl
B. Python
C. JavaScript
D. C++
E. PHP
F. Glide

7. To quickly return to a page you were viewing five minutes ago, which item would you click?

A. Gear icon
B. History (clock icon)
C. Right-click history
D. Homepage icon
E. History module
F. Star icon

8. On an incident, how would you add the tag "Special Handling" to the record?

A. Context menu > Add Tag, type Special Handling, press Enter
B. Check the Special Handling box
C. Select Special Handling from the Tag choice list
D. Click the More options (...) icon > Add Tag, type Special Handling, press Enter

9. What are quick ways to open the context menu on lists, forms, and column headings?

Choose two.

A. Right-click the list, form, or column heading
B. Click the context menu icon
C. Shift-click the list, form, or column heading
D. Double-click the list, form, or column heading
E. Ctrl+M

10. Which banner icon do you use to turn on the application picker and update set picker?

A. Magnifier
B. Check box
C. Question mark
D. Gear
E. Chat bubbles

11. On a form header, which icon gives you access to template features?

A. Paper clip
B. Stamp
C. Context menu
D. More options (...)

12. In which part of the ServiceNow interface do you find the option to impersonate a user?

A. Content frame
B. Module
C. Application navigator
D. Banner (user menu)

13. What does Natural Language Query let you do on a list?

A. Set a list filter using spoken commands
B. Filter the list by typing a plain-language phrase
C. Predict the filter the user wants
D. Speak to the condition builder
E. Automatically select a filter based on keywords

14. A user wants incidents where State is Closed AND Assignment group is Network. After clicking the funnel icon, what should they do?

A. Define the first condition, click AND, define the second condition, click Run
B. Define the first condition, click OR, define the second condition, press Enter
C. Define the first condition, click > on the breadcrumb, define the second, press Enter
D. Define the first condition, click > on the breadcrumb, define the second, click Run

15. In a filter condition, which component is always a choice list?

A. Operator
B. Filter criteria
C. Match criteria
D. Operation

16. When managing tags, you can control who sees them. What are the visibility options?

Choose three.

A. Everyone
B. Groups and users
C. Me
D. Admins
E. Roles and permissions

17. In a filter condition, which element is based on the table, the user's access rights, and the table's columns?

A. Column
B. Field
C. Data element
D. Attribute
E. Label

18. In a long list, you want only records whose Short description contains "email." How might you do that?

A. In the search box, select Text, type email, press Enter
B. Click the list magnifier to show column search, type email under Short description, press Enter
C. Click the list magnifier, type %email under Short description, press Enter
D. Click the list magnifier to show column search, type *email under Short description, press Enter

19. Which icon do you use to change the label of a favorite?

A. Triangle
B. Star
C. Clock
D. Pencil

20. Which types of interfaces does the ServiceNow platform include?

Choose three.

A. Back-office dashboard
B. Now Mobile apps
C. Service Portal
D. Field service task board
E. Now Platform user interface
F. Agent control center

21. What type of query lets you filter list data using normal words instead of the condition builder?

A. Natural language query
B. Alexa query
C. Auto-suggest query
D. Machine learning query
E. Predictive Intelligence query

22. On a form header, what is the three-bar icon called?

A. Hamburger icon
B. Pancake icon
C. Cake icon
D. Additional actions (context menu)

23. What components make up a filter condition?

Choose three.

A. Field
B. Column
C. Value
D. Operator
E. Match criteria

Instance Configuration 21 questions

24. While reviewing an incident form, a customer asks to change the Priority field label to their internal term "Pvalue." How could you do that?

Choose two.

A. Right-click Priority and select Configure Dictionary
B. Right-click Priority and select Configure Label
C. Right-click Priority and select Configure Display Settings
D. Right-click Priority and select Configure Column

25. Using System Properties > My Company, which branding options are available?

A. Banner image, banner text, color scheme
B. Company name, company logo
C. Banner image, banner text
D. Company name, company logo, color scheme

26. A customer wants: Resolution code mandatory when State changes to Resolved, and the Major incident checkbox hidden unless the user has the major incident manager role. What would you use?

A. Field helper
B. UI Policy and UI Policy Actions
C. UI design
D. Dictionary design
E. Form constraint

27. Which admin role is required to change high security settings?

A. ad_admin
B. high_sec_admin
C. sn_ad_admin
D. admin
E. security_admin

28. The admin role grants access to all platform features, functions, and data with which exceptions?

A. High security and Human Resources
B. Human Resources and Security Operations
C. Personally identifiable information and Security Operations
D. Human Resources and enterprise CMDB
E. Security Operations and Vulnerability Response

29. Which attributes can you manage in System Properties > Basic Configuration UI16?

Choose five.

A. Default calendar
B. Default region
C. Base theme
D. Preferred browser
E. Font style
F. Banner image
G. Startup sound
H. Browser tab title
I. Animation style
J. User photo icon on/off
K. Module text color
L. Header background color
M. Default homepage

30. What is the most important thing to remember about activating a plugin?

A. Install dependent plugins first
B. Check the box to add demo data
C. Most plugins cannot be deactivated once activated
D. Submit a HI ticket for authorization
E. Plugins are prohibited on personal developer instances

31. A new service desk employee in Latin America says the created dates and times on their incident list are wrong. What would you suggest?

A. Correct the instance time zone in system properties
B. Change the time zone on their computer
C. Use Chrome instead of Internet Explorer
D. Use the gear icon (user preferences) to set their own time zone
E. Clear their cache

32. A customer wants to monitor which users are performing impersonation. How do you meet this?

A. Add a log_write role to the impersonator group
B. Enable the glide.sys.log_impersonation system property
C. Create an update set for impersonation tracking
D. Right-click the impersonator role record and select Create Log
E. Select Elevate Roles from the user menu

33. Form sections can appear as one or two columns, or as tabs. In Form Designer, how do you make a section display as a tab?

A. Name the section
B. Add _tab to the end of the section name
C. Add .tab to the end of the section name
D. Click the context menu > Configure Tabs
E. Click the gear and check the tab option

34. What are the main components of the Form Designer interface?

Choose three.

A. Field picker
B. Field layout
C. Form layout
D. Page header
E. Field navigator

35. After finishing work with elevated (high security) privileges, how can you return to normal admin security?

A. Select the Global update set
B. End impersonation
C. Use a Normal Security module
D. Select the normal role
E. Log out and log back in

36. You want hands-on experience with a newly released ServiceNow application. What is the best way?

A. Activate the application plugin on your personal developer instance
B. Read the release notes on docs.servicenow.com
C. Search the wiki for a sales demo request form
D. Activate the plugin on your company's production instance

37. Which module would you use to customize your instance banner image, text, and colors?

A. Service Portal > Portals > Branding
B. System Properties > Basic Configuration UI16
C. System UI > UI Pages > Branding
D. Homepage Admin > Pages > Branding
E. System Properties > Branding

38. From a form, what would you click to change the order of fields?

Choose two.

A. Context menu > Configure > Form Layout
B. Context menu > Configure > Form Design
C. Right-click header > Configure > Form Design (UX dashboard)
D. Context menu > Form > Layout

39. What is a no-code way to control whether a form field is mandatory or read-only?

A. Client Script
B. UI Action
C. UI Policy
D. UI Rule
E. UI Script

40. What role has access to almost all platform features, functions, and data?

A. Security Admin [security_admin]
B. System Administrator [admin]
C. Sys Admin [sys_admin]
D. Admin [sn_admin]
E. Base Admin [base_admin]

41. A customer wants to add a field to a new form you built. Where could you do that?

Choose two.

A. Fields and Columns module
B. Field Class Manager module
C. Context menu > Configure > Form Design
D. Right-click the form header > Configure > Form Layout

42. What do you activate to add applications or functionality to your instance?

A. Patch
B. App update set
C. App package
D. Plugin
E. Update pack

43. From a form, what would you click to add fields to the form?

Choose two.

A. Right-click header > Add > Field
B. Context menu > Form > Layout
C. Context menu > Configure > Form Design
D. Context menu > Configure > Form Layout
E. Context menu > Form > Designer

44. After impersonating a user for testing, what is the best way to return to your own account?

A. Log out and back in
B. Restart your computer
C. Clear your browser cache
D. End impersonation

Configuring Applications for Collaboration

36 questions

45. On a task record, which section would you use to see the most recent update made to the record?

A. Journal
B. Timeline
C. Update log
D. Audit log
E. Diary
F. Activity

46. Which are examples of UI Actions related to lists?

Choose four.

A. List buttons
B. List context menu
C. List choices
D. List links
E. List control
F. List overwrite

47. A manager wants a snapshot of month-end sales performance compared to targets, and also wants those monthly numbers trended over time and forecast into the future. What do you suggest?

A. Scheduled reports, a custom snapshot table, and a projection report
B. Scheduled reports, a custom snapshot table, and a trend report
C. Performance Analytics
D. Scheduled reports and Excel
E. Key performance indicators

48. After modifying a report, what do you click to see the results without saving?

A. Run
B. Execute
C. Test
D. Preview
E. Try it

49. The report designer has sections for configuring a report. Which section is used to specify grouping and calculations to run against the data?

A. Data
B. Format
C. Configure
D. Style
E. Group by

50. Which section of a task form shows the history of the work documented on the record?

A. Journal
B. Activity
C. Timeline
D. Audit log
E. Diary

51. A customer wants a notification sent to the caller and also to the caller's manager. How would you approach this?

A. Set Who will receive to Subscribable
B. On the Send to tab, add the Caller field and dot-walk to the caller's manager
C. Create a workflow that includes a notification
D. On the Who will receive tab, select the Copy manager checkbox
E. On the Who will receive tab, add the Caller field, then dot-walk to Caller.Manager to add the manager

52. An IT user calls the service desk because they need to work on task records, but only see self-service when they log in. What could explain this?

Choose two.

A. Their user record was not approved by their manager
B. Their user account does not belong to any group that contains the itil role
C. Their user account is not logged in properly
D. Their user account does not have the itil role
E. Their user account failed LDAP authentication

---

53. What type of rules specify which groups are responsible for working different types of tasks?

A. On-call
B. Assignment
C. Routing
D. Calendar
E. Escalation

---

54. A group is defined as what?

A. An escalation pod
B. A collection of subject matter experts
C. A department
D. A team of users (a set of users who share a common purpose)
E. A collection of roles

---

55. What is the best way to learn about Performance Analytics?

A. Use the ServiceNow wiki
B. Schedule a demo with the ServiceNow sales team
C. Take a ServiceNow Performance Analytics course on Now Learning
D. Activate the plugin in production and start the default data collectors

---

56. A subject matter expert gets tasks already worked by first- and second-level support. How can they read only the work notes in the activity stream?

A. Click the context menu > Work notes view
B. Click the funnel icon in the activity stream and select only Work notes
C. Click the context menu > History
D. Click the personalize icon and select Activity stream
E. Right-click the form header > Form Layout > add a work notes section

---

57. Best practice is to copy an existing report and modify the copy. In the report designer, how do you make a copy?

A. Click the paper icon and select Create New
B. Click the down triangle next to Save and select Insert and Stay
C. Click the Properties tab and select Save As
D. Click the context menu and select Insert and Stay
E. Click the funnel icon and select Create Copy

---

58. Which module do you use to access the reports available to you?

A. Self-Service > My Reports
B. Reports > Overview
C. Reports > Home Page
D. Reports > View / Run
E. Self-Service > My Dashboards

---

59. From the My Approvals list, how can you quickly approve a request?

A. Right-click the State value and select Approve
B. Right-click the approval record and select Approve from the context menu
C. Select the approval's checkbox and click a green check
D. Right-click the approval number, select Approved, then click a green check

---

60. Which module opens the full-screen view of Connect?

A. Connect > Dashboard
B. Connect > Connect Workspace
C. Connect > Connect Chat
D. Connect > Tools > Workspace
E. Connect > Agent Workspace

---

61. A new employee joins IT and needs to work tasks assigned to the Network and Hardware groups. How would you set up their access?

Choose three.

A. Add the user to the Hardware group
B. Add the user to an ACL
C. Add the user to an itil group
D. Create the user account
E. Add the user to the IT knowledge base
F. Add the user to the Network group

---

62. A department builds many SLA reports off the same set of related tables and struggles with dot-walking. What could make reporting easier?

A. Create a new table to hold their reporting data
B. Write knowledge articles explaining dot-walking
C. Create a report source for them and show them how to use it
D. Send untrained users to a reporting class
E. Show them how to export to Excel

---

63. What are benefits of assigning tasks to a group instead of an individual?

Choose five.

A. Members can avoid tasks nearing SLA breach
B. Members can pick tasks based on SLA urgency
C. Site support members can pick tasks by location
D. Groups can assign tasks based on on-call schedules
E. Groups can assign tasks based on skills
F. Groups can assign tasks based on availability
G. Members can pick tasks based on highest priority
H. Members can choose only their preferred tasks

---

64. A manager wants a report of how many business card requests have been fulfilled this year. Which table should the report use?

A. Request [sc_request]
B. Requested Item [sc_req_item]
C. Task [task]
D. Catalog Item [sc_cat_item]
E. Catalog Task [sc_task]
F. Service Catalog [sc_catalog]

---

65. A customer wants the company email banner on every customer-facing notification. How would you approach this?

A. Create a company HTTP email wrapper
B. Create a company email template (or layout) and use it on the notifications
C. Create a company CSS package for emails
D. Hard-code a header and footer into each notification

---

66. What are examples of UI Actions related to forms?

Choose three.

A. Form context menu items
B. Form columns
C. Form links
D. Form buttons
E. Form views

---

67. Which entities can receive task assignments in ServiceNow?

Choose two.

A. Groups
B. Departments
C. Teams
D. Users

---

68. Which capability lets users build dashboards with widgets that visualize data over time to find areas for improvement?

A. Reporting
B. Scheduled reports
C. Analytics reports
D. Performance Analytics

---

69. In the report designer, which section adjusts the look of the report, including colors, titles, and legend layout?

A. Format
B. Configure
C. Layout
D. Style

---

70. Which feature lets you include data from a related table on a report?

A. Outer join
B. Joins
C. SQL
D. Dot-walking

---

71. ServiceNow has more than 25 report types. Which are report types?

Choose five.

A. Semi-donut
B. Speedometer
C. Donut
D. Thermometer
E. Pie
F. Horizontal bar
G. Odometer

---

72. A task worker wants to monitor updates to records assigned to them, like customer responses. What do you suggest?

A. On their work list, select the activity stream icon to open a frame with live updates
B. Open Service Desk > My Work dashboard
C. Open an Agent Workspace tab for each record
D. Click the eyeglass icon to expand the monitor frame

---

73. What is the platform name of the Group table?

A. group
B. sys_user_group
C. sys_group
D. sys_groups

---

74. Group records are stored in which table?

A. Group [sys_user_group]
B. Group [s_sys_group]
C. Group [u_sys_group]
D. Group [sn_sys_group]

---

75. Which ServiceNow feature can be triggered by events and informs users about activities or updates?

A. Emails
B. Texts
C. Alerts
D. Events
E. Notifications

---

76. An IT manager is responsible for the Network and Hardware groups but sees no tasks in Service Desk > My Groups Work. What could explain this?

A. The manager is not a member of the Network and Hardware groups
B. The group Manager field is empty
C. The manager is not in the Service Desk group
D. The manager lacks the itil role

---

77. A role is defined as what?

A. A persona in a workflow
B. A set of user access policies
C. A collection of permissions
D. A set of access control rules

---

78. What do you use to add buttons, links, and context menu items to forms and lists?

A. UI Policies
B. UI Actions
C. UI Settings
D. UI Config

---

79. User records are stored in which table?

A. User [sys_user]
B. User [sn_user]
C. User [u_sys_user]
D. User [s_user]

---

80. A customer wants a new notification for users affected by a network outage at their site. Which module do you use?

A. System Properties > Email > Settings
B. Administration > Notification Overview
C. User Preferences > Email > Notifications
D. System Notification > Email > Notifications
E. Gear > Notifications > New

Self-Service & Automation 41 questions

81. Which feature lets you automate business logic for an application or process, such as approvals, tasks, notifications, and record operations?

A. Flows
B. Action sequences
C. Flow diagrams
D. Action sets
E. Task flows

82. When a flow runs an action, it generates a runtime value that stays the same for the duration of the flow. What is that runtime value called?

A. Data pill runtime value
B. Sequence runtime value
C. Starting runtime value
D. Trigger runtime value
E. Input runtime value

83. The employee onboarding team wants managers to order computers, monitors, business cards, and cell phones for new employees in one request. How would you meet this requirement?

A. Create an order guide
B. Create a requested item
C. Create a record producer
D. Create an onboarding bot

84. Which resource would you use to determine whether a specific user can contribute to a particular knowledge base?

A. User Criteria Diagnostics
B. The sn_kb_author role
C. User criteria job log
D. Knowledge author group
E. KB author group

85. If a knowledge base has no access details specified, which users can read its articles?

A. No users
B. Users with the itil role
C. Users with the kb_user role
D. Any user with the article permalink
E. Any active user

86. What access does a user need to import articles into a knowledge base?

A. sn_knowledge_import role
B. sn_knowledge_contribute role
C. Can contribute
D. sn_knowledge_write role
E. Can write
F. Can import

87. What controls the publishing and retiring process for knowledge articles?

A. Workflow designer
B. Workflows
C. State life cycle
D. Approval policies
E. Approval definitions

88. A customer has an HR knowledge base accessible only to the HR department. A new procedure must be published there but visible only to HR managers. How would you meet this?

A. On the knowledge base, add user criteria with a manager script to Can Read, then publish to any category
B. On the article, add an Access Control for the HR manager group on Can Read, then publish to any category
C. On the knowledge base, create an HR manager category with user criteria on the category, then publish to that category
D. On the knowledge article, add user criteria for the HR manager group to its Can Read list, then publish to any category

---

89. When testing a catalog item for an expensive computer, the mandatory manager approval is skipped for requester Bob Smith but not for anyone else. What could explain this?

A. The manager has no delegate assigned
B. A Business Rule excludes Bob Smith from approvals
C. Bob Smith's user record has no manager specified
D. Bob Smith is a VIP
E. Bob Smith has no delegate set up

---

90. Which flow components let you specify when a flow should run?

A. Trigger and condition
B. Trigger and condition pill
C. Condition and table
D. Scope and trigger condition
E. Trigger criteria and clock

---

91. Which utility lets process owners automate cross-enterprise workflows in a single unified process?

A. Flow editor
B. Flow Designer
C. Workflow manager
D. Process owner dashboard
E. Process workflow designer
F. Process Automation Designer
G. Process flow manager

---

92. Which type of script runs in the browser?

A. Flow Designer actions
B. Script Includes
C. Business Rules
D. ACL scripts
E. Transform maps
F. UI Policies and Client Scripts

---

93. A knowledge base has this user criteria: Companies: ACME North America; Department: HR; Groups: ACME Managers; Match all: Yes. Which users can access it?

A. Members of ACME Managers and the HR department, regardless of company
B. ACME North America employees who are in HR or in ACME Managers
C. Members of ACME Managers who are also in HR and part of ACME North America
D. Users in ACME North America, or HR, or ACME Managers

---

94. On a Business Rule, the When setting determines when the rule runs. What are the options?

A. Prior to, synchronous, on update
B. Insert, update, delete, query
C. Before, synchronous, scheduled job, views
D. Before, after, async, display

---

95. Which script can run when a record is displayed, inserted, updated, or deleted, or when a table is queried?

A. Client Script
B. Business Rule
C. UI Script
D. Scheduled Job
E. Record rule

---

96. Which process lets users create, categorize, review, approve, and browse important information in a central location shared by the whole organization?

A. Self-service management
B. Knowledge-centered management
C. Knowledge Management
D. Business information management
E. Information portal management

97. Which storefront is a single location for prebuilt spokes that let you quickly integrate with third-party services?

A. Integration portal
B. Integration store
C. ServiceNow spoke store
D. Integration one-stop
E. ServiceNow Store
F. Integration spoke hub

98. Which role can manage multiple knowledge bases?

A. sn_kb_admin
B. kb_admin
C. knowledge_admin
D. knowledge_base_admin

99. A catalog item for a desktop computer has options: color (black or silver), RAM, keyboard type, and monitor size. How do you add these options to the item form?

A. Add choices
B. Add UI options
C. Add variables
D. Add fields

100. A project will build 80 catalog items. Each needs the same four mandatory fields: Requested for, Requested by, Approving manager, and Delivery instructions. All other variables are item-specific. What would you use?

A. Create an order guide with all variables, then copy and hide variables as needed
B. Create one variable set with the four variables, then add it to each of the 80 catalog items
C. Create a variable set template that applies to all catalog items
D. Create a record producer with the four fields and add it to each item's related list
E. Create a Flow Designer action with a variable set data pill and apply it to all 80 items

101. Users can order a new iPhone only after two levels of approval, with approvers and users notified at each level. What would you use to manage the approvals and notifications?

A. Flows
B. Approval criteria
C. Approval chains
D. Approval delegates
E. Parent-child approvers

102. What are advantages of Flow Designer?

Choose three.

A. Supports legacy workflows
B. Less manual scripting
C. Enables complicated scripting
D. Reduces technical debt
E. Supports only advanced developers
F. Smooth integration with third-party systems

103. Which catalog tool would you use to create a catalog item or record producer?

A. Catalog formatter
B. Catalog flow builder
C. Catalog Builder
D. Catalog designer
E. Variable designer
F. Form designer
G. Workflow designer

104. Which tab on a knowledge base record identifies the users who can read its articles?

A. Can Read
B. Access list
C. Accessible to
D. Can Access

105. In Flow Designer, where is the output of an action stored so later actions can use it?

A. Data pill
B. Data trigger
C. Data element
D. Field icon
E. Field value

106. Which module would you use to create new automation of business logic such as approvals, tasks, and notifications?

A. Process Automation > Active Flows
B. Process Automation > Flow Administration
C. Process Automation > Process Flow
D. Process Automation > Workflow Editor
E. Process Automation > Flow Designer

107. Which Knowledge Management features support continuous improvement of articles?

Choose four.

A. Flag article
B. Mark as helpful
C. Submit KB errata
D. Click a frowning icon
E. Add comments
F. Rate with stars

108. Which feature limits the users who can contribute to or read a knowledge base?

A. Roles
B. User criteria
C. Categories
D. Groups

109. An HR-only knowledge base needs one new article visible only to HR managers. Which approach works?

A. Add user criteria for the HR manager group to the article's Can Read list
B. Add user criteria for the HR manager group to the category's Can Read list
C. Add an Access Control for the HR manager group to the article
D. Add a manager script user criteria to the knowledge base Can Read list and publish to any category

110. What should you do when testing a catalog item that has a manager approval flow?

Choose three.

A. Make sure the latest flow version is activated
B. Use incognito browser settings to toggle between requester and approver
C. Use your admin account so you can approve quickly
D. Impersonate the requester to make sure the form works
E. Make sure the requester's user record has a manager specified
F. Create and select a testing update set first

111. When designing a flow, how do you reference data from a record?

A. Use the condition builder to specify values
B. Drag the data pill into the flow
C. Add the table reference with the slushbucket
D. Specify the source table on the data pill related list
E. Drag the table icon into the flow

---

112. Which statement correctly describes the difference between a Client Script and a Business Rule?

A. A Client Script runs before a record loads; a Business Rule runs after
B. A Client Script runs on the server; a Business Rule runs on the client
C. A Client Script runs before a record loads; a Business Rule runs after a record is updated
D. A Client Script runs on the client; a Business Rule runs on the server

---

113. What are advantages of using Flow Designer?

Choose three.

A. Reduces technical debt
B. Enables complicated scripting
C. Less manual scripting
D. Smooth integration with third-party systems
E. Built only for advanced developers

---

114. Which are frequently used core actions in Flow Designer?

Choose four.

A. Look for update
B. Wait for condition
C. Create record
D. Look up record
E. Ask for approval
F. Wait for match

---

115. Which capability helps users get information, make decisions, and perform common tasks through a messaging interface?

A. Knowledge chat
B. Virtual Agent
C. Now Support
D. Chat box
E. Agent Workspace

---

116. A customer uses workflows for catalog items. Purchasing policy requires approval for requests over $1,000, and management wants to raise it to $1,500. Which workflow would you update?

A. Service Approval Processing
B. Purchasing Process Flow
C. Service Catalog Request
D. Service Catalog Item Request

---

117. What determines user access to knowledge bases and knowledge articles?

A. Read access flag
B. Privacy settings
C. User criteria
D. sn_kb_read and sn_article_read roles

---

118. You need a Get Help item in the Service Catalog where users describe an issue, creating incidents routed to the service desk. Which method would you use?

A. Create a record producer
B. Create a content item
C. Create a catalog item
D. Create an order guide

---

119. What feature specifies which users can access a Service Catalog item?

A. Can Order tab
B. catalog_user role
C. can_read role
D. User criteria

---

120. Which capability provides knowledge articles through a conversational messaging interface?

A. Virtual Agent
B. Now Messenger
C. Agent Assist
D. Connect Agent

---

121. HR onboarding and Facilities each have their own service catalog. Both need the same event room setup item with the same form and routing to Facilities. What do you do?

A. Create one item and use ACLs to control access
B. Create two separate items, one per catalog
C. Create one item and publish it to a parent catalog both can access
D. Create one catalog item and publish it to both catalogs

Database Management 36 questions

122. What is an advantage of defining relationship types between CI classes?

A. It improves data quality because CIs are automatically related when the CMDB is activated
B. It prevents users from relating CIs incorrectly
C. It automates the loading of the CI dependency view
D. It makes relating CIs easier, because predefined relationships suggest which types of CIs should be related

123. In the CI dependency view, how would you view the relationship between one CI and another?

A. Right-click and select View Relationship
B. Click the plus sign to expand the cluster
C. Click the down arrow and select View Relationship
D. Hover over the connection line

124. Which table is the base table of the CMDB hierarchy?

A. ecmdb
B. cmdb_rel_ci
C. cmdb_ci
D. cmdb
E. ecmdb_rel_ci
F. ecmdb_ci

125. The customer wants all users to have access to the records in the Offering table. Which Access Control name would grant access to all Offering records?

A. offering.None
B. None.offering
C. offering.name
D. offering

126. Which component of a table contains one piece of data for one record?

A. Field
B. Factor
C. Data point
D. Item
E. Element

127. A customer needs an inventory application with several inventory-specific fields on an inventory ticket, which will be assigned to inventory support team members. How would you start?

A. Create the inventory table as a new base table, then add fields as needed
B. Create the inventory table with its fields, then create a database view between it and Task
C. Create the inventory table with its fields, then create a many-to-many relationship with Task
D. Create the inventory table extended from Task, then add the inventory-specific fields as needed

128. Which ServiceNow resource can serve as a blueprint for mapping your IT services into ServiceNow?

A. CMDB
B. Now Learning
C. ServiceNow wiki
D. Service Mapping guided setup
E. Common Service Data Model (CSDM)
F. IT Service Management

129. Some tables have a prefix like sn_hr_. Which kind of table has a name that starts with a custom prefix?

A. Excluded table
B. Scoped application table
C. System table
D. Extension table
E. Text index table

130. Which are examples of core tables in ServiceNow?

A. Team, party, awards
B. User, task, incident
C. Work, caller, timecard
D. Base item, configuration item, base task

131. On a CI form, which section shows information about other CIs associated with your CI?

A. Related lists
B. Related items
C. Affected CIs tab
D. Related links
E. Child CI tab

132. A manager needs report data that lives in two tables, for many reports. Dot-walking will not work. What else might you try?

A. Create a database view
B. Create a report source
C. Create a custom table
D. Export the tables to a spreadsheet
E. Create a report template

133. Tables can be described in several ways. Which combination is impossible?

A. Custom and core
B. Custom and child
C. Base and parent
D. Custom and parent
E. Core and base
F. Parent and child

134. Which policies apply to all data entered into the platform, whether through forms, import sets, or web services?

A. Data submission policies
B. Data quality policies
C. Data integrity policies
D. Data policies
E. Write policies

135. What is a classic example of tables with a many-to-many relationship?

A. A task can trigger many workflows and a workflow can trigger many tasks
B. Vendors sell many products and products are sold by many vendors
C. A request contains many items and items can come from any catalog
D. A CI belongs to many classes and classes contain many CIs

136. When a custom table is created, which Access Control rules are created automatically?

Choose four.

A. Update
B. Execute
C. Create
D. Read
E. Delete
F. Write

137. A data policy applies to data entered through the UI, import sets, or web services. Where does it execute by default?

A. Network
B. Server
C. Client
D. Browser

138. How would you navigate to the schema map for a table?

A. System Definition > Tables, open the table, then click Show Schema Map under Related Links
B. System Dictionary > Show Schema Map, then select the table
C. System Definition > Dictionary, open the table, then click Show Schema Map
D. System Definition > Show Schema Map, then select the table

---

139. ACLs are evaluated in this order: 1) match the object against table ACLs, 2) match against field ACLs. Within step 1, in what order are table ACLs evaluated?

A. General to specific: table, table.field, parent.field
B. Specific to general: table.field, parent.field, *.field
C. Top to bottom: wildcard, parent table, table
D. Bottom to top: table, table.field, parent.field
E. Specific to general: table, parent table, wildcard (*)

---

140. How do you distinguish a base class table from a parent class table?

A. Extended tables can come from parent or base tables, but not both
B. A base class table is not extended from another table; a parent table may be extended from another table
C. Base tables always have child tables; parent tables never do
D. Extended tables always come from parent tables, usually from base tables

---

141. Which three security modules does a System Administrator often use?

Choose three.

A. System Security > Security
B. System Properties > Security
C. System Security > High Security Settings
D. Self-Service > My Access
E. System Security > Access Control (ACL)

---

142. Incident extends Task, and Super Incident extends Incident. Which statements are true?

Choose five.

A. Super Incident is a parent table
B. Super Incident is a child table
C. Task is a child table
D. Super Incident is a base table
E. Task is a parent table
F. Incident is a base table
G. Task is a base table
H. Incident is a parent table
I. Incident is a child table

---

143. Which utility lets a service desk agent trace from a service having an issue to the CIs supporting it that have active issues?

A. CI health dashboard
B. Event management homepage
C. Service dashboard
D. CI dependency view

---

144. Which modules can you use to create a new table?

Choose two.

A. Tables & Columns
B. Dictionary
C. Schema map
D. Tables

---

145. Which statement correctly describes Access Control evaluation?

A. Roles are evaluated general to specific, so a table rule must be active to continue
B. If a row-level rule and a field-level rule both apply, both must pass before the operation is allowed
C. The role with the most permissions evaluates rules first
D. When several rules apply to a row, the oldest is evaluated first

---

146. Which describes the primary operations performed against tables in ServiceNow?

A. Create, read, upload, delete
B. Capture, rate, write, develop
C. Create, rate, update, delete
D. Create, read, write, delete

---

147. On an Access Control, how can you set the permissions?

Choose three.

A. Groups
B. Roles
C. A script that sets answer to true or false
D. CRUD
E. Conditional expressions

---

148. What is the result of the order in which Access Controls are evaluated?

A. A user must access the application before any module in it
B. A user must access the fields before the table
C. A user must have access to a table before access to a field on that table is evaluated
D. Users get to work as fast as possible

---

149. Which tool graphically displays an infrastructure view of a CI and its relationships with other CIs?

A. Schema map
B. Dependency view
C. Dependency map
D. Database view

---

150. What are the three key tables in the CMDB?

Choose three.

A. sn_cmdb_bak
B. sn_cmdb_ci
C. cmdb_rel_ci
D. cmdb_bak
E. cmdb_ci
F. cmdb

---

151. How would you define an Access Control that lets users with the itil role create incident records?

A. Name: incident.None; Operation: create; Role: itil
B. Name: incident.*; Operation: write; Role: itil
C. Name: incident.None; Operation: write; Role: itil
D. Name: incident.*; Operation: create; Role: itil
E. Name: incident.Any; Operation: write; Role: itil

---

152. Which ServiceNow resource is described by both statements? 1) A standard, shared set of service-related definitions across products and platforms that enables true service-level reporting. 2) A CMDB framework that supports multiple configuration strategies.

A. ITIL
B. CMDB
C. Common Service Data Model (CSDM)
D. ITSM

---

153. What is the table relationship where two tables are related bidirectionally, so related records are visible from both tables in a related list?

A. Database view
B. Extended
C. Many-to-many
D. One-to-many

---

154. Which are examples of one-to-many relationships in the Service Catalog?

Choose three.

A. One cart can have many requests
B. One request can have many requested items
C. One approval can have many requests
D. One requested item can have many approvals
E. One requested item can have many catalog tasks

---

155. A user sees a blank page when clicking Create New in your custom inventory app, though they can see the app and module. What could cause this?

A. The Create New module link is broken
B. They should use Chrome
C. The user can read but cannot create (write) records on the inventory table
D. A known UI15 issue
E. Their session timed out

---

156. Which field type has a drop-down list of predefined options?

A. Drop-down
B. Option
C. Choice
D. Picker

---

157. A customer wants Incident number read-only on all lists and forms for all users, and Short description mandatory on insert across all applications. What would you use?

A. Dictionary design policy
B. Data quality policy
C. Field criteria policy
D. Data policy

Data Migration & Integration 22 questions

158. Which table acts as the staging area for records imported from a data source?

A. Staging table
B. Temp table
C. Transform table
D. Import set row table

159. Which field (or fields) is used as a unique key during imports?

A. Sys IDs
B. Match fields
C. Coalesce fields
D. Key fields

160. Which module lets an administrator define destinations for imported data on any ServiceNow table?

A. Field transform
B. Schema map
C. Import map
D. Transform map

161. Why is it recommended to limit update sets to a manageable size (around 100 records)?

Choose two.

A. To comply with ISO audit requirements
B. So smaller update sets can be imported to production during business hours
C. To reduce potential conflicts
D. To improve troubleshooting of the Default update set
E. To make it easier to identify and review changes

162. When would you use these steps? 1) Homepage Admin > Pages 2) Right-click the homepage record 3) Select Unload Portal Page

A. To add a homepage to an update set
B. To delete a homepage
C. To publish a homepage to the portal
D. To retire a homepage

163. What is a best practice for data imports?

A. Plan time before the import to remove obsolete or inaccurate data
B. Use one extremely large import set instead of several smaller ones
C. Adjust transform maps after data is loaded into the target table
D. Create a new import set table for every data load
E. Clean imported data afterward in a data scrub workspace

164. What are the steps for importing data with an import set?

A. Identify source, import transform map, run transformer, verify import
B. Load the data, create a transform map, transform the data, clean up the import table
C. Select source file, run auto map, transform data, clean up target table
D. Set up LDAP, run auto map, transform data, clean up target table

165. When importing data, what happens to rows if no coalesce field is specified?

A. All rows are treated as new records, but errors are flagged in the import log
B. Duplicate rows are rejected
C. All rows are treated as new records; no existing records are updated
D. All rows are rejected because a coalesce field is required

166. Which tool lets you drag and drop to link source fields on an import set table to destination fields on a ServiceNow table?

A. Mapping Assist
B. Import workspace
C. Data source map
D. Import designer
E. Transform designer
F. Transform dashboard

167. When importing a spreadsheet, which step defines where incoming columns will be written in the target table?

A. Schedule transform
B. Select data source
C. Field mapping
D. Load data
E. Create transform app

168. When moving a homepage or dashboard between instances, what must you remember?

A. They are added to the update set automatically
B. Create a separate update set for them
C. They can be moved using zip files
D. They cannot be moved via XML
E. Manually add them to the update set
F. They cannot be moved via update sets

169. Which types of data sources can be imported into ServiceNow?

Choose four.

A. Implementation spoke
B. JDBC connection
C. DataHub
D. Files retrieved from a network server (FTP, HTTP)
E. LDAP connection
F. Local files (XML, CSV, Excel)

170. Which tool defines the relationship between fields on an import set table and a target table?

A. Schema map
B. Transform schema
C. Transform map
D. Field transformer

171. When selecting the target table for an import, which tables can you choose?

Choose three.

A. Related tables using dot-walking
B. Tables outside ServiceNow
C. Tables in the current application scope
D. Tables in the global scope
E. Tables that allow write access from other applications

172. Which import utility does the system use when import set field names match the target table field names?

A. Schema mapping
B. Mapping Assist
C. Automatic mapping (Auto Map Matching Fields)
D. Mapping dashboard

173. Which tool imports data from various sources and maps it into ServiceNow tables?

A. Update set
B. Data pack
C. Import set
D. Transform set

174. When importing spreadsheet data, what is the first step?

A. Select coalesce
B. Select import set
C. Define data source
D. Run data scrubber
E. Load data

175. Which are not included in an update set by default?

Choose three.

A. Business rules
B. Schedules
C. Client scripts
D. Transcripts
E. Homepages
F. Data records

176. Which module is the first step for importing data?

A. Transform data
B. Coalesce data
C. Load Data
D. Import data

177. Which application is used primarily to load data into ServiceNow?

A. Data Import Configuration
B. System Import Sets
C. Import Management
D. Import Hub

178. What is the best practice for using the Default update set to move customizations between instances?

A. Do not use the Default update set to move changes between instances
B. Keep it to a maximum of 20 records
C. Submit it to the application repository
D. Merge Default update sets before moving

179. When moving several update sets at once, what can you do to make the move easier?

A. Preview
B. Test
C. Batch
D. Verify

Answer key

1. D
2. B
3. C
4. C
5. C, E
6. C
7. B
8. D
9. A, B
10. D
11. D
12. D
13. B
14. A
15. A
16. A, B, C
17. B
18. D
19. D
20. B, C, E
21. A
22. D
23. A, C, D
24. A, B
25. C
26. B
27. E
28. B
29. C, F, H, K, L
30. C
31. D
32. B
33. A
34. C, D, E
35. E
36. A
37. B
38. A, B
39. C
40. B
41. C, D
42. D
43. C, D
44. D
45. F
46. A, B, C, D
47. C
48. A
49. C
50. B
51. E
52. B, D
53. B
54. D
55. C
56. B
57. B
58. D
59. B
60. B
61. A, D, F
62. C
63. B, D, E, F, G
64. B
65. B
66. A, C, D
67. A, D
68. D
69. D
70. D
71. A, B, C, E, F
72. A
73. B
74. A
75. E
76. A
77. C
78. B
79. A
80. D
81. A
82. A
83. A
84. A
85. E
86. C
87. B
88. D
89. C
90. A
91. F
92. F
93. C
94. D
95. B
96. C
97. E
98. C
99. C
100. B
101. A
102. B, D, F
103. C
104. A
105. A
106. E
107. A, B, E, F
108. B

109. A

110. A, D, E

111. B

112. D

113. A, C, D

114. B, C, D, E

115. B

116. C

117. C

118. A

119. D

120. A

121. D

122. D

123. D

124. D

125. A

126. A

127. D

128. E

129. B

130. B

131. B

132. A

133. A

134. D

135. B

136. C, D, E, F

137. B

138. A

139. E

140. B

141. B, C, E

142. B, E, G, H, I

143. D

144. A, D

145. B

146. D

147. B, C, E

148. C

149. B

150. C, E, F

151. A

152. C

153. C

154. B, D, E

155. C

156. C

157. D

158. D

159. C

160. D

161. C, E

162. A

163. A

164. B

165. C

166. A

167. C

168. E

169. B, D, E, F

170. C

171. C, D, E

172. C

173. C

174. E

175. B, E, F

176. C

177. B

178. A

179. C

Explanations

18. In list column search, * means "contains." Typing a word with no wildcard means "starts with."

30. Dependent plugins activate automatically. The key caution is that most plugins cannot be deactivated afterward, so test on a non-production instance first.

88. Articles have their own Can Read user criteria, which narrow access below what the knowledge base allows.

124. The Base Configuration Item [cmdb] table sits at the top of the hierarchy; cmdb_ci extends it.

131. The Related Items section on a CI form shows its relationships to other CIs.

133. A table is either core (shipped with the platform) or custom (created by you), never both.