



Γ,	4		3			2		11	_	
	ITEM NO.	. PART NUMBER		MATERIAL			QTY.			
	1	level 0		cnc POM				1		F
F	2	level 0		cnc POM				1		
	3	frame shaft		stainless steel				2		
	4	4 leg shaft			stainless steel			5		
Н	5	leg	ABS 3d printed				1			
	6	frame shaft	stainless steel				1			
	7	cable joint	cnc POM				1			
E	8	leg arm					5		E	
	8.1	N clevis					2			
	8.2	clevis conno bolt	standard M2 strud bolt				1			
	8.3	safety tube		silicon tube				2		
	9	motor plate		lo	aser	cut steel sheet		1		
	10	motor bearin bracket	g	cnc POM				1		
D	11	power bolt	stainless steel				1		D	
	12	motor	45 RPM 6V geared motor				1			
	13	coupler		brass				1		
Ц	14	socket set screw cup point_am						2		
	15	ISO 7045 - M2 x 16 - Z - 16N						3		
	16	AFBMA 20.1 - 10,DE,NC,10_					2		C	
C	17	level 1	cnc POM				1			
	18	DIN EN ISO 70 16 - Z - 16N						1		
	19	Hexagon Thii 4035 - M2 - N					3			
П	20	pcb 1					2			
	21	leg	ABS 3d printed				4			
	22	solar cell					4			
В										В
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:			DEBURR / BREAK SH EDGES				REVISION		
A	NAME SIGNATURE DATE DRAWN CHK'D APPV'D MFG			bill of materi		erial	S	S		
	Q.A		MATERIAL:			drawi	vings		A4	
	A		WEIGHT:			SCALE:1:1	SHEET	3 OF 17		
1	4		3			2		I		

	4	3		2	11		
	ITEM NO.	PART NUMBER	MATERIAL		QTY.		
	23	battery 960 mAh		LiPo	1		
F	24	shield	le	aser cut steel sheet	1	F	
	24.1			Sheet	-		
	25	GPS			1		
	26	pan head cross recess screw_din			2		
	27	Hexagon Thin Nut ISO 4035 - M3 - N			13		
E	28	DIN EN ISO 7045 - M3 > 16 - Z - 16N			2	E	
	29	damper		molded rubber	1		
	30	drill contact		brass	2		
	31	DIN 988-3x6x0.5			2		
	32	drill right			1		
	32.1	drill motor holder			1	D	
	32.2	motor	450	RPM 6V geared motor	1		
D	32.3	drill bit		HSS steel	1		
	32.4	DIN 914 - M2 x 3-N			2		
	32.5	DIN EN ISO 7045 - M1.6 x 3 - Z - 3N			2		
Н	32.6	2-3mm coupler		brass	1		
	33	extension spring	stain	less steel custom made	2		
	34	spring holder		3d printed	2		
С	35	pan head cross recess screw_din			2	С	
	36	drill left			1		
	36.1	drill motor holder		cnc POM	1		
	36.2	motor	450	RPM 6V geared motor	1		
	36.3	drill bit		HSS steel	1		
	36.4	DIN 914 - M2 x 3-N			2		
В	36.5	DIN EN ISO 7045 - M1.6 x 3 - Z - 3N			2	В	
D							
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		DEBURR BREAK SI EDGES		REVISION		
	NAME SIGNATURE DATE DRAWN			bill of mo			
	CHK'D APPV'D				aronais		
Α	MFG	MATERIAL:		DWG NO.		A	
	Q.A	MATERIAL:		drawir	ngs	A4	
	4	WEIGHT:		SCALE:1:2	SHEET 4 OF 17		
1	4	3		2			

	4		3	2		1	
	ITEM NO.			MATERIAL		QTY.	11
	36.6	2-3mm couple	r	brass		1	
F	37	drill retainer		PLA 3d prin	ted	1	F
	38	parachute rop holder	pe	PLA 3d prin	ted	1	
	39	parachute ret	ainer	PLA 3d prin	ted	1	H
	39.1	parachute re nut		PLA 3d prin	ted	1	
	39.2	parachute re bolt		custom M2	bolt	3	
E	39.3	Hexagon Thir ISO 4035 - M2	n Nut - N			3	E
D							D
С							С
Ш	UNLESS OTHERWISE SPECIFI DIMENSIONS ARE IN MILLIM SURFACE FINISH: TOLERANCES: LINEAR:			SUAKE	DT SCALE DRAWING	REVISION	В
	ANGULAR: NAME DRAWN CHK'D APPV'D MFG Q.A		NTERIAL:	DWG NO.	ll of mat		A
		WE	EIGHT:	SCALE:1:1	SHEE	T 5 OF 17	























