LONG TERM INTERNSHIP

EVENT MANAGEMENT SYSTEM

A Project Submitted In Partial Fulfillment of the
Requirements for The Degree Of

BACHELOR OF COMPUTER SCIENCE

By

KALINGAPATNAM VIJAYA

Regd.No.720131905024

Under the esteemed guidance of

Y.KRISHNA

Lecturer in Computer Science

Pydah College for Women

PYDAH

PYDAH COLLEGE FOR WOMEN

AFFILIATED TO A[illegible] UNIVERSITY

VISAKHAPA[illegible]

2022-2023

LONG TERM INTERNSHIP

EVENT MANAGEMENT SYSTEM

A Project Submitted In Partial Fulfillment of the Requirements for The Degree Of

BACHELOR OF COMPUTER SCIENCE

By

KALINGAPATNAM VIJAYA

Regd.No.720131905024

Under the esteemed guidance of

Y.KRISHNA

Lecturer in Computer Science

Pydah College for Women

PYDAH COLLEGE FOR WOMEN

AFFILIATED TO ANDHRA UNIVERSITY

VISAKHAPATNAM

2022-2023

PYDAH DEGREE COLLEGE FOR WOMEN

(Affiliated by Andhra University)

Visakhapatnam

CERTIFICATE

This is to certify that this is a bonafide project work entitled "**EVENT MANAGEMENT SYSTEM**" by **KALINGAPATNAM VIJAYA** bearing regd.no.**720131905024** student of bachelor of computer science in Pydah College for women, Andhra university during period 2022-2023

External:

Y.KRISHNA

(Project Guide)

HOD

DECLARATION

I hereby declare that this project entitled "**EVENT MANAGEMENT SYSTEM**" has been prepared by me and submitted to pydah college for women, Visakhapatnam and this project has not been submitted to any other in institute previously.

Visakhapatnam

Name:

Date:

Event Management System

CONTEXT

1.Objectives

2.Input and Output

3.Details of Modules

4.Usecase Diagrams

5.Tools/Platforms/Languages

6.Coding(PHP and My Sql)

7.Database Tables

8.Output Screens

9.Test Cases

10.Limitations of the Project

11.Scope of Future Reference

Bibilography

1.OBJECTIVES

Event management system is a web application, used for all event organizers. Now a days all event managers doing their business through online. Autherization and authentication of user is done through online. Customers can search for various events and their prices through online.

In our project customer can book for event.

2.INPUT AND OUTPUT

Input Forms in our project:

1) Event booking form

Output Pages in our project:

1) Display All events Page
2) About us page
3) Contact us page

3.DETAILS OF MODULES

Our Project having Three Modules:

1) Admin Module
2) Users Module
3) Events module

In Admin Module, admin login form having admin username and password. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, admin control panel will be displayed.

In Users Module, user can register and login to his account. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, user control panel will be displayed.

In Events module, user can book a module. Admin can view all booked events.

4.USECASE DIAGRAMS

1) Usecase diagram for Admin:



2) Usecase diagram for User:



5.TOOLS/PLATFORMS, LANGUAGES

Operating System: Windows 7

Server: Apache

Server Side Scripting Languages: PHP Programming Language

Client Side Scripting Languages: HTML, CSS, JAVA SCRIPT

About PHP and MySql

6.CODING

1) Index.php:

```
<html>
<frameset rows="10%, 90%" border=0>
<frame name="f1" src="menu.php">
<frame name=f2 src="home.php">
</frameset>
</html>
```

2) Home.php:

```
<html>
<style type="text/css">
 body
{
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
```

```
letter-spacing: 0.2em;}
h3 {
font-size: 150%;}
p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544;}
p.intro:first-line {
font-weight: bold;}
.credits {
font-style: italic;
text-align: right;}
a {
text-decoration: none;}
a:hover {
text-decoration: underline;}
thead th {
background-color: #BDEAFF;
width: 100px;
}
tbody th {
background-color: #FFFF99;
}
tfoot th {
background-color: #C2FE9A;
}
tfoot th:last-of-type {
text-align: right;
}
td {
text-align: center;
}
td:last-of-type {
text-align: right;
}
```

```
</style>
<body bgcolor=lightpink border=1>
<h1>Welcome to Sekhar Events</h1>
<br>
<h2>We provide all types of events for you.</h2>
<br>
<center>
<br>
</center>
<center><h1>Events we provide </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >Event ID
<th>Event Name
<th>Description
<th>Price
<tr>
<th>100
<td  background-color: #BDEAFF; width: 100px; >Birthday Events
<td>we provide birthday events. we provide you all the services for
birthday events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >101
<td  background-color: #BDEAFF; width: 100px; >Marriage Events
<td>we provide marriageg events. we provide you all the services for
marriage events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >102
<td  background-color: #BDEAFF; width: 100px; >Friends Events
<td>we provide friends events. we provide you all the services for
friends events
<td>10000 per day
</table></center>
```

```
<br><h4>In this events management project, user can  book an event..
</body>
</html>
```

3) Menu.php:

```
<html>
<body bgcolor=lightyellow>
<a href="home.php" target="f2"><img src="home.png" height=50
width=50></img></a>
      |      
<a href="aboutus.php" target="f2"><button>About Us</button></a>
      |      
<a href="contactus.php" target="f2"><button>Contact Us</button></a>
      |      
<a href="bookevent.php" target="f2"><button>Book an event</button></a>
</body>
</html>
```

4) aboutus.php:

```
<html>
<style type="text/css">
 body {
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
```

```
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
letter-spacing: 0.2em;}
h3 {
font-size: 150%;}
p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544;}
p.intro:first-line {
font-weight: bold;}
.credits {
font-style: italic;
text-align: right;}
a {
text-decoration: none;}
a:hover {
text-decoration: underline;}
thead th {
background-color: #BDEAFF;
width: 100px;
}
tbody th {
background-color: #FFFF99;
}
tfoot th {
background-color: #C2FE9A;
}
tfoot th:last-of-type {
text-align: right;
}
td {
text-align: center;
}
```

```
td:last-of-type {
text-align: right;
}
</style>
<body bgcolor=pink border=1>
<h1>This is aboutus page</h1>
<br>
<h2>we sekhar events established in 2016. we successfully completed 3 years of
service. we provide perfect events to customers.</h2>
<br>
<center>
<br>
</center>
<center><h1>Events we provide </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >Event ID
<th>Event Name
<th>Description
<th>Price
<tr>
<th>100
<td  background-color: #BDEAFF; width: 100px; >Birthday Events
<td>we provide birthday events. we provide you all the services for birthday events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >101
<td  background-color: #BDEAFF; width: 100px; >Marriage Events
<td>we provide marriageg events. we provide you all the services for marriage events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >102
<td  background-color: #BDEAFF; width: 100px; >Friends Events
```

```
<td>we provide friends events. we provide you all the services for
friends events
<td>10000 per day
</table></center>
<br><br><h4>In this events management project, user can  book an event..
</body>
</html>
```

5) contactus.php:

```
<html>
<style type="text/css">
body {
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
letter-spacing: 0.2em;}
h3 {
font-size: 150%;}
p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544;}
p.intro:first-line {
```

```
font-weight: bold;}
.credits {
font-style: italic;
text-align: right;}
a {
text-decoration: none;}
a:hover {
text-decoration: underline;}
thead th {
background-color: #BDEAFF;
width: 100px;
}
tbody th {
background-color: #FFFF99;
}
tfoot th {
background-color: #C2FE9A;
}
tfoot th:last-of-type {
text-align: right;
}
td {
text-align: center;
}
td:last-of-type {
text-align: right;
}
</style>
<body bgcolor=pink border=1>
<h1>contact us </h1>
<br>
<h2>you can contact us to the following address</h2>
<br>
<center>
<br>
```

```
</center>
<center><h1>Contact us </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >
Address:
<th>D.No. 101, akkayyapalem, visakhapatnam
<tr>
<th>Mobile
<th>9898989898
<td>
<tr>
<th>Email
<th>cars1234@gmail.com
</table></center>
<br>
<br><h4>In this events management project, user can  book an event..
</body>
</html>
```

6) bookevent.php:

```
<html>
<style type="text/css">
body {
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
```

```
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
letter-spacing: 0.2em;}
h3 {
font-size: 150%;}
p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544;}
p.intro:first-line {
font-weight: bold;}
.credits {
font-style: italic;
text-align: right;}
a {
text-decoration: none;}
a:hover {
text-decoration: underline;}
thead th {
background-color: #BDEAFF;
width: 100px;
}
tbody th {
background-color: #FFFF99;
}
tfoot th {
background-color: #C2FE9A;
}
tfoot th:last-of-type {
text-align: right;
}
td {
text-align: center;
}
```

```
td:last-of-type {
text-align: right;
}
</style>
<body bgcolor=pink border=1>
<center><h1>Events we provide </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >Event ID
<th>Event Name
<th>Description
<th>Price
<tr>
<th>100
<td  background-color: #BDEAFF; width: 100px; >Birthday Events
<td>we provide birthday events. we provide you all the services for
birthday events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >101
<td  background-color: #BDEAFF; width: 100px; >Marriage Events
<td>we provide marriageg events. we provide you all the services for
marriage events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >102
<td  background-color: #BDEAFF; width: 100px; >Friends Events
<td>we provide friends events. we provide you all the services for
friends events
<td>10000 per day
</table></center>
<br>
<br><h4>If you want to book an event,  please fill the following details.
<form onSubmit="return checkForEvents();">
Please enter event ID & event name:<br>
<input type="text" id="eventid">
```

```
<input type="text" id="eventname">
<input type="submit" value="Submit Form">
</form>
<script type="text/javascript">
function checkForEvents() {
if (document.getElementById("eventid").value.length === 0) {
alert("please enter event id");
}

if (document.getElementById("eventname").value.length === 0) {
alert("please enter event name..");
}
else
{
var x=document.getElementById("eventid").value;
var y=document.getElementById("eventname").value;
document.writeln("your event booking completed..");
document.writeln("<body bgcolor=pink><font color=green>your eventid is
</font> </body>" +
x );
document.writeln("<font color=blue>your event name is </font>" +y);
}
}
</script>
</body>
</html>
```

7.DATABASE TABLES

1) Admin Table:

Field	Type	Null	Key	Default	Extra
Employerid	int(5)	NO		0	
Name	varchar(20)	NO		*NULL*	
Mobile	bigint(10)	NO		*NULL*	
Email	varchar(20)	NO		*NULL*	
Pwd	varchar(20)	NO		*NULL*	
Repwd	varchar(20)	NO		*NULL*	

2) booking:

Field	Type	Null	Key	Default	Extra
Bid	int(5)	NO	PRI	*NULL*	auto_increment
Eventide	int(20)	NO		*NULL*	
Days	int(3)	NO		*NULL*	
Bdate	varchar(20)	NO		*NULL*	
eventname	varchar(20)	NO		*NULL*	
Custname	varchar(20)	NO		*NULL*	
Email	varchar(30)	NO		*NULL*	

3) customer:

Field	Type	Null	Key	Default	Extra
custid	int(5)	NO	PRI	*NULL*	auto_increment
name	varchar(20)	NO		*NULL*	
mobile	bigint(10)	NO		*NULL*	
email	varchar(20)	NO		*NULL*	
pwd	varchar(20)	NO		*NULL*	
repwd	varchar(20)	NO		*NULL*	

4) Events:

Field	Type	Null	Key	Default	Extra
Eventide	int(5)	NO	PRI	*NULL*	auto_increment
eventname	varchar(30)	NO		*NULL*	
Price	bigint(10)	NO		*NULL*	

8.OUTPUT SCREENS

1) Home Page:



2) About us page:



3) Contact us page:



4) Book an event page:



5) Booking completion page:




About Us
Contact Us
Book an event
your event booking completed...your event id is 101 your event name is Marriage Events
7:51 AM
2/27/2019

e text]

9.TEST CASES

1) Test Case 1: Admin Login- check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the admin gets authentication.- It is success.

2) Test Case 2: Customer Login: check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the customer gets authentication.- It is success.

3) Test Case 3: Book Event: first search for event. After that book event. Check all values are properly storing in booking table. – it is success.

4) Test Case 4: View Bookings: login to admin panel. After that check in view bookings page. Already booked events are available in that page.- it is success.

:]

10.LIMITATIONS OF PROJECT

In this project we developed all the functionalities of event organizations. Here limitations are, this project not contains all the roles of event management employees. Here we used only admin to manage and maintain applications. In real world applications, multiple branches of customers exist. Here in this project we used only one branch customers for event organization.

11.SCOPE OF FUTURE REFERENCE

This project is very much used in future for event management related applications. Here, we developed this application with fully secured server side scripting language PHP. All the functionalities of event management application are included in this project.

BIBILOGRAPHY

Allen, J. (2009) *Event planning: the ultimate guide to successful meetings, corporate events, fund-raising galas, conferences, conventions, incentives and other special events*. 2nd ed. Mississauga, ON.: Wiley. Available at: https://www.dawsonera.com/guard/protected/dawson.jsp?name=https://idp1.tees.ac.uk/entity&dest=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9780470156186.

Berridge, G. (2006) *Events design and experience*. Oxford: Butterworth-Heinemann.

Bowdin, G. A. J. (2011) *Events management*. 3rd ed. London: Butterworth-Heinemann.

Columbus, G. and Goldblatt, J. J. (2010) *The complete guide to careers in special events: step toward success!* New York: Wiley.

Davidson, R. and Rogers, T. (2006) *Marketing destinations and venues for conferences, conventions and business events: a convention and event perspective*. Oxford: Butterworth-Heinemann.

Davidson, R. and Rogers, T. (2015) *Marketing destinations and venues for conferences, conventions and business events: a convention and event perspective*. Oxford: Butterworth-Heinemann.

'Event management: an international journal' (no date). Elmsford, NY: Cognizant Communication. Available at: http://rf3mf3dz3g.search.serialssolutions.com/log?L=RF3MF3DZ3G&D=RIG&J=EVENMAN&P=EJP&U=http%3A%2F%2Fezproxy.tees.ac.uk%2Flogin%3Furl%3Dhttp%3A%2F%2Fwww.ingentaconnect.com%2Fcontent%2Fcog%2Fem.

Ferdinand, N. and Kitchin, P. (2012) *Events management: an international approach*. Los Angeles, [Calif.]: Sage.

Getz, D. (2016) *Event studies: theory, research and policy for planned events*. 3rd ed. London: Routledge.

Goldblatt, J. J. and Goldblatt, J. (2011) *Special events: a new generation and the next frontier*. 6th ed. Hoboken, N.J.: Wiley.