Experimental Plan

Callum Malcolm

2023-12-07

Contents

Thesis Plan

Chapter 1: Clinical Data

C1.1 Analysis of Immune cell make up of publically avaialble RNAseq BL Datasets

- CIBERSORT
- Immune profile
- ECOTYPER
- COO analysis
- GSEA analysis of samples with unique immune profile(?)

###C1.2 Spatial Transcriptomics of sBL Clinical Samples - 4 samples (maybe 6) - Initial IHC: * H+E * CD20 * CD10 * Ki-67 * MYC - Genomic Analysis of MYC status * FISH - ST * 10x Visium * Focus on Immune profile subsets

###C1.3 Mibiscope - Identify proteins of interest from 1.1/1.2

Chapter 2: Rituximab Resistance in BL PDX

- Overview: looking at mechanisms of Rituximab resistance in BL PDX

  - CDC: Complement Dependent Cytoxicity
  - ADCC: Antibody-Dependent Ccellular Cytoxicity

- Use N2 and RBL2P

- Can incorporate publicially available dataset to compare Rituximab treatment vs not

  - refractory

Experiment 1: Establish Rituximab-related CDC in PDX

Overview: Are PDX susceptible to RTX-dependent CDC? - Previously described protocol: * Paper: [Analysis of changes in CD20, CD55, and CD59 expression on established rituximab-resistant B-lymphoma cell lines] (Analysis of changes in CD20, CD55, and CD59 expression on established rituximab-resistant B-lymphoma cell lines)

Naive RAMOS cells (RAMOS-N) were simultaneously exposed to the several concentrations of rituximab and human serum, and then after 1-h incubation at 37 °C, the percentage of lysed cells was measured. RAMOS-N cells were found to be lysed in the presence of rituximab and serum, and the percentage of lysed cells increased gradually in a dose-dependent manner. These results confirmed that RAMOS-N cells were sensitive to rituximab-related CDC and that the lysis ratio increased according to the concentration of rituximab and serum.

Outcome: Cell Lysis curves for RTX-Dependent CDC in PDX

Experiment 2: Establishing RTX-resistant PDX

Overview: Can we generate PDX lines resistant to RTX? - Protocol found in paper above - Incorporate WILDseq to look at the change in clonal dynamics

Outcome: Validation of RTX-Resistant Cells Lines

Experiment 3: Analyse changes in CD20

Overview: How does CD20 expression dynamics change in PDX-N vs PDX-R? - Flow for CD20 (CD19 Control) - qPCR for CD20 expression

Experiment 4: Co-inhibitor Testing

Overview: Do co-inhibtors found in the literature promote CDC in PDX-R?

- Midostaurin: PI3K/AKT pathway
- CD59 inhibitor
- PIM1 inhibition

Experiment 5: ADCC Testing

Overview: Does RTX CDC resistance confer ADCC resistance?

sBL PDX in Humanised Mice

NK-92 and Rituximab

- 2x PDX?
- WILDseq GFP+ test
- Co-Culture "EC50"
    – Use GFP+ as a proxy for cell viability
    – +/- Rituximab (other Glo-BNHL treatments?)
    – You need to think about this
- Long term co-culture
    – Sort
    – RNAseq
    – Proteomics (?)
    – WILDseq Clonal Selection (?)

C2.1 Humanised vs NSG Pilot

- IHC
- Flow

Project 1: Spatial Transciptomics of BL

11 Samples of BL acquired from VIVO BioBank
- Want to do stuff similar to these studies:
* PDAC Spatial Transcriptomics
* Genomic/Transcriptomic analysis of Clinical BL Samples - Whole Genome, whole exome sequencing - Patient demographics? - Survival outcomes?

Tools

- NCI GDC data portal
    – Compare gene expression, mutations, survial analytics(?)
- Cibersortx
    – Look at predicted immune populations
- SRA
    – Publicly available BL RNAseq datasets
- GEO
    – Gene expression omnibus
- BLGSP
    – BL genome repository (need access)
- ICGC
    – BL genome repository (need access)
    – ICGC 25k argos(?) should have BL cases
- DepMap

- Cancer dependency on various genes (skews metabolic in terms of relevant output)
- GTEx
  - Adult Genotype-Tissue Expression (GTEx) project
  -

Paper Plan

Based on PDAC ST paper

- Panel 1:
  - Patient Data
    a. Correlation survival studies between immune cell infiltration and survival
- Panel 1:
  - Patient sample characterisation
    a. Work Flow (sample backgrounds, collection from sources)
    b. Overview of all cell types profiled in the scRNA-seq cohort.
    c. Overview of spatial transcriptomics cohort
- Panel 2
  - Characterize the tumour (Tumor vs stroma vs immune cells)
    a. Differential pathway enrichment case-level tumor subpopulations
    b. Tumor cluster pathway enrichment for specific case
    c. Tumor cluster pathway enrichment for another specific case
    d. UMAP of tumor subclusters for specific case
    e. UMAP of tumor subclusters for specific case
- Panel 3
  - Genomic Landscape and oncogenic driver heterogeneity (??)
- Panel 4
  - Tumour cell heterogeneity in ST data(?)
- Panel 5
  - Immune Populations in TME
- Panel 6
  - Mibiscope

Thesis ID

Looking at characterizing the Human BL TME
- Publically available BL Data
- VISIUM internal samples
- Mibiscope Internal Samples

Publically available datasets analysis
- Talk to Jamie again

- 10x Visium transcriptomics
  - T Cell Dynamics
    * Infiltration
    * Exhaustion
  - NK cell dynamics
  - Places to get it done:
    * CI (no)
    * Source Bioscience
    * Wellcome Sanger Institute
      · Teichmann Lab used 10x Visium
- MIBIScope Comparison
  - Does Protein expression map onto spatial gene expression?
  - Collaborate with Nina in Germany

Publically Available RNAseq

1. The iDEP or TACITuS pipeline for transcriptomic profiling and GSEA/pathway analysis.

2. The CIBERSORT immune-cell deconvolution algorithm to obtain cell-fractions and gene expression/enrichment scores of tumor-infiltrating lymphocytes.

3. The GEPIA2 database for survival analysis correlating to immune infiltration and/or differential gene expression.

Ideas

Rituximab Resistance

Generate Rituximab Resistant PDX

- Resistance to Rituximab-CDC
- Resistance to Rituximab-ADCC (NK cell dependent)
- Apply barcoding approach to try to identify signalling pathways which are depended on for evasion

RTX CDC Resistance

1. RTX CDC assay

- Change concentrations of RTX
- Change concentrations of serum

2. RTX Resistance

- Take barcode sample at Day 0, resistance 1, resistance 2, resistance 3, ect.
    - Viably freeze for scRNAseq? *Cell pellet for bulk rna
- Increase concentrations
- Monitor by CDC assay

3. In vivo

- Compare resistant to non-resistant
- Barcode Experiment
- In vivo CRISPR screen

Jamie's plan:

RTX NK-92 Assay

BL based Macrophage polarisation

Co-culture experiement

Mosaic Macropahge engineering

- Activated by specific pathways which disengage them

Humanised Mice PDX

Incorporate Barcodes?

- This is very undercooked

Omo-MYC

- Waiting for regualtory approval

(Shelved) A20 Modelling the BL Tumour Microenviroment

Overview

- Using A20 to model BL immune TME
  - Look specifically at T-cell infiltration
  - Immune evasion mechanisms deployed by BL
- Compare results to patient data
- Apply findings to humanised mouse models of BL PDX

Issues

- What is the Biological/clinical relevance of this model?
- Are you priming an infiltrating response due to the nature of cell injections causing necrosis (thereby stimulating the immune system)

Background

- The impact of immune TME in BL is unclear
- BL

Experimental Plan

E1: NSG vs BALB/C A20 injection

E1 Overview

- Compare between immunocompetent and immunocomprimised mice
- Basic actors to compare
  - Tumour growth rate
  - Tumour size

Injection Plan

Group	Strain	Location	Cell Injection
1	BALB/c	Sub-cut	A20
2	BALB/c	IP	A20
3	NSG	IP	A20
4	NSG	Sub-cut	A20

IHC Panel

- Compare markers between tumour types
- Burkitt IHC indentification:
  - CD10+ (B-Cell Germinal Centre)
  - Bcl-2-
  - Ki-67%hi (proliferation index)
  Potential IHC Panel Markers

Cell Type	Marker
Proliferation marker	Ki67
B cell	CD20
T cells (all)	CD3
T Cells (cytotoxic)	CD8
T cells (helper)	CD 4
Dendritic Cells	CD11c
Macrophage	F4/80
NK (?)	CD56 (?)

Flow Panel

- Options are:
    - Standard T Cell
    - TRegs
    - B-cells
    - DC Mono CD11c
    - Th17
    - TfH
- Check what Swetha ordered
- Box 7 antibody sheet dropbox

Standard T Cell

Cell Type	Marker
T Memory	CXCR3
Naive Immune Cells	CCR7
Naive T Cells	CD45RA
Th17	CCR6
GC B-Cells	CD38
TRegs (Helper)	CD4
Macrophage	HLA-DR
T Cells (all)	CD3
T Cells (Cytoxic)	CD8

E2: BL Therapies (this will not work)

- Balb/c drug vs no drug vs WS-A20 drug vs WS-A20 no drug
    - Want to compare effect of GFP on immune cell infiltration
    - Look at clonal dynamics of rituximab treatment
- Glo-BNHL Trial
    - Odronextamab
        * CD20xCD3 Bispecific antibody
    -

Loncastuximab tesirine

    - Rituximab
- CAR treatments?
- Bi-Specific antibodies (check that they can be applied to mice)
- Rituximab comparison
    - Clonal dynamics of Rituximab treatment
        * WILDseq

E3: Immune focused CRISPR Screen

- Immune compromised vs Immune competent
  - Think very carefully about specific mouse models (some still have macrophages, NK cells, ect.)
  - JAX Lab Article

Ferritin as a drug delivery system

- Does BL have increased Tfr1 expression relative to normal cells/B cells?

Sample Number	EBV Status	CD20	CD10	MYC Translocation
7	5 Negative 1 Positive 1 Not tested	7 Positive	7 Positive	6 Positive 1 Not Conclusive