

3.1 Designing The Data Model

This section provides:

- An overview of data models and OpenStreetMap tagging, including presentation slides
- Step-by-step instructions for tools to help build your data model
- Step-by-step instructions for creating your data model

Overview

When beginning a mapping project, a data model will need to be created in order to determine what features are mapped and the details collected for each of those features. A **data model** defines what features are surveyed or mapped and what attributes are collected for each feature. If a project will upload data to OpenStreetMap, the data model should be designed to match OSM tagging.

Example data models:

- Uganda Refugee Crisis
- Ramani Huria

OSM doesn't work with layers or attribute tables, but tags. **Tags** are used in OSM to categorize features, and to add information that is useful for understanding of the map, planning, routing, and querying. Each tag consists of a key, and a value. Each map feature should have one or more tags such as:

- building=residential
- highway=primary
- amenity=school

In addition, each of these features can have an unlimited number of related attributes added into OSM as tags. For example, a building might have the following tags:

- building=commercial
- building:material=brick
- roof:material=metal
- shop=tailor

Creating a data model should be done in collaboration with all stakeholders in order to ensure that all necessary information is collected - it is a lot more difficult to revisit a location for mapping to collect additional information. At the same time, when designing a data model you should consider how much time it will take for a surveyor to complete data collection - every feature type, attribute, or question will add additional time needed.

Resources and Training Materials

This section features a selection of resources targeted at project managers, trainers, or even self-learners on the topic(s) outlined above.



Training Presentations

The following presentation(s) can be used to lead a training or workshop.

- Data models and tagging



Step-by-Step Guide

The following section is designed to serve as self-paced material that can be used both during trainings, and by self-guided learners.

- Tools for creating your data model
- Creating your data model


Tools for creating your data model

HOT recommends using TagInfo and the OSM Wiki to search for existing OSM features when developing your data model. The following steps will provide an introduction to how to use these tools.

Skills and Technology Needed

- Computer with
- Internet connection
- OpenStreetMap Account
- Recommended: computer mouse

How to Use the OSM Wiki



✖ English Create account Log in

Page Discussion Read View source View history Search OpenStreetMap V

Map Features

Available languages — Map Features [purge](#) [Help](#)

- asturianu • azərbaycanca • Bahasa Indonesia • bosanski • català • čeština • dansk • Deutsch • eesti • **English** • español • Esperanto • français • hrvatski • íslenska • italiano • latviešu • lietuvių • magyar • Nederlands • norsk • polski • português • română • shqip • slovenčina • slovenščina • suomi • svenska • Tiếng Việt • Türkçe • српски / srpski • български • македонски • русский • українська • Ελληνικά • ქართული • नेपाली • தமிழ் • བོད་སྐད་ • 한국어 • 日本語 • 中文 (简体) • 中文 (繁體) • עברית • العربية • فارسی

Other languages — Help us translate this wiki

OpenStreetMap represents physical features on the ground (e.g., roads or buildings) using tags attached to its basic data structures (its nodes, ways, and relations). Each tag describes a geographic attribute of the feature being shown by that specific node, way or relation.

OpenStreetMap's free tagging system allows the map to include an unlimited number of attributes describing each feature. The community agrees on certain key and value combinations for the most commonly used tags, which act as informal standards. However, users can create new tags to improve the style of the map or to support analyses that rely on previously unmapped attributes of the features. Short descriptions of tags that relate to particular topics or interests can be found using the [feature pages](#).

Figure 1: osm_wiki_map_features

1. Navigate to https://wiki.openstreetmap.org/wiki/Map_Features in a Google Chrome or Mozilla Firefox internet browser.
2. This page provides documentation on common, existing OSM features categorized by type. These tables contain keys and values, along with comments and sometimes pictures to help define the tag. Scroll through the tables to explore the tags described.
3. Search for a particular tag by using 'Ctrl+F' on your keyboard. As an example, search for the tag that should be used for hospitals. To do so, hit 'Ctrl+F' on you keyboard, type 'hospital' in the search bar, and hit enter. This will bring you to the appropriate tag for hospitals. *Note: there might be more than one appropriate tag for a search item. Scroll through the results until you find the appropriate tag.*
4. Keys and values within the tables will also link out to individual wiki pages for those features. For example, by clicking on "hospital" under amenities, you will be redirected to

5. To practice, search for other key words relating to features you would want to map to discover keys and values related to that feature.

Data from: 2019-06-27 00:59 UTC



English

KEYS · TAGS · RELATIONS · PROJECTS · REPORTS · ABOUT

KEYS

building • highway • name • source • amenity • addr:street • shop • addr:housenumber • surface • ...

[See all keys...](#)

SOME POPULAR KEYS



REPORTS

Reports show the tag data from different angles. They often bring together data from several sources in interesting ways. Some of the reports can help with finding serious errors.

- Characters in keys
- Database statistics
- Frequently used keys without wiki page
- Historic development
- Key lengths
- Language comparison table for keys in the wiki
- Languages
- Similar keys

ABOUT

OpenStreetMap uses **tags** of the form **key=value** to add meaning to geographic objects. Taginfo collects information about these tags from several sources to help you understand what they mean and how they are used.

[More about taginfo...](#)

TAGS

building=yes • highway=residential • building=house • highway=service • ...

[See most common tags...](#)

RELATION TYPES

INTERNATIONAL

1. Navigate to <https://taginfo.openstreetmap.org> in a Google Chrome or Mozilla Firefox internet browser.
2. In the upper left corner, use the search bar to find a tag. For this activity, search for “roof”.
3. The next window will allow you to select from existing keys, values, and relations that contain “roof”.
4. Selecting one of these options will bring you to an information page about that key, value, or relation. For this activity, find and click on “roof:material”.
5. You will now see an information page about the tag “roof:material” including values that have been used with the key “roof:material”, combinations of other tags that have been used with the key, a map of the key’s global use distribution if there are enough use cases, and links to any existing related OSM Wiki pages.
6. To practice, search for other key words relating to features you would want to map to discover keys and values related to that feature.

The following activity will guide you through the process of creating a data model. While this process could be done by hand or in document software (such as Google Docs or Microsoft Word), spreadsheet software is the recommended method of documenting your data model.

- Computer with
- Internet connection (recommended for accessing TagInfo and OSM Wiki)
- OpenStreetMap Account
- Recommended: computer mouse
- Spreadsheet software, such as LibreCalc, Google Sheets, or Excel (recommended for structuring your data model)

3

Designing a **data model** based on **OSM tagging** is typically defined by the following questions and workflow:

1. What is the focus of the data collection? Consider how the data will be used.
2. What features do you want to collect? Identify the focus of the data collection.
3. Where are you collecting data? Data models can differ based on their location.
4. What has been done before? Draft data model by leveraging similar models.
5. What tags exist for features?
 1. Verify tag status through OSM Wiki
 2. Verify tag usage through TagInfo
6. Use approved tags where possible in data model
7. Do all stakeholders agree on the data model? Review data model and incorporate feedback from project partners (adding, removing, or changing data model features can delay field data collection and decrease data quality!)

Create a list of all of the features that you want to collect. For example: buildings, water points, roads.

Feature
Buildings
Water Points
Roads

Go to OpenStreetMap wiki to search for the appropriate key for each feature, and value if there is only one value option.

Feature	Key	Value
Buildings	building	
Water Points	amenity	water_point
Roads	highway	

For features with multiple values, such as buildings, use the OSM Wiki page for that key as well as TagInfo to find appropriate values. These values should only be what is reasonable for your data collection. While it would be ideal to collect every building type in a city, your project might only be able to collect all school and hospital buildings. Note: values in your data model should make sense for the context of your geography. For example: hut is an appropriate value for buildings in Liberia, but not likely in Germany. Additionally, you may need to interpret an existing value type to best match the appropriate value for your region.

Feature	Key	Value
Buildings	building	residential, school, civic
Water Points	amenity	water_point
Roads	highway	primary, secondary, residential

Once you have the base tags for your features, you can decide on what attributes you want or can collect for each feature.

Feature	Key	Value
Buildings	building building:material building:levels roof:material	residential, school, civic
Water Points	amenity status	water_point
Roads	highway	primary, secondary, residential

Feature	Key	Value
	name	
	condition	
	surface	
	width	

Next, values can also be determined for each attribute key. These options can be determined using the OSM Wiki and TagInfo, or in some cases can be defined by the mapper - such as for numeric answers or names.

Feature	Key	Value
Buildings	building	residential, school, civic
	building:material	cement_block, brick, wood, mud
	building:levels	<i>numeric</i>
	roof:material	thatch, metal, concrete, plastic, tile
Water Points	amenity	water_point
	drinking_water	yes, no
Roads	highway	primary, secondary, residential
	name	<i>user defined</i>
	condition	excellent, good, poor
	surface	gravel, paved, dirt
	width	<i>numeric</i>

Once completed with your data model, this data model should be checked by your stakeholders for any gaps. Additionally, your project plan should allow flexibility so that this data model can be adjusted with field testing and consulting your mappers.

Collecting private data Private data should never be uploaded to OSM. However, some projects do require personal information to be collected. When this is the case, the data model can include unique non-OSM tags for private data that needs to be collected. When cleaning data following data collection, this private data can be kept in a full dataset before being removed. Once private data is removed, the dataset can be uploaded to OSM.