

# SWTES0111-T307 (1.0) - [TG1]Kaloyan - Login Negative with correct email and wrong password as Normal User

## Details

Key	SWTES0111-T307
Name	[TG1]Kaloyan - Login Negative with correct email and wrong password as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:01:43 by Kaloyan Daskalov Updated on 11/17/2022 12:07:56 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input the correct email.</p> <p><b>Test Data</b></p> <p><a href="mailto:test@test.org">test@test.org</a></p> <p><b>Expected Result</b></p> <p>The email is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input random wrong password.</p> <p><b>Test Data</b></p> <p>654321</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="test@test.org"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>

## SWTES0111-T308 (1.0) - [TG1]Kaloyan - Login Negative with correct email and wrong password as Admin

### Details

Key	SWTES0111-T308
Name	[TG1]Kaloyan - Login Negative with correct email and wrong password as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:02:52 by Kaloyan Daskalov Updated on 11/17/2022 12:08:04 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input the correct email.</p> <p><b>Test Data</b></p> <p><a href="mailto:tg1admin@test.org">tg1admin@test.org</a></p> <p><b>Expected Result</b></p> <p>The email is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input random wrong password.</p> <p><b>Test Data</b></p> <p>654321</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tg1admin@test.org"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"> <li>1.The user receives a message notifying for incorrect credentials.</li> <li>2.The user is not logged into the application.</li> <li>3.The user remains on the login page.</li> </ol>

# SWTES0111-T309 (1.0) - [TG1]Kaloyan - Login Negative with wrong email and correct password as Admin

## Details

Key	SWTES0111-T309
Name	[TG1]Kaloyan - Login Negative with wrong email and correct password as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:04:06 by Kaloyan Daskalov Updated on 11/17/2022 12:08:13 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input random wrong email.</p> <p><b>Test Data</b></p> <p>kaloyan@test.org</p> <p><b>Expected Result</b></p> <p>The email is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input the correct password.</p> <p><b>Test Data</b></p> <p>123456</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="kaloyan@test.org"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>

# SWTES0111-T310 (1.0) - [TG1]Kaloyan - Login Negative with wrong email and correct password as Normal User

## Details

Key	SWTES0111-T310
Name	[TG1]Kaloyan - Login Negative with wrong email and correct password as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	1. The user can load the application. 2. The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:04:53 by Kaloyan Daskalov Updated on 11/17/2022 12:08:24 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input random wrong email.</p> <p><b>Test Data</b></p> <p>kaloyan@test.org</p> <p><b>Expected Result</b></p> <p>The email is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input the correct password.</p> <p><b>Test Data</b></p> <p>123456</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="kaloyan@test.org"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p>



- |  |   |
|--|---|
|  | <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol> |
|--|---|

# SWTES0111-T311 (1.0) - [TG1]Kaloyan - Login Negative with wrong email and wrong password as Admin/Normal User

## Details

Key	SWTES0111-T311
Name	[TG1]Kaloyan - Login Negative with wrong email and wrong password as Admin /Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	1. The user can load the application. 2. The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:06:35 by Kaloyan Daskalov Updated on 11/17/2022 12:08:36 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input random wrong email.</p> <p><b>Test Data</b></p> <p>kaloyan@test.org</p> <p><b>Expected Result</b></p> <p>The email is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input random wrong password.</p> <p><b>Test Data</b></p> <p>654321</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="kaloyan@test.org"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p>

- |  |   |
|--|---|
|  | <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol> |
|--|---|

# SWTES0111-T312 (1.0) - [TG1]Kaloyan - Login Negative with wrong username and wrong password as Admin/Normal User

## Details

Key	SWTES0111-T312
Name	[TG1]Kaloyan - Login Negative with wrong username and wrong password as Admin/Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:07:29 by Kaloyan Daskalov Updated on 11/17/2022 12:08:48 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input random wrong username.</p> <p><b>Test Data</b></p> <p>tester123</p> <p><b>Expected Result</b></p> <p>The username is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input random wrong password.</p> <p><b>Test Data</b></p> <p>654321</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tester123"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>

## SWTES0111-T313 (1.0) - [TG1]Kaloyan - Login Negative with email /username and password fields left blank as Admin/Normal User

### Details

Key	SWTES0111-T313
Name	[TG1]Kaloyan - Login Negative with email/username and password fields left blank as Admin/Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:10:03 by Kaloyan Daskalov Updated on 11/17/2022 12:09:01 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Leave the email/username field blank.</p>
	<p><b>Test Data</b></p>
	<p><b>Expected Result</b></p> <p>The email/username field remains blank.</p>
3	<p><b>Step</b></p> <p>Leave the password field blank.</p>
	<p><b>Test Data</b></p>
	<p><b>Expected Result</b></p> <p>The password field remains blank.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
	<p><b>Test Data</b></p>
	<p><b>Expected Result</b></p> <p>1.The user receives a message notifying to input credentials. "Please input your username or email!" message is displayed under the username/email field. "Please input your Password!" message is displayed under the password field.</p> <p>2.The user is not logged into the application.</p> <p>3.The user remains on the login page.</p>



# SWTES0111-T314 (1.0) - [TG1]Kaloyan - Login Negative with correct username and wrong password as Normal User

## Details

Key	SWTES0111-T314
Name	[TG1]Kaloyan - Login Negative with correct username and wrong password as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 11/16/2022 17:11:47 by Kaloyan Daskalov Updated on 11/17/2022 12:09:09 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input the correct username.</p> <p><b>Test Data</b></p> <p>normalUser1</p> <p><b>Expected Result</b></p> <p>The username is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input random wrong password.</p> <p><b>Test Data</b></p> <p>654321</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="normalUser1"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>

# SWTES0111-T315 (1.0) - [TG1]Kaloyan - Login Negative with correct username and wrong password as Admin

## Details

Key	SWTES0111-T315
Name	[TG1]Kaloyan - Login Negative with correct username and wrong password as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	1. The user can load the application. 2. The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:12:59 by Kaloyan Daskalov Updated on 11/17/2022 12:09:16 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input the correct username.</p> <p><b>Test Data</b></p> <p>tg1admin</p> <p><b>Expected Result</b></p> <p>The username is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input random wrong password.</p> <p><b>Test Data</b></p> <p>654321</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tg1admin"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>

## SWTES0111-T317 (1.0) - [TG1]Kaloyan - Login Negative with wrong username and correct password as Normal User

### Details

Key	SWTES0111-T317
Name	[TG1]Kaloyan - Login Negative with wrong username and correct password as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:14:59 by Kaloyan Daskalov Updated on 11/17/2022 12:09:24 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input random wrong username.</p> <p><b>Test Data</b></p> <p>tester123</p> <p><b>Expected Result</b></p> <p>The username is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input the correct password.</p> <p><b>Test Data</b></p> <p>123456</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tester123"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>

# SWTES0111-T318 (1.0) - [TG1]Kaloyan - Login Negative with wrong username and correct password as Admin

## Details

Key	SWTES0111-T318
Name	[TG1]Kaloyan - Login Negative with wrong username and correct password as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the provided username and / or password are wrong, the user shall be notified by the application that the credentials are wrong. The user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:15:35 by Kaloyan Daskalov Updated on 11/17/2022 12:09:32 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input random wrong username.</p> <p><b>Test Data</b></p> <p>tester123</p> <p><b>Expected Result</b></p> <p>The username is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Input the correct password.</p> <p><b>Test Data</b></p> <p>123456</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tester123"/> <p>Password</p> <input type="password" value="....."/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <ol style="list-style-type: none"><li>1.The user receives a message notifying for incorrect credentials.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol>



## SWTES0111-T324 (1.0) - [TG1]Kaloyan - Login Negative with correct email and password field left blank as Admin

### Details

Key	SWTES0111-T324
Name	[TG1]Kaloyan - Login Negative with correct email and password field left blank as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	<ol style="list-style-type: none"><li>1. The user can load the application.</li><li>2. The user has registration and granted permissions.</li></ol>
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:25:21 by Kaloyan Daskalov Updated on 11/17/2022 12:09:40 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>

	<p><b>Expected Result</b></p> <p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Input the correct email.</p> <p><b>Test Data</b></p> <p><a href="mailto:tg1admin@test.org">tg1admin@test.org</a></p> <p><b>Expected Result</b></p> <p>The email is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Leave the password field blank.</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <p>The password field remains blank.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tg1admin@test.org"/> <p>Password</p> <input type="password"/> <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p>

- |  |  |
|--|--|
|  | <ol style="list-style-type: none"><li>1.The user receives a message notifying to input credentials.<br/><i>"Please input your Password!"</i> message is displayed under the password field.</li><li>2.The user is not logged into the application.</li><li>3.The user remains on the login page.</li></ol> |
|--|--|

## SWTES0111-T325 (1.0) - [TG1]Kaloyan - Login Negative with correct username and password field left blank as Admin

### Details

Key	SWTES0111-T325
Name	[TG1]Kaloyan - Login Negative with correct username and password field left blank as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	1.The user can load the application. 2.The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:26:50 by Kaloyan Daskalov Updated on 11/17/2022 12:09:48 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> http://poll-app5-20221101.softacad.bg/login
	<b>Expected Result</b>

	<p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/>  <p>Password</p> <input type="password"/>  <p>Login</p>
2	<p><b>Step</b></p> <p>Input the correct username.</p> <p><b>Test Data</b></p> <p>tg1admin</p> <p><b>Expected Result</b></p> <p>The username is visualized and accepted by the field.</p>
3	<p><b>Step</b></p> <p>Leave the password field blank.</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <p>Password field remains blank.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text" value="tg1admin"/>  <p>Password</p> <input type="password"/>  <p>Login</p>
	<p><b>Test Data</b></p> <p><b>Expected Result</b></p> <p>1.The user receives a message notifying to input credentials. "Please input your Password!" message is displayed under the password field.</p> <p>2.The user is not logged into the application.</p> <p>3.The user remains on the login page.</p>

## SWTES0111-T326 (1.0) - [TG1]Kaloyan - Login Negative with correct password and username/email field left blank as Admin

### Details

Key	SWTES0111-T326
Name	[TG1]Kaloyan - Login Negative with correct password and username/email field left blank as Admin
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	1.The user can load the application. 2.The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 17:28:49 by Kaloyan Daskalov Updated on 11/17/2022 12:09:57 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> http://poll-app5-20221101.softacad.bg/login
	<b>Expected Result</b>

	<p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
2	<p><b>Step</b></p> <p>Leave the email/username field blank.</p>
	<p><b>Test Data</b></p>
	<p><b>Expected Result</b></p> <p>The email/username field remains blank.</p>
3	<p><b>Step</b></p> <p>Input the correct password.</p>
	<p><b>Test Data</b></p> <p>123456</p>
	<p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/> <p>Password</p> <input type="password"/> <p>Login</p>
	<p><b>Test Data</b></p>
	<p><b>Expected Result</b></p> <p>1.The user receives a message notifying to input credentials. "Please input your username or email!" message is displayed under the username/email field.</p> <p>2.The user is not logged into the application.</p> <p>3.The user remains on the login page.</p>

# SWTES0111-T348 (1.0) - [TG1]Kaloyan - Login Negative with correct username and password field left blank as Normal User

## Details

Key	SWTES0111-T348
Name	[TG1]Kaloyan - Login Negative with correct username and password field left blank as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	1.The user can load the application. 2.The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 19:03:19 by Kaloyan Daskalov Updated on 11/17/2022 12:10:05 by Kaloyan Daskalov

## Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> http://poll-app5-20221101.softacad.bg/login
	<b>Expected Result</b> The application is loaded properly.



	<div><div><div>Login</div><div>Username or Email</div><div><input type="text"/></div><div>Password</div><div><input type="password"/></div><div>Login</div></div></div>
2	<div><div><div>Step</div><div>Input the correct username.</div></div><div><div>Test Data</div><div>normalUser1</div></div><div><div>Expected Result</div><div>The username is visualized and accepted by the field.</div></div></div>
3	<div><div><div>Step</div><div>Leave the password field blank.</div></div><div><div>Test Data</div></div><div><div>Expected Result</div><div>The password field remains blank.</div></div></div>
4	<div><div><div><div>Step</div><div>Click on the "Login" button as shown on the screenshot:</div><div><div><div>Login</div><div>Username or Email</div><div><input type="text" value="normalUser1"/></div><div>Password</div><div><input type="password"/></div><div>Login</div></div></div></div></div><div><div>Test Data</div></div><div><div>Expected Result</div><div><div>1.The user receives a message notifying to input credentials. "Please input your Password!" message is displayed under the password field.</div><div>2.The user is not logged into the application.</div><div>3.The user remains on the login page.</div></div></div></div>

## SWTES0111-T349 (1.0) - [TG1]Kaloyan - Login Negative with correct email and password field left blank as Normal User

### Details

Key	SWTES0111-T349
Name	[TG1]Kaloyan - Login Negative with correct email and password field left blank as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	1.The user can load the application. 2.The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 19:05:06 by Kaloyan Daskalov Updated on 11/17/2022 12:10:13 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> http://poll-app5-20221101.softacad.bg/login
	<b>Expected Result</b> The application is loaded properly.

	<div><div><div>Login</div><div>Username or Email</div><div><input type="text"/></div><div>Password</div><div><input type="password"/></div><div>Login</div></div></div>
2	<div><div><div>Step</div><div>Input the correct email.</div></div><div><div>Test Data</div><div><a href="mailto:test@test.org">test@test.org</a></div></div><div><div>Expected Result</div><div>The email is visualized and accepted by the field.</div></div></div>
3	<div><div><div>Step</div><div>Leave the password field blank.</div></div><div><div>Test Data</div></div><div><div>Expected Result</div><div>The password field remains blank.</div></div></div>
4	<div><div><div><div>Step</div><div>Click on the "Login" button as shown on the screenshot:</div><div><div><div>Login</div><div>Username or Email</div><div><input type="text" value="test@test.org"/></div><div>Password</div><div><input type="password"/></div><div>Login</div></div></div></div></div><div><div>Test Data</div></div><div><div>Expected Result</div><div><div>1.The user receives a message notifying to input credentials. "Please input your Password!" message is displayed under the password field.</div><div>2.The user is not logged into the application.</div><div>3.The user remains on the login page.</div></div></div></div>

## SWTES0111-T353 (1.0) - [TG1]Kaloyan - Login Negative with correct password and username/email field left blank as Normal User

### Details

Key	SWTES0111-T353
Name	[TG1]Kaloyan - Login Negative with correct password and username/email field left blank as Normal User
Objective	The objective of this test case is to test the acceptance criteria : 1.The user shall be able to input username and password. 2.If the username and password fields remain empty, the user shall not be able to login into the application.
Precondition	1.The user can load the application. 2.The user has registration and granted permissions.
Folder	TG1/Kaloyan/Login functionality/Login Negative
Status	Approved
Priority	Normal
Component	-
Owner	Kaloyan Daskalov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 11/16/2022 19:11:14 by Kaloyan Daskalov Updated on 11/17/2022 12:10:21 by Kaloyan Daskalov

### Test Script

1	<b>Step</b> Navigate to the application URL.
	<b>Test Data</b> <a href="http://poll-app5-20221101.softacad.bg/login">http://poll-app5-20221101.softacad.bg/login</a>
	<b>Expected Result</b>

	<p>The application is loaded properly.</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/>  <p>Password</p> <input type="password"/>  <p>Login</p>
2	<p><b>Step</b></p> <p>Leave the email/username field blank.</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <p>The email/username field remains blank.</p>
3	<p><b>Step</b></p> <p>Input the correct password.</p> <p><b>Test Data</b></p> <p>123456</p> <p><b>Expected Result</b></p> <p>The password is masked and accepted by the field.</p>
4	<p><b>Step</b></p> <p>Click on the "Login" button as shown on the screenshot:</p> <p><b>Login</b></p> <p>Username or Email</p> <input type="text"/>  <p>Password</p> <input type="password"/>  <p>Login</p> <p><b>Test Data</b></p> <p><b>Expected Result</b></p> <p>1.The user receives a message notifying to input credentials. <i>"Please input your username or email!"</i> message is displayed under the username/email field.</p> <p>2.The user is not logged into the application.</p> <p>3.The user remains on the login page.</p>

