

# Cucumber Report

Mar 28, 2023, 7:44:11 PM

Start : Mar 28, 7:43:15.006 PM

End : Mar 28, 7:44:09.564 PM

Duration : 54.558 s

Features



Scenarios

Steps


PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 15  
FAILED - 11  
SKIPPED - 0


PASSED - 53  
FAILED - 11  
SKIPPED - 20



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Launch ds-algo portal and navigate to home page</u>	54.147 s	16	15	1	0	54	53	1	0
<u>To verify and validate Registration Page</u>	0.360 s	10	0	10	0	30	0	10	20




#	Feature Name	T	P	F	S	Duration
1	<u>Launch ds-algo portal and navigate to home page</u>	16	15	1	0	54.147 s
2	<u>To verify and validate Registration Page</u>	10	0	10	0	0.360 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Launch ds-algo portal and navigate to home page</u>	<u>User launch home page of an dsalgo project</u>	3	3	0	0	5.744 s
2	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	11.326 s
3	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	3	1	0	26.379 s
4	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	1.548 s
5	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.717 s
6	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.731 s
7	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.973 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.739 s
9	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.951 s
10	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.732 s
11	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.613 s
12	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.607 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.637 s
14	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	3	0	0	0.643 s
15	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on sign in</u>	3	3	0	0	0.553 s
16	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on Register</u>	3	3	0	0	0.504 s
17	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	0	1	2	0.024 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	3	0	1	2	0.013 s
19	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Password Confirmation textbox</u>	3	0	1	2	0.010 s
20	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.023 s
21	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.013 s
22	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.009 s
23	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.009 s
25	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.010 s
26	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials</u>	3	0	1	2	0.008 s



### Launch ds-algo portal and navigate to home page



FAILED	DURATION - 54.147 s	Scenarios Total - 16 Pass - 15 Fail - 1 Skip - 0		Steps Total - 54 Pass - 53 Fail - 1 Skip - 0	
/ 7:43:15.006 PM // 7:44:09.153 PM /					

### User launch home page of an dsalgo project

<div>PASSED</div>	<div>DURATION - 5.744 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:43:15.015 PM // 7:43:20.759 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	4.357 s
2	When The user clicks the "Get Started" button	PASSED	1.259 s
3	Then The user should be redirected to homepage	PASSED	0.078 s

### User is on Home page and click on dropdown without sign in

<b>PASSED</b>	DURATION - 11.326 s		Steps	
/ 7:43:21.019 PM // 7:43:32.345 PM /			Total - 4	
Launch ds-algo portal and navigate to home page			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	9.890 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Arrays"	PASSED	1.360 s
4	Then The user get warning message "You are not logged in"	PASSED	0.063 s

### User is on Home page and click on dropdown without sign in

<div>FAILED</div> <div>DURATION - 26.379 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:43:32.391 PM // 7:43:58.770 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.181 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Linkedlist"	PASSED	6.120 s
4	Then The user get warning message "You are not logged in"	FAILED	20.067 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'You are not logged in')]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: [https://selenium.dev/exceptions/#no\\_such\\_element](https://selenium.dev/exceptions/#no_such_element) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb90cdf59fe14aa689fbb359053f21e3, findElement {using=xpath, value=//div[contains(text(),'You are not logged in')]}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49457}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:49457/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: eb90cdf59fe14aa689fbb359053f21e3

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.getText(Unknown Source) at pageObjectModel.Homepage_POM.alert_message(Homepage_POM.java:86) at stepDefinition.homepage.the_user_get_warning_message(homepage.java:64) at ?.The user get warning message "You are not logged in"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC_Homepage.feature:15) * Not displayable characters are replaced by '?'. </pre>		

### User is on Home page and click on dropdown without sign in

<b>PASSED</b>		<b>DURATION - 1.548 s</b>			<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 7:43:58.846 PM // 7:44:00.394 PM /							
Launch ds-algo portal and navigate to home page							



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	1.007 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Stack"	PASSED	0.473 s
4	Then The user get warning message "You are not logged in"	PASSED	0.057 s

### User is on Home page and click on dropdown without sign in

<div>PASSED</div>	<div>DURATION - 0.717 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.163</td></tr><tr><td>2</td><td>0.001</td></tr><tr><td>3</td><td>0.494</td></tr><tr><td>4</td><td>0.052</td></tr></tbody></table></div>	Step	Duration (s)	1	0.163	2	0.001	3	0.494	4	0.052	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step	Duration (s)												
1	0.163												
2	0.001												
3	0.494												
4	0.052												
<div>/ 7:44:00.423 PM // 7:44:01.140 PM /</div>													
<div>Launch ds-algo portal and navigate to home page</div>													

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.163 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.001 s
3	Then The user clicks on any dropdown "Queue"	PASSED	0.494 s
4	Then The user get warning message "You are not logged in"	PASSED	0.052 s

### User is on Home page and click on dropdown without sign in

<b>PASSED</b>	DURATION - 0.731 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:44:01.193 PM // 7:44:01.924 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.208 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Tree"	PASSED	0.460 s
4	Then The user get warning message "You are not logged in"	PASSED	0.054 s

### User is on Home page and click on dropdown without sign in

<div>PASSED</div>	<div>DURATION - 0.973 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.241</td></tr><tr><td>2</td><td>0.002</td></tr><tr><td>3</td><td>0.658</td></tr><tr><td>4</td><td>0.064</td></tr></tbody></table></div>	Step	Duration (s)	1	0.241	2	0.002	3	0.658	4	0.064	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.241													
2	0.002													
3	0.658													
4	0.064													
<div>/ 7:44:01.975 PM // 7:44:02.948 PM /</div>														
<div>Launch ds-algo portal and navigate to home page</div>														


#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.241 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Graph"	PASSED	0.658 s
4	Then The user get warning message "You are not logged in"	PASSED	0.064 s

User is on Home page and click getstarted link on home page without sign in

<div>PASSED</div>	<div>DURATION - 0.739 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.260</td></tr><tr><td>2</td><td>0.413</td></tr><tr><td>3</td><td>0.062</td></tr></tbody></table></div>	Step	Duration (s)	1	0.260	2	0.413	3	0.062	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div><div>3</div></div>
Step	Duration (s)											
1	0.260											
2	0.413											
3	0.062											
<div>/ 7:44:02.975 PM // 7:44:03.714 PM /</div>												
<div>Launch ds-algo portal and navigate to home page</div>												


#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.260 s
2	When The user clicks on any Get Started link "Datastructures" on homepage without signin	PASSED	0.413 s
3	Then The user get warning message "You are not logged in"	PASSED	0.062 s

User is on Home page and click getstarted link on home page without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.184 s
2	When The user clicks on any Get Started link "Arrays" on homepage without signin	PASSED	0.703 s
3	Then The user get warning message "You are not logged in"	PASSED	0.059 s

### User is on Home page and click getstarted link on home page without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.224 s
2	When The user clicks on any Get Started link "Linkedlist" on homepage without signin	PASSED	0.444 s
3	Then The user get warning message "You are not logged in"	PASSED	0.061 s

### User is on Home page and click getstarted link on home page without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.208 s
2	When The user clicks on any Get Started link "Stack" on homepage without signin	PASSED	0.343 s
3	Then The user get warning message "You are not logged in"	PASSED	0.058 s

### User is on Home page and click getstarted link on home page without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.182 s
2	When The user clicks on any Get Started link "Queue" on homepage without signin	PASSED	0.369 s
3	Then The user get warning message "You are not logged in"	PASSED	0.053 s

### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.207 s
2	When The user clicks on any Get Started link "Tree" on homepage without signin	PASSED	0.371 s
3	Then The user get warning message "You are not logged in"	PASSED	0.057 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.218 s
2	When The user clicks on any Get Started link "Graph" on homepage without signin	PASSED	0.373 s
3	Then The user get warning message "You are not logged in"	PASSED	0.048 s


### User is on Home page and click on sign in







#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.218 s
2	When The user clicks on Signin link	PASSED	0.329 s
3	Then The user should be redirected to Sign in page	PASSED	0.002 s

### User is on Home page and click on Register





#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.152 s
2	When The user clicks on Register link	PASSED	0.332 s
3	Then The user should be redirected to Register form	PASSED	0.016 s

### To verify and validate Registration Page

<b>FAILED</b>	<b>DURATION - 0.360 s</b>	Scenarios Total - 10 Pass - 0 Fail - 10 Skip - 0		Steps Total - 30 Pass - 0 Fail - 10 Skip - 20	
/ 7:44:09.204 PM // 7:44:09.564 PM /					

**The user is presented with error message for empty fields below Username textbox**



<div>FAILED</div> <div>DURATION - 0.024 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 7:44:09.204 PM // 7:44:09.228 PM /</div>				
<div>To verify and validate Registration Page</div>				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page  java.lang.RuntimeException: Excel page url not specified in config file at utils.configreader.excel_data(configreader.java:83) at stepDefinition.Register_SD.<init>(Register_SD.java:27) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User clicks Register button with all fields empty	SKIPPED	0.005 s
3	Then It should display an error "Please fill out this field." below Username textbox	SKIPPED	0.002 s

### The user is presented with error message for empty fields below Password textbox

<div>FAILED</div> <div>DURATION - 0.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 7:44:09.249 PM // 7:44:09.262 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page  <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

#	Step / Hook Details	Status	Duration
2	When User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty	SKIPPED	0.002 s
3	Then It should display an error "Please fill out this field" below Password textbox	SKIPPED	0.001 s



### The user is presented with error message for empty fields below Password Confirmation textbox

<b>FAILED</b> DURATION - 0.010 s / 7:44:09.294 PM // 7:44:09.304 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page  <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)           </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty	SKIPPED	0.000 s
3	Then It should display an error "Please fill out this field." below Password Confirmation textbox	SKIPPED	0.001 s

## The user is presented with error message for invalid credentials

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 7:44:09.329 PM // 7:44:09.352 PM /</div>				
<div>To verify and validate Registration Page</div>				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b>  <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) </pre>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy" , "testpassword" and "testpassword"	SKIPPED	0.001 s
3	Then User clicks Register and validate "Please enter a valid username"	SKIPPED	0.004 s

**The user is presented with error message for invalid credentials**

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:44:09.386 PM // 7:44:09.399 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b> <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)     at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)     at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) </pre>	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc"	SKIPPED	0.001 s
3	Then User clicks Register and validate "Username already exists"	SKIPPED	0.002 s



**The user is presented with error message for invalid credentials**

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:44:09.427 PM // 7:44:09.436 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b> <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)     at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)     at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) </pre>	<b>FAILED</b>	0.005 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy@sdet84_1" ,"testpassword" and "testpassword1"	SKIPPED	0.001 s
3	Then User clicks Register and validate "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s



**The user is presented with error message for invalid credentials**

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:44:09.466 PM // 7:44:09.474 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b> <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)     at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)     at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) </pre>	<b>FAILED</b>	0.002 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy@sdet84_1" ,"a1b2c3" and "a1b2c3"	SKIPPED	0.001 s
3	Then User clicks Register and validate "Password should contain at least 8 characters"	SKIPPED	0.001 s

**The user is presented with error message for invalid credentials**



<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:44:09.492 PM // 7:44:09.501 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b> <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)     at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)     at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) </pre>	<b>FAILED</b>	0.004 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy@sdet84_1" ,"12345678" and "12345678"	SKIPPED	0.000 s
3	Then User clicks Register and validate "Password can't be entirely numeric."	SKIPPED	0.001 s



**The user is presented with error message for invalid credentials**

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:44:09.523 PM // 7:44:09.533 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b> <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)     at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)     at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) </pre>	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84"	SKIPPED	0.000 s
3	Then User clicks Register and validate "password can't be too similar to your other personal information."	SKIPPED	0.001 s

**The user is presented with error message for invalid credentials**

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:44:09.556 PM // 7:44:09.564 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User opens Register Page</b> <pre> java.lang.RuntimeException: Excel page url not specified in config file     at utils.configreader.excel_data(configreader.java:83)     at stepDefinition.Register_SD.&lt;init&gt;(Register_SD.java:27)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)     at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)     at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) </pre>	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	When User enters "Numpy@sdet84_1" ,"Welcome1" and "Welcome1"	SKIPPED	0.001 s
3	Then User clicks Register and validate "Password can't be commonly used password"	SKIPPED	0.001 s