



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Launch ds-algo portal and navigate to home page	9.764 s	16	16	0	0	54	54	0	0	
To verify and validate Registration Page	6.876 s	14	10	4	0	42	34	4	4	



#	Feature Name	T	P	F	S	Duration
1	Launch ds-algo portal and navigate to home page	16	16	0	0	9.764 s
2	To verify and validate Registration Page	14	10	4	0	6.876 s

SCENARIOS SUMMARY -- 4 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch ds-algo portal and navigate to home page	User launch home page of an dsalgo project	3	3	0	0	1.605 s
2	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.636 s
3	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.562 s
4	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.557 s
5	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.570 s
6	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.531 s
7	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.562 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.494 s
9	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.448 s
10	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.401 s
11	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.430 s
12	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.673 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
13	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.665 s
14	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.369 s
15	Launch ds-algo portal and navigate to home page	User is on Home page and click on sign in	3	3	0	0	0.374 s
16	Launch ds-algo portal and navigate to home page	User is on Home page and click on Register	3	3	0	0	0.364 s
17	To verify and validate Registration Page	The user is presented with error message for empty fields below Username textbox	3	3	0	0	0.173 s

SCENARIOS SUMMARY -- 7 -



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	To verify and validate Registration Page	The user is presented with error message for empty fields below Password textbox	3	3	0	0	0.350 s
19	To verify and validate Registration Page	The user is presented with error message for empty fields below Password Confirmation textbox	3	3	0	0	0.502 s
20	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.720 s
21	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.782 s
22	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.870 s
23	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.874 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.763 s
25	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.649 s
26	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.910 s
27	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.031 s
28	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.008 s
29	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.007 s
30	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.006 s

### Launch ds-algo portal and navigate to home page


PASSED	DURATION - 9.764 s	Scenarios		Steps	
		Total - 16		Total - 54	
/ 12:15:54.841 AM	// 12:16:04.605 AM /	Pass - 16	16	Pass - 54	54
		Fail - 0		Fail - 0	9.
		Skip - 0		Skip - 0	

### User launch home page of an dsalgo project




#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.633 s
2	When The user clicks the "Get Started" button	PASSED	0.935 s
3	Then The user should be redirected to homepage	PASSED	0.018 s

#### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.171 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.004 s
3	Then The user clicks on any dropdown "Arrays"	PASSED	0.389 s
4	Then The user get warning message "You are not logged in"	PASSED	0.064 s

### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.158 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.003 s
3	Then The user clicks on any dropdown "Linkedlist"	PASSED	0.344 s
4	Then The user get warning message "You are not logged in"	PASSED	0.047 s


### User is on Home page and click on dropdown without sign in

PASSED	DURATION - 0.557 s	0.6	Steps	
/ 12:15:57.866	AM // 12:15:58.423 AM /	0.4 -	Total - 4	
		0.4	Pass - 4	
Launch ds-algo	portal and navigate to home page	0.2 -	Skip - 0	
		0 -	<u> </u>	<b>"</b>
			1 2 3 4	

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.148 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.003 s


#	Step / Hook Details	Status	Duration
3	Then The user clicks on any dropdown "Stack"	PASSED	0.352 s
4	Then The user get warning message "You are not logged in"	PASSED	0.046 s

### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.156 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Queue"	PASSED	0.358 s
4	Then The user get warning message "You are not logged in"	PASSED	0.042 s


### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.124 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.003 s
3	Then The user clicks on any dropdown "Tree"	PASSED	0.347 s
4	Then The user get warning message "You are not logged in"	PASSED	0.048 s


DETAILED SECTION -- 12 --

# User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.118 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.004 s
3	Then The user clicks on any dropdown "Graph"	PASSED	0.389 s
4	Then The user get warning message "You are not logged in"	PASSED	0.042 s


# User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.133 s
2	When The user clicks on any Get Started link "Datastructures" on homepage without signin	PASSED	0.317 s
3	Then The user get warning message "You are not logged in"	PASSED	0.039 s


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 13 --



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.137 s
2	When The user clicks on any Get Started link "Arrays" on homepage without signin	PASSED	0.269 s
3	Then The user get warning message "You are not logged in"	PASSED	0.037 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.113 s
2	When The user clicks on any Get Started link "Linkedlist" on homepage without signin	PASSED	0.230 s
3	Then The user get warning message "You are not logged in"	PASSED	0.054 s


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 14 --



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.131 s
2	When The user clicks on any Get Started link "Stack" on homepage without signin	PASSED	0.256 s
3	Then The user get warning message "You are not logged in"	PASSED	0.040 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.358 s
2	When The user clicks on any Get Started link "Queue" on homepage without signin	PASSED	0.263 s
3	Then The user get warning message "You are not logged in"	PASSED	0.044 s


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 15 --



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.105 s
2	When The user clicks on any Get Started link "Tree" on homepage without signin	PASSED	0.513 s
3	Then The user get warning message "You are not logged in"	PASSED	0.043 s


# User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.120 s
2	When The user clicks on any Get Started link "Graph" on homepage without signin	PASSED	0.203 s
3	Then The user get warning message "You are not logged in"	PASSED	0.043 s


User is on Home page and click on sign in

DETAILED SECTION -- 16 --




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.143 s
2	When The user clicks on Signin link	PASSED	0.223 s
3	Then The user should be redirected to Sign in page	PASSED	0.002 s

#### User is on Home page and click on Register




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.127 s
2	When The user clicks on Register link	PASSED	0.218 s
3	Then The user should be redirected to Register form	PASSED	0.015 s

# **To verify and validate Registration Page**



### The user is presented with error message for empty fields below Username textbox



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.004 s
2	When User clicks Register button with all fields empty	PASSED	0.103 s
3	Then It should display an error "Please fill out this field." below Username textbox	PASSED	0.059 s

#### The user is presented with error message for empty fields below Password textbox


PASSED DURATION - 0.350 s	0.6 - Steps	
/ 12:16:04.855 AM // 12:16:05.205 AM /	Total - 3 Pass - 3	
To verify and validate Registration Page	02-   Fail - 0   Skip - 0	
	0 1 2 3	

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty	PASSED	0.299 s

DETAILED SECTION -- 18 --


	#	Step / Hook Details	Status	Duration
[3	3	Then It should display an error "Please fill out this field" below Password textbox	PASSED	0.043 s

### The user is presented with error message for empty fields below Password Confirmation textbox



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty	PASSED	0.451 s
3	Then It should display an error "Please fill out this field." below Password Confirmation textbox	PASSED	0.044 s


#### The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.005 s
2	When User enters "Numpy" ,"testpassword" and "testpassword"	PASSED	0.506 s
3	Then User clicks Register and validate "Please enter a valid username"	PASSED	0.203 s


The user is presented with error message for invalid credentials

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc"	PASSED	0.595 s
3	Then User clicks Register and validate "Username already exists"	PASSED	0.183 s


# The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"testpassword" and "testpassword1"	PASSED	0.655 s
3	Then User clicks Register and validate "password_mismatch:The two password fields didn't match."	PASSED	0.212 s


The user is presented with error message for invalid credentials

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"a1b2c3" and "a1b2c3"	PASSED	0.588 s
3	Then User clicks Register and validate "Password should contain at least 8 characters"	PASSED	0.281 s


# The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.000 s
2	When User enters "Numpy@sdet84_1" ,"12345678" and "12345678"	PASSED	0.572 s
3	Then User clicks Register and validate "Password can't be entirely numeric."	PASSED	0.188 s


The user is presented with error message for invalid credentials

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84"	PASSED	0.485 s
3	Then User clicks Register and validate "password can't be too similar to your other personal information."	PASSED	0.161 s


# The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.000 s
2	When User enters "Numpy@sdet84_1" ,"Welcome1" and "Welcome1"	PASSED	0.474 s
3	Then User clicks Register and validate "Password can't be commonly used password"	PASSED	0.434 s

**Read data from Excel for Register page and verify Message** 

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 0	FAILED	0.022 s
	When User enters "Register" and 0  java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at 7.User enters "Register" and 0(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:24) at io.cucumber.java.lnvoker.invoke(Invoker.java:24) at io.cucumber.java.lnvoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(CoreStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition) at io.cucumber.core.runner.PickleStepDefinitionMatch.java:30) at io.cucumber.core.runner.PickleStepDefinitionMatch.java:30 at io.cucumber.core.runner.PickleStepDefinitionMatch.java:30 at io.cucumber.core.runner.PickleStepDefinitionMatch.java:30 at io.cucumber.core.runner.FicesUtionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\frac{1}{2}.execute(ExecutionMode\$\		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 23 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.002 s

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 24 --




#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.000 s
2	When User enters "Register" and 1	FAILED	0.004 s
	java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 1(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521)		
	at utils.Excelfilereader.getRowCount(Excelfilereader.java:42)		
	at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 25 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 26 --




#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Register" and 2	FAILED	0.004 s
2	java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 2(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC_Register.feature:35)     Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)	FAILED	0.004 s
	at io.cucumber.java.lnvoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runner.ShoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 28 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 3	FAILED	0.003 s
	java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 3(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:42)		
	at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s