

# Cucumber Report

Apr 6, 2023, 1:43:14 PM

**Start : Apr 06, 1:41:26.961 PM**

**End : Apr 06, 1:43:13.020 PM**

**Duration : 1 m 46.059 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 4**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 42**

**SKIPPED - 0**


**PASSED - 17**

**FAILED - 42**


**SKIPPED - 84**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Launch ds-algo portal and navigate to home page</u>	11.800 s	16	0	16	0	54	0	16	38
<u>To verify and validate Registration Page</u>	1 m 33.582 s	14	0	14	0	46	14	14	18
<u>Verifying credentials for Sign in Page</u>	0.292 s	7	0	7	0	24	0	7	17
<u>To validate Queue Data Structure</u>	0.237 s	5	0	5	0	19	3	5	11




#	Feature Name	T	P	F	S	Duration
1	<u>Launch ds-algo portal and navigate to home page</u>	16	0	16	0	11.800 s
2	<u>To verify and validate Registration Page</u>	14	0	14	0	1 m 33.582 s
3	<u>Verifying credentials for Sign in Page</u>	7	0	7	0	0.292 s
4	<u>To validate Queue Data Structure</u>	5	0	5	0	0.237 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Launch ds-algo portal and navigate to home page</u>	<u>User launch home page of an dsalgo project</u>	3	0	1	2	1.526 s
2	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.569 s
3	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	1.097 s
4	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.830 s
5	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.515 s
6	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.497 s
7	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.499 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.523 s
9	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.530 s
10	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.500 s
11	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.523 s
12	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.493 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.485 s
14	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.514 s
15	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on sign in</u>	3	0	1	2	1.333 s
16	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on Register</u>	3	0	1	2	0.481 s
17	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	1	1	1	20.053 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	3	1	1	1	20.028 s
19	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Password Confirmation textbox</u>	3	1	1	1	20.083 s
20	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	20.066 s
21	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	10.973 s
22	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.076 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.026 s
24	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.024 s
25	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.017 s
26	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.015 s
27	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	1.504 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.092 s
29	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.094 s
30	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.090 s
31	<u>Verifying credentials for Sign in Page</u>	<u>Verifying account and redirected to Register page</u>	3	0	1	2	0.020 s
32	<u>Verifying credentials for Sign in Page</u>	<u>To Verify SignIn page with empty fields</u>	3	0	1	2	0.027 s
33	<u>Verifying credentials for Sign in Page</u>	<u>To Verify SignIn page with username only.</u>	3	0	1	2	0.017 s
34	<u>Verifying credentials for Sign in Page</u>	<u>To Verify SignIn page with Password only.</u>	3	0	1	2	0.018 s
35	<u>Verifying credentials for Sign in Page</u>	<u>To Verify Signin Page with invalid credentials</u>	4	0	1	3	0.015 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Verifying credentials for Sign in Page</u>	<u>To Verify Signin Page with invalid credentials</u>	4	0	1	3	0.015 s
37	<u>Verifying credentials for Sign in Page</u>	<u>To Verify Signin Page with invalid credentials</u>	4	0	1	3	0.019 s
38	<u>To validate Queue Data Structure</u>	<u>User is naviagted to Queue Data structure from homepage</u>	3	1	1	1	0.019 s
39	<u>To validate Queue Data Structure</u>	<u>User is navigated to Implementation of Queue in Python</u>	3	1	1	1	0.016 s
40	<u>To validate Queue Data Structure</u>	<u>User is navigated to Editor and presented with a result</u>	5	1	1	3	0.017 s
41	<u>To validate Queue Data Structure</u>	<u>User Enters Invalid Python code and Presented with Error Message</u>	5	0	1	4	0.019 s
42	<u>To validate Queue Data Structure</u>	<u>User navigates to Implementation using collections.deque</u>	3	0	1	2	0.005 s

## Launch ds-algo portal and navigate to home page

<b>FAILED</b>	<b>DURATION - 11.800 s</b>	Scenarios Total - 16 Pass - 0 Fail - 16 Skip - 0		Steps Total - 54 Pass - 0 Fail - 16 Skip - 38	
/ 1:41:26.961 PM // 1:41:38.761 PM /					



## User launch home page of an dsalgo project

<div>FAILED</div> <div>DURATION - 1.526 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:41:26.969 PM // 1:41:28.495 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user opens DS Algo portal link</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</pre>	<b>FAILED</b>	1.489 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.dsalgoportal(Homepage_POM.java:55) at stepDefinition.homepage.the_user_opens_ds_algo_portal_link(homepage.java:25) at ?.The user opens DS Algo portal link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks the "Get Started" button	SKIPPED	0.002 s
3	Then The user should be redirected to homepage	SKIPPED	0.002 s



### User is on Home page and click on dropdown without sign in

FAILED	DURATION - 0.569 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:41:28.722 PM // 1:41:29.291 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.550 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Arrays"	SKIPPED	0.002 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.003 s

### User is on Home page and click on dropdown without sign in

<div>FAILED</div> <div>DURATION - 1.097 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 1:41:29.365 PM // 1:41:30.462 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	1.081 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Linkedlist"	SKIPPED	0.003 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s



### User is on Home page and click on dropdown without sign in

<b>FAILED</b>	<b>DURATION - 0.830 s</b>		<b>Steps</b> Total - 4 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 3</b>	
/ 1:41:30.518 PM // 1:41:31.348 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, </pre>	FAILED	0.822 s

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12)  * Not displayable characters are replaced by '?'. </p>		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.002 s
3	Then The user clicks on any dropdown "Stack"	SKIPPED	0.000 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s



### User is on Home page and click on dropdown without sign in

<b>FAILED</b> DURATION - 0.515 s / 1:41:31.402 PM // 1:41:31.917 PM / Launch ds-algo portal and navigate to home page		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com} </p>	FAILED	0.501 s

#	Step / Hook Details	Status	Duration
	com/home}} Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.002 s
3	Then The user clicks on any dropdown "Queue"	SKIPPED	0.002 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s



### User is on Home page and click on dropdown without sign in

<b>FAILED</b> DURATION - 0.497 s / 1:41:31.962 PM // 1:41:32.459 PM / Launch ds-algo portal and navigate to home page		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	---





#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61879/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)     at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)     at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.480 s
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Tree"	SKIPPED	0.001 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.003 s

**User is on Home page and click on dropdown without sign in**

<div>FAILED</div> <div>DURATION - 0.499 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:41:32.510 PM // 1:41:33.009 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)     at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)     at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.483 s
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.002 s
3	Then The user clicks on any dropdown "Graph"	SKIPPED	0.002 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

## User is on Home page and click getstarted link on home page without sign in

<div>FAILED</div>	<div>DURATION - 0.523 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:41:33.057 PM // 1:41:33.580 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.514 s
2	When The user clicks on any Get Started link "Datastructures" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

## User is on Home page and click getstarted link on home page without sign in

<div>FAILED</div>	<div>DURATION - 0.530 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:41:33.628 PM // 1:41:34.158 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.520 s
2	When The user clicks on any Get Started link "Arrays" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

## User is on Home page and click getstarted link on home page without sign in

<b>FAILED</b>	<b>DURATION - 0.500 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 1:41:34.202 PM // 1:41:34.702 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.493 s
2	When The user clicks on any Get Started link "Linkedlist" on homepage without signin	SKIPPED	0.002 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

## User is on Home page and click getstarted link on home page without sign in

<div>FAILED</div> <div>DURATION - 0.523 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:41:34.747 PM // 1:41:35.270 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.518 s
2	When The user clicks on any Get Started link "Stack" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s



## User is on Home page and click getstarted link on home page without sign in

<div>FAILED</div> <div>DURATION - 0.493 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:41:35.314 PM // 1:41:35.807 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.485 s
2	When The user clicks on any Get Started link "Queue" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s





## User is on Home page and click getstarted link on home page without sign in

<b>FAILED</b>	<b>DURATION - 0.485 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 1:41:35.848 PM // 1:41:36.333 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.479 s
2	When The user clicks on any Get Started link "Tree" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s





## User is on Home page and click getstarted link on home page without sign in

<div>FAILED</div>	<div>DURATION - 0.514 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:41:36.368 PM // 1:41:36.882 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.504 s
2	When The user clicks on any Get Started link "Graph" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

## User is on Home page and click on sign in

<div>FAILED</div> <div>DURATION - 1.333 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:41:36.912 PM // 1:41:38.245 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:40)  * Not displayable characters are replaced by '?'. </p>	FAILED	1.327 s
2	When The user clicks on Signin link	SKIPPED	0.001 s
3	Then The user should be redirected to Sign in page	SKIPPED	0.001 s

## User is on Home page and click on Register



<div>FAILED</div> <div>DURATION - 0.481 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:41:38.280 PM // 1:41:38.761 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_SSL_PROTOCOL_ERROR (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71)  at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48)  at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:45)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.473 s
2	When The user clicks on Register link	SKIPPED	0.002 s
3	Then The user should be redirected to Register form	SKIPPED	0.002 s

## To verify and validate Registration Page

<b>FAILED</b>	<b>DURATION - 1 m 33.582 s</b>	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0		Steps Total - 46 Pass - 14 Fail - 14 Skip - 18	
/ 1:41:38.820 PM // 1:43:12.402 PM /					



## The user is presented with error message for empty fields below Username textbox

<b>FAILED</b>	<b>DURATION - 20.053 s</b>		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:41:38.820 PM // 1:41:58.873 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.004 s
2	When User clicks Register button with all fields empty  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	20.044 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.register_fields(Register_POM.java:37) at stepDefinition.Register_SD.user_clicks_register_button_with_all_fields_empty(Register_SD.java:48) at ?.User clicks Register button with all fields empty(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then It should display an error "Please fill out this field." below Username textbox	SKIPPED	0.000 s

### The user is presented with error message for empty fields below Password textbox

<b>FAILED</b> DURATION - 20.028 s / 1:41:58.894 PM // 1:42:18.922 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='id_username']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, </pre>	FAILED	20.021 s

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source)  at pageObjectModel.Register_POM.enter_username(Register_POM.java:43)  at stepDefinition.Register_SD.user_clicks_register_button_after_entering_username_as_with_other_fields_empty(Register_SD.java:62)  at ?.User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:10)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then It should display an error "Please fill out this field" below Password textbox	SKIPPED	0.001 s



### The user is presented with error message for empty fields below Password Confirmation textbox

<b>FAILED</b> <b>DURATION - 20.083 s</b> / 1:42:19.002 PM // 1:42:39.085 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.004 s
2	<p>When User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='id_username']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61879/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source)     at pageObjectModel.Register_POM.enter_username(Register_POM.java:43)     at stepDefinition.Register_SD.user_clicks_register_button_after_entering_and_with_password_confirmation_field_empty(Register_SD. java:74)     at ?.User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:15)     * Not displayable characters are replaced by '?'. </pre>	FAILED	20.074 s
3	Then It should display an error "Please fill out this field." below Password Confirmation textbox	SKIPPED	0.001 s

**The user is presented with error message for invalid credentials and successs message for Valid Credentials**





<div>FAILED</div> <div>DURATION - 20.066 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:42:39.113 PM // 1:42:59.179 PM /</div>				
<div>To verify and validate Registration Page</div>				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.005 s
2	When User enters "Numpy" ,"testpassword" and "testpassword"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='id_username']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43)	FAILED	20.054 s



#	Step / Hook Details	Status	Duration
	at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy" ,"testpassword" and "testpassword"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'.		
3	Then User clicks Register and validate "Please enter a valid username"	SKIPPED	0.000 s

### The user is presented with error message for invalid credentials and successs message for Valid Credentials

<b>FAILED</b> DURATION - 10.973 s / 1:42:59.197 PM // 1:43:10.170 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc" org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	10.967 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "Username already exists"	SKIPPED	0.002 s


### The user is presented with error message for invalid credentials and success message for Valid Credentials

<b>FAILED</b> DURATION - 0.076 s / 1:43:10.243 PM // 1:43:10.319 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.007 s
2	When User enters "Numpy@sdet84_1" ,"testpassword" and "testpassword1" <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, </pre>	FAILED	0.060 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1", "testpassword" and "testpassword1"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'.		
3	Then User clicks Register and validate "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s

### The user is presented with error message for invalid credentials and success message for Valid Credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.008 s
2	When User enters "Numpy@sdet84_1", "a1b2c3" and "a1b2c3"	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source)  at pageObjectModel.Register_POM.enter_username(Register_POM.java:43)  at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87)  at ?.User enters "Numpy@sdet84_1" ,"a1b2c3" and "a1b2c3"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20)  * Not displayable characters are replaced by '?'. </p>		
3	Then User clicks Register and validate "Password should contain at least 8 characters"	SKIPPED	0.000 s

**The user is presented with error message for invalid credentials and successs message for Valid Credentials**

<div>FAILED</div> <div>DURATION - 0.024 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0.002</td><td>Pass</td></tr><tr><td>2</td><td>0.015</td><td>Fail</td></tr><tr><td>3</td><td>0.002</td><td>Pass</td></tr></tbody></table></div>	Step	Duration (s)	Status	1	0.002	Pass	2	0.015	Fail	3	0.002	Pass	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div>3</div></div>
Step	Duration (s)		Status													
1	0.002		Pass													
2	0.015		Fail													
3	0.002	Pass														
/ 1:43:10.411 PM // 1:43:10.435 PM /																
To verify and validate Registration Page																

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"12345678" and "12345678"  org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at ?.User enters "Numpy@sdet84_1" ,"12345678" and "12345678"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. 3 Then User clicks Register and validate "Password can't be entirely numeric."	SKIPPED	0.003 s


### The user is presented with error message for invalid credentials and success message for Valid Credentials

<b>FAILED</b> DURATION - 0.017 s / 1:43:10.475 PM // 1:43:10.492 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84" org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61879/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "password can't be too similar to your other personal information."	SKIPPED	0.000 s

### The user is presented with error message for invalid credentials and successs message for Valid Credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "kalpana_dsalgo@gmail.com" ,"ninja_32823" and "ninja_32823"	FAILED	0.011 s
	<pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "kalpana_dsalgo@gmail.com" ,"ninja_32823" and "ninja_32823"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "New account created"	SKIPPED	0.000 s

### Read data from Excel for Register page and verify Message



<b>FAILED</b> DURATION - 1.504 s / 1:43:10.559 PM // 1:43:12.063 PM / To verify and validate Registration Page	<p>A bar chart with a y-axis from 0 to 2 and an x-axis with indices 1, 2, 3, and 4. A single black bar is present at index 2, reaching a height of approximately 1.5.</p>	Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	<p>A donut chart divided into 4 equal segments. The segments are colored: 1 green, 1 red, and 2 yellow. The number '4' is displayed in the center of the donut.</p>
---	---	--	---

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Register" and 1	FAILED	1.496 s
	<pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: </pre>		



#	Step / Hook Details	Status	Duration
	<p>'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source)  at pageObjectModel.Register_POM.enter_username(Register_POM.java:43)  at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112)  at ?.User enters "Register" and 1(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35)  * Not displayable characters are replaced by '?'. </p>		
3	And Clicks on Register buttton	SKIPPED	0.001 s
4	Then It should display "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s

**Read data from Excel for Register page and verify Message**

<div>FAILED</div> <div>DURATION - 0.092 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:43:12.087 PM // 1:43:12.179 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 2 <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) </pre>	FAILED	0.087 s

#	Step / Hook Details	Status	Duration
	at ?.User enters "Register" and 2(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'. 3 And Clicks on Register buttton 4 Then It should display "password_mismatch:The two password fields didn't match."		
3	And Clicks on Register buttton	SKIPPED	0.001 s
4	Then It should display "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s

### Read data from Excel for Register page and verify Message



FAILED	DURATION - 0.094 s	<div><div>Steps</div><div>Total - 4</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 2</div></div> <div><div>4</div></div>
/ 1:43:12.196 PM // 1:43:12.290 PM /		
To verify and validate Registration Page		

1	0.005
2	0.09
3	0.005
4	0.005

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Register" and 3 org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	0.087 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) at ?.User enters "Register" and 3(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'. </pre>		
3	And Clicks on Register buttton	SKIPPED	0.002 s
4	Then It should display "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s



### Read data from Excel for Register page and verify Message

<div>FAILED</div> <div>DURATION - 0.090 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:43:12.312 PM // 1:43:12.402 PM /				
To verify and validate Registration Page				



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 4	FAILED	0.083 s
	<pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, </pre>		

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) at ?.User enters "Register" and 4(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'.		
3	And Clicks on Register button	SKIPPED	0.000 s
4	Then It should display "New account created"	SKIPPED	0.001 s

## Verifying credentials for Sign in Page



<b>FAILED</b>	DURATION - 0.292 s	Scenarios		Steps	
/ 1:43:12.450 PM // 1:43:12.742 PM /		Total - 7		Total - 24	
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 17	

## Verifying account and redirected to Register page

<div>FAILED</div> <div>DURATION - 0.020 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:43:12.450 PM // 1:43:12.470 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on SignIn Page</p> <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32)     at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18)     at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:4)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.015 s
2	When User Clicks on Register link	SKIPPED	0.001 s
3	Then User is redirected to Register Page	SKIPPED	0.001 s



## To Verify SignIn page with empty fields

<div>FAILED</div> <div>DURATION - 0.027 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:43:12.497 PM // 1:43:12.524 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User is on SignIn Page</b> <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32)     at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18)     at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:9)     * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.022 s
2	<b>When User clicks on Login button with all fields empty</b>	<b>SKIPPED</b>	0.001 s
3	<b>Then User is presented with errormessage at username as "Please fill out the field"</b>	<b>SKIPPED</b>	0.001 s





**To Verify SignIn page with username only.**

<div>FAILED</div> <div>DURATION - 0.017 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:43:12.547 PM // 1:43:12.564 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User is on SignIn Page</b> <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32)     at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18)     at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:14)     * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.011 s
2	<b>When User enters username as "kalpana_77@gmail.com" and Clicks on Login button</b>	<b>SKIPPED</b>	0.001 s
3	<b>Then User is presented with errormessage at Password as "Please fill out this field"</b>	<b>SKIPPED</b>	0.001 s





**To Verify SignIn page with Password only.**

<b>FAILED</b>	<b>DURATION - 0.018 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 1:43:12.592 PM // 1:43:12.610 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<b>Given User is on SignIn Page</b> <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32)     at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18)     at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:19)     * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.014 s
2	<b>When User enters "sdet_32823" only and Clicks on Login button</b>	<b>SKIPPED</b>	0.000 s
3	<b>Then User is presented with error message "Please fill out this field"</b>	<b>SKIPPED</b>	0.000 s



## To Verify Signin Page with invalid credentials

<div>FAILED</div> <div>DURATION - 0.015 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 1:43:12.638 PM // 1:43:12.653 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on SignIn Page</p> <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61879/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32)     at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18)     at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:24)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.010 s
2	When User enters "Sirisha" and "1344343"	SKIPPED	0.001 s
3	And Clicks on Login button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	Then It displays error message "Invalid Username and Password"	SKIPPED	0.000 s

### To Verify Signin Page with invalid credentials

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:43:12.677 PM // 1:43:12.692 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on SignIn Page</p> <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32)     at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18)     at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:24)</pre>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When User enters "Radha" and "rd_0900"		
2	And Clicks on Login button	SKIPPED	0.001 s
3	Then It displays error message "Invalid Username and Password"	SKIPPED	0.000 s



### To Verify Signin Page with invalid credentials

<b>FAILED</b> DURATION - 0.019 s / 1:43:12.723 PM // 1:43:12.742 PM / Verifying credentials for Sign in Page		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User is on SignIn Page <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)</pre>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:24) * Not displayable characters are replaced by '?'.		
2	When User enters "Ninja_boomers" and "dsalgo_100"	SKIPPED	0.001 s
3	And Clicks on Login button	SKIPPED	0.001 s
4	Then It displays error message "Invalid Username and Password"	SKIPPED	0.002 s

### To validate Queue Data Structure

<b>FAILED</b>	DURATION - 0.237 s	Scenarios		Steps	
/ 1:43:12.783 PM // 1:43:13.020 PM /		Total - 5		Total - 19	
		Pass - 0		Pass - 3	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 11	



### User is navigated to Queue Data structure from homepage

<b>FAILED</b>	DURATION - 0.019 s		Steps	
/ 1:43:12.783 PM // 1:43:12.802 PM /			Total - 3	
To validate Queue Data Structure			Pass - 1	
			Fail - 1	
		Skip - 1		

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of Dsalgo Portal	PASSED	0.005 s
2	When User clicks on getstarted button	FAILED	0.010 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=xpath, value=//div[5][@class='col']/a}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source)  at pageObjectModel.Queue_POM.getstart_queue(Queue_POM.java:37)  at stepDefinition.Queue_SD.user_clicks_on_getstarted_button(Queue_SD.java:20)  at ?.User clicks on getstarted button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User is navigated to Queue data structure	SKIPPED	0.000 s



### User is navigated to Implementation of Queue in Python

FAILED		DURATION - 0.016 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 1:43:12.827 PM // 1:43:12.843 PM /						
To validate Queue Data Structure						

#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.002 s
2	When User clicks on Implementation of Queue in Python  org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=link text, value=Implementation of Queue in Python}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Queue_POM.implement_queue(Queue_POM.java:43) at stepDefinition.Queue_SD.user_clicks_on_implementation_of_queue_in_python(Queue_SD.java:36) at ?.User clicks on Implementation of Queue in Python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.010 s
3	Then User is directed to Implementation of Queue in Python	SKIPPED	0.001 s

User is navigated to Editor and presented with a result





<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:43:12.874 PM // 1:43:12.891 PM /				
To validate Queue Data Structure				

#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.002 s
2	When User clicks on try here button  org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:52) at stepDefinition.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:52)	FAILED	0.008 s



#	Step / Hook Details	Status	Duration
	at ?.User clicks on try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:15) * Not displayable characters are replaced by '?'. 3 And User Enters "print('Hello, world!')" in the Editor		
3	And User Enters "print('Hello, world!')" in the Editor	SKIPPED	0.000 s
4	And clicks on Run Button	SKIPPED	0.001 s
5	Then The User is Presented with a Result	SKIPPED	0.001 s

### User Enters Invalid Python code and Presented with Error Message

FAILED		DURATION - 0.019 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 1:43:12.923 PM // 1:43:12.942 PM /						
To validate Queue Data Structure						

#	Step / Hook Details	Status	Duration
1	Given User is navigated to Implementation of Queue in python  org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2db1a05cc88df1bb109b480ff517401b, get {url=https://dsportalapp.herokuapp.com/queue/implementation-lists/}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61879/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2db1a05cc88df1bb109b480ff517401b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_que_implement(Queue_POM.java:47) at stepDefinition.Queue_SD.user_is_navigated_to_Implementation_of_queue_in_python(Queue_SD.java:77) at ?.User is navigated to Implementation of Queue in python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:21) * Not displayable characters are replaced by '?'.		
2	When User clicks on try here button	SKIPPED	0.001 s
3	And User Enters Invalid python code "print'Hello, world!)" in the Editor	SKIPPED	0.001 s
4	And clicks on Run Button	SKIPPED	0.001 s
5	Then The User is Presented with a Error Message for Invalid python code	SKIPPED	0.000 s

### User navigates to Implementation using collections.deque

<b>FAILED</b> DURATION - 0.005 s / 1:43:13.015 PM // 1:43:13.020 PM / To validate Queue Data Structure		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in python	FAILED	0.002 s
	Step undefined		
2	When User clicks on the Implementation using collections.deque link	SKIPPED	0.001 s
3	Then User is navigated to Implementation using collections.deque link	SKIPPED	0.001 s