

Cucumber Report

Apr 5, 2023, 8:56:11 PM

Start : Apr 05, 8:55:43.564 PM

End : Apr 05, 8:56:10.702 PM

Duration : 27.138 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 4

SKIPPED - 0

PASSED - 0




FAILED - 41

SKIPPED - 0


PASSED - 19

FAILED - 41


SKIPPED - 80




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Launch ds-algo portal and navigate to home page</u>	25.301 s	16	0	16	0	54	2	16	36
<u>To verify and validate Registration Page</u>	1.519 s	14	0	14	0	46	14	14	18
<u>Verifying credentials for Sign in Page</u>	0.152 s	7	0	7	0	24	0	7	17
<u>To validate Queue Data Structure</u>	0.083 s	4	0	4	0	16	3	4	9




#	Feature Name	T	P	F	S	Duration
1	<u>Launch ds-algo portal and navigate to home page</u>	16	0	16	0	25.301 s
2	<u>To verify and validate Registration Page</u>	14	0	14	0	1.519 s
3	<u>Verifying credentials for Sign in Page</u>	7	0	7	0	0.152 s
4	<u>To validate Queue Data Structure</u>	4	0	4	0	0.083 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Launch ds-algo portal and navigate to home page</u>	<u>User launch home page of an dsalgo project</u>	3	2	1	0	24.406 s
2	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.026 s
3	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.027 s
4	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.020 s
5	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.019 s
6	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.018 s
7	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	0	1	3	0.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.013 s
9	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.017 s
10	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.016 s
11	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.015 s
12	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.014 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.015 s
14	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click getstarted link on home page without sign in</u>	3	0	1	2	0.016 s
15	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on sign in</u>	3	0	1	2	0.018 s
16	<u>Launch ds-algo portal and navigate to home page</u>	<u>User is on Home page and click on Register</u>	3	0	1	2	0.013 s
17	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	1	1	1	0.015 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	3	1	1	1	0.015 s
19	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for empty fields below Password Confirmation textbox</u>	3	1	1	1	0.015 s
20	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.020 s
21	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.016 s
22	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.012 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.008 s
24	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.012 s
25	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.010 s
26	<u>To verify and validate Registration Page</u>	<u>The user is presented with error message for invalid credentials and successs message for Valid Credentials</u>	3	1	1	1	0.013 s
27	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.874 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.080 s
29	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.077 s
30	<u>To verify and validate Registration Page</u>	<u>Read data from Excel for Register page and verify Message</u>	4	1	1	2	0.075 s
31	<u>Verifying credentials for Sign in Page</u>	<u>Verifying account and redirected to Register page</u>	3	0	1	2	0.009 s
32	<u>Verifying credentials for Sign in Page</u>	<u>To Verify SignIn page with empty fields</u>	3	0	1	2	0.012 s
33	<u>Verifying credentials for Sign in Page</u>	<u>To Verify SignIn page with username only.</u>	3	0	1	2	0.010 s
34	<u>Verifying credentials for Sign in Page</u>	<u>To Verify SignIn page with Password only.</u>	3	0	1	2	0.011 s
35	<u>Verifying credentials for Sign in Page</u>	<u>To Verify Signin Page with invalid credentials</u>	4	0	1	3	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Verifying credentials for Sign in Page</u>	<u>To Verify Signin Page with invalid credentials</u>	4	0	1	3	0.008 s
37	<u>Verifying credentials for Sign in Page</u>	<u>To Verify Signin Page with invalid credentials</u>	4	0	1	3	0.009 s
38	<u>To validate Queue Data Structure</u>	<u>User is naviagted to Queue Data structure from homepage</u>	3	1	1	1	0.010 s
39	<u>To validate Queue Data Structure</u>	<u>User is navigated to Implementation of Queue in Python</u>	3	1	1	1	0.009 s
40	<u>To validate Queue Data Structure</u>	<u>User is navigated to Editor and presented with a result</u>	5	1	1	3	0.011 s
41	<u>To validate Queue Data Structure</u>	<u>User Enters Invalid Python code and Presented with Error Message</u>	5	0	1	4	0.011 s

Launch ds-algo portal and navigate to home page

FAILED	DURATION - 25.301 s	Scenarios Total - 16 Pass - 0 Fail - 16 Skip - 0		Steps Total - 54 Pass - 2 Fail - 16 Skip - 36	
/ 8:55:43.564 PM // 8:56:08.865 PM /					



User launch home page of an dsalgo project

FAILED	DURATION - 24.406 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:55:43.572 PM // 8:56:07.978 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.513 s
2	When The user clicks the "Get Started" button	PASSED	23.798 s
3	Then The user should be redirected to homepage org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, getTitle {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.068 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:302) at pageObjectModel.Homepage_POM.get_title_page(Homepage_POM.java:65) at stepDefinition.homepage.the_user_should_be_redirected_to_homepage(homepage.java:40) at ?.The user should be redirected to homepage(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/ resources/features/TC1_HomePage.feature:6) * Not displayable characters are replaced by '?'. </pre>		



User is on Home page and click on dropdown without sign in

<div>FAILED</div> <div>DURATION - 0.026 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 8:56:08.191 PM // 8:56:08.217 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.004 s
3	Then The user clicks on any dropdown "Arrays"	SKIPPED	0.001 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s



User is on Home page and click on dropdown without sign in

FAILED	DURATION - 0.027 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 8:56:08.268 PM // 8:56:08.295 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, </pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Linkedlist"	SKIPPED	0.002 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.003 s



User is on Home page and click on dropdown without sign in

FAILED DURATION - 0.020 s / 8:56:08.342 PM // 8:56:08.362 PM / Launch ds-algo portal and navigate to home page		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir:	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Stack"	SKIPPED	0.001 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s



User is on Home page and click on dropdown without sign in

<div>FAILED</div> <div>DURATION - 0.019 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 8:56:08.393 PM // 8:56:08.412 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	FAILED	0.012 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		



#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50156/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Queue"	SKIPPED	0.001 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click on dropdown without sign in

FAILED DURATION - 0.018 s / 8:56:08.438 PM // 8:56:08.456 PM / Launch ds-algo portal and navigate to home page		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	---



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12) * Not displayable characters are replaced by '?'. </p>	FAILED	0.012 s
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.001 s
3	Then The user clicks on any dropdown "Tree"	SKIPPED	0.001 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click on dropdown without sign in

<div><div>FAILED</div><div>DURATION - 0.018 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 3</div></div>	<div></div>
/ 8:56:08.482 PM // 8:56:08.500 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When The user clicks on datastructure dropdown without signin	SKIPPED	0.002 s
3	Then The user clicks on any dropdown "Graph"	SKIPPED	0.001 s
4	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click getstarted link on home page without sign in

FAILED	DURATION - 0.013 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.528 PM // 8:56:08.541 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When The user clicks on any Get Started link "Datastructures" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click getstarted link on home page without sign in

FAILED	DURATION - 0.017 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.573 PM // 8:56:08.590 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.011 s
2	When The user clicks on any Get Started link "Arrays" on homepage without signin	SKIPPED	0.002 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click getstarted link on home page without sign in

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.619 PM // 8:56:08.635 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.010 s
2	When The user clicks on any Get Started link "Linkedlist" on homepage without signin	SKIPPED	0.002 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click getstarted link on home page without sign in

FAILED	DURATION - 0.015 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.658 PM // 8:56:08.673 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When The user clicks on any Get Started link "Stack" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.000 s

User is on Home page and click getstarted link on home page without sign in

FAILED	DURATION - 0.014 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.690 PM // 8:56:08.704 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.010 s
2	When The user clicks on any Get Started link "Queue" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.000 s

User is on Home page and click getstarted link on home page without sign in

<div>FAILED</div>	<div>DURATION - 0.015 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 8:56:08.730 PM // 8:56:08.745 PM /</div>				
<div>Launch ds-algo portal and navigate to home page</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When The user clicks on any Get Started link "Tree" on homepage without signin	SKIPPED	0.001 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click getstarted link on home page without sign in

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.769 PM // 8:56:08.785 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC1_HomePage.feature:26) * Not displayable characters are replaced by '?'. </p>	FAILED	0.010 s
2	When The user clicks on any Get Started link "Graph" on homepage without signin	SKIPPED	0.000 s
3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home page and click on sign in

FAILED	DURATION - 0.018 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.810 PM // 8:56:08.828 PM /				
Launch ds-algo portal and navigate to home page				



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on Home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:40) * Not displayable characters are replaced by '?'. </p>	FAILED	0.012 s
2	When The user clicks on Signin link	SKIPPED	0.001 s
3	Then The user should be redirected to Sign in page	SKIPPED	0.001 s

User is on Home page and click on Register



FAILED	DURATION - 0.013 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:08.852 PM // 8:56:08.865 PM /				
Launch ds-algo portal and navigate to home page				

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Homepage_POM.open_home_page(Homepage_POM.java:71) at stepDefinition.homepage.the_user_is_on_home_page(homepage.java:48) at ?.The user is on Home page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC1_HomePage.feature:45) * Not displayable characters are replaced by '?'.	FAILED	0.010 s
2	When The user clicks on Register link	SKIPPED	0.000 s
3	Then The user should be redirected to Register form	SKIPPED	0.000 s

To verify and validate Registration Page

FAILED	DURATION - 1.519 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0		Steps Total - 46 Pass - 14 Fail - 14 Skip - 18	
/ 8:56:08.905 PM // 8:56:10.424 PM /					

The user is presented with error message for empty fields below Username textbox

FAILED	DURATION - 0.015 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:56:08.906 PM // 8:56:08.921 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.004 s
2	When User clicks Register button with all fields empty org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@type='submit']}]] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.register_fields(Register_POM.java:37) at stepDefinition.Register_SD.user_clicks_register_button_with_all_fields_empty(Register_SD.java:48) at ?.User clicks Register button with all fields empty(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then It should display an error "Please fill out this field." below Username textbox	SKIPPED	0.001 s


The user is presented with error message for empty fields below Password textbox

FAILED DURATION - 0.015 s / 8:56:08.943 PM // 8:56:08.958 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source)</p> <p>at pageObjectModel.Register_POM.enter_username(Register_POM.java:43)</p> <p>at stepDefinition.Register_SD.user_clicks_register_button_after_entering_username_as_with_other_fields_empty(Register_SD.java:62)</p> <p>at ?.User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:10)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then It should display an error "Please fill out this field" below Password textbox	SKIPPED	0.001 s



The user is presented with error message for empty fields below Password Confirmation textbox



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	<p>When User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_clicks_register_button_after_entering_and_with_password_confirmation_field_empty(Register_SD. java:74) at ?.User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC2_Register.feature:15) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.009 s
3	Then It should display an error "Please fill out this field." below Password Confirmation textbox	SKIPPED	0.001 s



The user is presented with error message for invalid credentials and successs message for Valid Credentials

<div>FAILED</div> <div>DURATION - 0.020 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 8:56:09.015 PM // 8:56:09.035 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy" , "testpassword" and "testpassword" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87)	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at ?.User enters "Numpy" ,"testpassword" and "testpassword"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. 3 Then User clicks Register and validate "Please enter a valid username"		
3	Then User clicks Register and validate "Please enter a valid username"	SKIPPED	0.000 s

The user is presented with error message for invalid credentials and successs message for Valid Credentials

FAILED DURATION - 0.016 s / 8:56:09.052 PM // 8:56:09.068 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50156/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "Username already exists"	SKIPPED	0.000 s

The user is presented with error message for invalid credentials and successs message for Valid Credentials

FAILED DURATION - 0.012 s / 8:56:09.087 PM // 8:56:09.099 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"testpassword" and "testpassword1" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50156/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1", "testpassword" and "testpassword1"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s



The user is presented with error message for invalid credentials and success message for Valid Credentials

FAILED DURATION - 0.008 s / 8:56:09.116 PM // 8:56:09.124 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1", "a1b2c3" and "a1b2c3"	FAILED	0.005 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', </pre>		

#	Step / Hook Details	Status	Duration
	<p>os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1" ,"a1b2c3" and "a1b2c3"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDet100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </p>		
3	Then User clicks Register and validate "Password should contain at least 8 characters"	SKIPPED	0.000 s



The user is presented with error message for invalid credentials and success message for Valid Credentials

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 8:56:09.142 PM // 8:56:09.154 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"12345678" and "12345678" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at ?.User enters "Numpy@sdet84_1" ,"12345678" and "12345678"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. 3 Then User clicks Register and validate "Password can't be entirely numeric."	SKIPPED	0.001 s

The user is presented with error message for invalid credentials and successs message for Valid Credentials

FAILED DURATION - 0.010 s / 8:56:09.172 PM // 8:56:09.182 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50156/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "password can't be too similar to your other personal information."	SKIPPED	0.000 s

The user is presented with error message for invalid credentials and successs message for Valid Credentials

FAILED DURATION - 0.013 s / 8:56:09.202 PM // 8:56:09.215 PM / To verify and validate Registration Page		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "kalpana_dsalgo@gmail.com" ,"ninja_32823" and "ninja_32823" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:87) at ?.User enters "kalpana_dsalgo@gmail.com" ,"ninja_32823" and "ninja_32823"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User clicks Register and validate "New account created"	SKIPPED	0.001 s



Read data from Excel for Register page and verify Message

FAILED DURATION - 0.874 s / 8:56:09.234 PM // 8:56:10.108 PM / To verify and validate Registration Page		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 1	FAILED	0.866 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', </pre>		

#	Step / Hook Details	Status	Duration
	<p>os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) at ?.User enters "Register" and 1(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'. </p>		
3	And Clicks on Register buttton	SKIPPED	0.001 s
4	Then It should display "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s



Read data from Excel for Register page and verify Message

<div>FAILED</div> <div>DURATION - 0.080 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 8:56:10.139 PM // 8:56:10.219 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 2 <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) </pre>	FAILED	0.071 s

#	Step / Hook Details	Status	Duration
	at ?.User enters "Register" and 2(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'. 3 And Clicks on Register buttton 4 Then It should display "password_mismatch:The two password fields didn't match."		
3	And Clicks on Register buttton	SKIPPED	0.002 s
4	Then It should display "password_mismatch:The two password fields didn't match."	SKIPPED	0.002 s



Read data from Excel for Register page and verify Message

FAILED	DURATION - 0.077 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 8:56:10.248 PM // 8:56:10.325 PM /				
To verify and validate Registration Page				

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Register" and 3 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver.Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50156/devtoo..., se.cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	0.069 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) at ?.User enters "Register" and 3(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'. </pre>		
3	And Clicks on Register buttton	SKIPPED	0.001 s
4	Then It should display "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s



Read data from Excel for Register page and verify Message

FAILED	DURATION - 0.075 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 8:56:10.349 PM // 8:56:10.424 PM /				
To verify and validate Registration Page				



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 4	FAILED	0.070 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//input[@id='id_username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, </pre>		

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Register_POM.enter_username(Register_POM.java:43) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:112) at ?.User enters "Register" and 4(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC2_Register.feature:35) * Not displayable characters are replaced by '?'.		
3	And Clicks on Register buttton	SKIPPED	0.001 s
4	Then It should display "New account created"	SKIPPED	0.001 s

Verifying credentials for Sign in Page



FAILED	DURATION - 0.152 s	Scenarios		Steps	
/ 8:56:10.449 PM // 8:56:10.601 PM /		Total - 7		Total - 24	
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 17	

Verifying account and redirected to Register page

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 8:56:10.449 PM // 8:56:10.458 PM /				
Verifying credentials for Sign in Page				



#	Step / Hook Details	Status	Duration
1	<p>Given User is on SignIn Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC3_SignIn.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s
2	When User Clicks on Register link	SKIPPED	0.000 s
3	Then User is redirected to Register Page	SKIPPED	0.000 s

To Verify SignIn page with empty fields

FAILED	DURATION - 0.012 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:56:10.472 PM // 8:56:10.484 PM /				
Verifying credentials for Sign in Page				



#	Step / Hook Details	Status	Duration
1	Given User is on SignIn Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:9) * Not displayable characters are replaced by '?'.	FAILED	0.008 s
2	When User clicks on Login button with all fields empty	SKIPPED	0.000 s
3	Then User is presented with errormessage at username as "Please fill out the field"	SKIPPED	0.000 s

To Verify SignIn page with username only.

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 8:56:10.501 PM // 8:56:10.511 PM /				
Verifying credentials for Sign in Page				



#	Step / Hook Details	Status	Duration
1	Given User is on SignIn Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.007 s
2	When User enters username as "kalpana_77@gmail.com" and Clicks on Login button	SKIPPED	0.001 s
3	Then User is presented with errormessage at Password as "Please fill out this field"	SKIPPED	0.001 s

To Verify SignIn page with Password only.

<div>FAILED</div> <div>DURATION - 0.011 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 8:56:10.525 PM // 8:56:10.536 PM /</div>				
<div>Verifying credentials for Sign in Page</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on SignIn Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.007 s
2	When User enters "sdet_32823" only and Clicks on Login button	SKIPPED	0.001 s
3	Then User is presented with error message "Please fill out this field"	SKIPPED	0.001 s



To Verify Signin Page with invalid credentials

<div>FAILED</div> <div>DURATION - 0.008 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 8:56:10.547 PM // 8:56:10.555 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	Given User is on SignIn Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:24) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
2	When User enters "Sirisha" and "1344343"	SKIPPED	0.001 s
3	And Clicks on Login button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then It displays error message "Invalid Username and Password"	SKIPPED	0.001 s



To Verify Signin Page with invalid credentials

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 8:56:10.566 PM // 8:56:10.574 PM /				
Verifying credentials for Sign in Page				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on SignIn Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC3_SignIn.feature:24)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When User enters "Radha" and "rd_0900"		
2	And Clicks on Login button	SKIPPED	0.000 s
3	Then It displays error message "Invalid Username and Password"	SKIPPED	0.001 s
4		SKIPPED	0.000 s



To Verify Signin Page with invalid credentials

FAILED DURATION - 0.009 s / 8:56:10.592 PM // 8:56:10.601 PM / Verifying credentials for Sign in Page		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given User is on SignIn Page <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/login}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at pageObjectModel.SignIn_POM.signin_portal(SignIn_POM.java:32) at stepDefinition.SignIn_SD.user_is_on_sign_in_page(SignIn_SD.java:18) at ?.User is on SignIn Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC3_SignIn.feature:24) * Not displayable characters are replaced by '?'.		
2	When User enters "Ninja_boomers" and "dsalgo_100"	SKIPPED	0.001 s
3	And Clicks on Login button	SKIPPED	0.000 s
4	Then It displays error message "Invalid Username and Password"	SKIPPED	0.001 s

To validate Queue Data Structure

FAILED	DURATION - 0.083 s	Scenarios		Steps	
/ 8:56:10.619 PM // 8:56:10.702 PM /		Total - 4		Total - 16	
		Pass - 0		Pass - 3	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 9	

User is navigated to Queue Data structure from homepage

FAILED	DURATION - 0.010 s		Steps	
/ 8:56:10.619 PM // 8:56:10.629 PM /			Total - 3	
To validate Queue Data Structure			Pass - 1	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of Dsalgo Portal	PASSED	0.001 s
2	When User clicks on getstarted button	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=xpath, value=//div[5][@class='col']/a}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir:		



#	Step / Hook Details	Status	Duration
	<p>C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Queue_POM.getstart_queue(Queue_POM.java:36) at stepDefinition.Queue_SD.user_clicks_on_getstarted_button(Queue_SD.java:20) at ?.User clicks on getstarted button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User is navigated to Queue data structure	SKIPPED	0.001 s

User is navigated to Implementation of Queue in Python

FAILED DURATION - 0.009 s / 8:56:10.642 PM // 8:56:10.651 PM / To validate Queue Data Structure		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on Implementation of Queue in Python <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=link text, value=Implementation of Queue in Python}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo ..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Queue_POM.implement_queue(Queue_POM.java:42) at stepDefinition.Queue_SD.user_clicks_on_implementation_of_queue_in_python(Queue_SD.java:36) at ?.User clicks on Implementation of Queue in Python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/ resources/features/TC4_Queue.feature:10) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s
3	Then User is directed to Implementation of Queue in Python	SKIPPED	0.000 s



User is navigated to Editor and presented with a result

<div>FAILED</div>	<div>DURATION - 0.011 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 8:56:10.666 PM // 8:56:10.677 PM /				
To validate Queue Data Structure				

#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.001 s
2	When User clicks on try here button org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:51) at stepDefinition.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:52)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:15) * Not displayable characters are replaced by '?'. 3 And User Enters "print('Hello, world!')" in the Editor 4 And clicks on Run Button 5 Then The User is Presented with a Result		
3	And User Enters "print('Hello, world!')" in the Editor	SKIPPED	0.000 s
4	And clicks on Run Button	SKIPPED	0.000 s
5	Then The User is Presented with a Result	SKIPPED	0.000 s

User Enters Invalid Python code and Presented with Error Message

FAILED		DURATION - 0.011 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 8:56:10.691 PM // 8:56:10.702 PM /								
To validate Queue Data Structure								

#	Step / Hook Details	Status	Duration
1	Given User is navigated to Implementation of Queue in python org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285b15a42e21cb868180e4c4364f1fa0, get {url=https://dsportalapp.herokuapp.com/queue/implementation-lists/}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\Padma\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50156/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285b15a42e21cb868180e4c4364f1fa0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_que_implement(Queue_POM.java:46) at stepDefinition.Queue_SD.user_is_navigated_to_Implementation_of_queue_in_python(Queue_SD.java:78) at ?.User is navigated to Implementation of Queue in python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC4_Queue.feature:21) * Not displayable characters are replaced by '?'.		
2	When User clicks on try here button	SKIPPED	0.000 s
3	And User Enters Invalid python code "print'Hello, world!)" in the Editor	SKIPPED	0.000 s
4	And clicks on Run Button	SKIPPED	0.000 s
5	Then The User is Presented with a Error Message for Invalid python code	SKIPPED	0.000 s