



| Feature | | | Scei | nario | | | St | ер | |
|---|----------|----|------|-------|---|----|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Launch ds-algo portal and navigate to home page | 22.686 s | 16 | 16 | 0 | 0 | 54 | 54 | 0 | 0 |
| To verify and validate Registration Page | 15.051 s | 14 | 10 | 4 | 0 | 42 | 34 | 4 | 4 |



| # | Feature Name | T | P | F | S | Duration |
|---|---|----|----|---|---|----------|
| 1 | Launch ds-algo portal and navigate to home page | 16 | 16 | 0 | 0 | 22.686 s |
| 2 | To verify and validate Registration Page | 14 | 10 | 4 | 0 | 15.051 s |

SCENARIOS SUMMARY -- 4 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | Launch ds-algo portal and navigate to home page | User launch home page of an dsalgo project | 3 | 3 | 0 | 0 | 2.757 s |
| 2 | Launch ds-algo portal and navigate to home page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 1.383 s |
| 3 | Launch ds-algo portal and navigate to home page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 1.231 s |
| 4 | Launch ds-algo portal and navigate to home page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 1.174 s |
| 5 | Launch ds-algo portal and navigate to home page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 1.623 s |
| 6 | Launch ds-algo portal and navigate to home page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.755 s |
| 7 | Launch ds-algo portal and navigate to home page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 1.693 s |

SCENARIOS SUMMARY -- 5 -



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 8 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 1.810 s |
| 9 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 1.330 s |
| 10 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 1.159 s |
| 11 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 1.191 s |
| 12 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 2.115 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 13 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 0.988 s |
| 14 | Launch ds-algo portal and navigate to home page | User is on Home page and click getstarted link on home page without sign in | 3 | 3 | 0 | 0 | 0.830 s |
| 15 | Launch ds-algo portal and navigate to home page | User is on Home page and click on sign in | 3 | 3 | 0 | 0 | 0.870 s |
| 16 | Launch ds-algo portal and navigate to home page | User is on Home page and click on Register | 3 | 3 | 0 | 0 | 0.787 s |
| 17 | To verify and validate Registration Page | The user is presented with error message for empty fields below Username textbox | 3 | 3 | 0 | 0 | 0.314 s |

SCENARIOS SUMMARY -- 7 -



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 18 | To verify and validate Registration Page | The user is presented with error message for empty fields below Password textbox | 3 | 3 | 0 | 0 | 1.544 s |
| 19 | To verify and validate Registration Page | The user is presented with error message for empty fields below Password Confirmation textbox | 3 | 3 | 0 | 0 | 1.431 s |
| 20 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.713 s |
| 21 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.672 s |
| 22 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.436 s |
| 23 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.491 s |

SCENARIOS SUMMARY -- 8 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 24 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.707 s |
| 25 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.647 s |
| 26 | To verify and validate Registration Page | The user is presented with error message for invalid credentials | 3 | 3 | 0 | 0 | 1.477 s |
| 27 | To verify and validate Registration Page | Read data from Excel for Register page and verify Message | 3 | 1 | 1 | 1 | 0.078 s |
| 28 | To verify and validate Registration Page | Read data from Excel for Register page and verify Message | 3 | 1 | 1 | 1 | 0.015 s |
| 29 | To verify and validate Registration Page | Read data from Excel for Register page and verify Message | 3 | 1 | 1 | 1 | 0.017 s |
| 30 | To verify and validate Registration Page | Read data from Excel for Register page and verify Message | 3 | 1 | 1 | 1 | 0.015 s |

Launch ds-algo portal and navigate to home page


| PASSED | DURATION - 22.686 s | Scenarios | | Steps | |
|---------------------|----------------------|------------|----|------------|-----|
| | | Total - 16 | | Total - 54 | |
| / 11:56:05.003 PM / | // 11:56:27.689 PM / | Pass - 16 | 16 | Pass - 54 | 54 |
| | | Fail - 0 | | Fail - 0 | J . |
| | | Skip - 0 | | Skip - 0 | |
| | | Skip - 0 | | Skip - 0 | |

User launch home page of an dsalgo project




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens DS Algo portal link | PASSED | 1.573 s |
| 2 | When The user clicks the "Get Started" button | PASSED | 1.109 s |
| 3 | Then The user should be redirected to homepage | PASSED | 0.027 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.491 s |
| 2 | When The user clicks on datastructure dropdown without signin | PASSED | 0.002 s |
| 3 | Then The user clicks on any dropdown "Arrays" | PASSED | 0.785 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.099 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.220 s |
| 2 | When The user clicks on datastructure dropdown without signin | PASSED | 0.002 s |
| 3 | Then The user clicks on any dropdown "Linkedlist" | PASSED | 0.894 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.105 s |


User is on Home page and click on dropdown without sign in

| PASSED | DURATION - 1.174 s | 1 - | Steps | |
|----------------|------------------------------------|-------|--------------------|---|
| / 11:56:10.777 | ' PM // 11:56:11.951 PM / | 0.8 | Total - 4 Pass - 4 | |
| Launch ds-alg | o portal and navigate to home page | 0.4 - | Fail - 0 | 4 |
| | | 0.2 - | Skip - 0 | |
| | | | 1 2 3 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.253 s |
| 2 | When The user clicks on datastructure dropdown without signin | PASSED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then The user clicks on any dropdown "Stack" | PASSED | 0.846 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.062 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.954 s |
| 2 | When The user clicks on datastructure dropdown without signin | PASSED | 0.002 s |
| 3 | Then The user clicks on any dropdown "Queue" | PASSED | 0.584 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.074 s |


User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.200 s |
| 2 | When The user clicks on datastructure dropdown without signin | PASSED | 0.002 s |
| 3 | Then The user clicks on any dropdown "Tree" | PASSED | 0.470 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.073 s |


DETAILED SECTION -- 12 --

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.902 s |
| 2 | When The user clicks on datastructure dropdown without signin | PASSED | 0.002 s |
| 3 | Then The user clicks on any dropdown "Graph" | PASSED | 0.673 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.104 s |


User is on Home page and click getstarted link on home page without sign in



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.328 s |
| 2 | When The user clicks on any Get Started link "Datastructures" on homepage without signin | PASSED | 1.296 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.172 s |


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 13 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.406 s |
| 2 | When The user clicks on any Get Started link "Arrays" on homepage without signin | PASSED | 0.778 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.142 s |


User is on Home page and click getstarted link on home page without sign in



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.301 s |
| 2 | When The user clicks on any Get Started link "Linkedlist" on homepage without signin | PASSED | 0.634 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.215 s |


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 14 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.306 s |
| 2 | When The user clicks on any Get Started link "Stack" on homepage without signin | PASSED | 0.711 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.164 s |


User is on Home page and click getstarted link on home page without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.485 s |
| 2 | When The user clicks on any Get Started link "Queue" on homepage without signin | PASSED | 1.335 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.291 s |


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 15 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.393 s |
| 2 | When The user clicks on any Get Started link "Tree" on homepage without signin | PASSED | 0.522 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.068 s |


User is on Home page and click getstarted link on home page without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.270 s |
| 2 | When The user clicks on any Get Started link "Graph" on homepage without signin | PASSED | 0.476 s |
| 3 | Then The user get warning message "You are not logged in" | PASSED | 0.072 s |


User is on Home page and click on sign in

DETAILED SECTION -- 16 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.375 s |
| 2 | When The user clicks on Signin link | PASSED | 0.489 s |
| 3 | Then The user should be redirected to Sign in page | PASSED | 0.001 s |

User is on Home page and click on Register




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.240 s |
| 2 | When The user clicks on Register link | PASSED | 0.517 s |
| 3 | Then The user should be redirected to Register form | PASSED | 0.026 s |

To verify and validate Registration Page




The user is presented with error message for empty fields below Username textbox



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.006 s |
| 2 | When User clicks Register button with all fields empty | PASSED | 0.198 s |
| 3 | Then It should display an error "Please fill out this field." below Username textbox | PASSED | 0.105 s |

The user is presented with error message for empty fields below Password textbox




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty | PASSED | 1.441 s |

DETAILED SECTION -- 18 --


| 1 | # Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then It should display an error "Please fill out this field" below Password textbox | PASSED | 0.098 s |

The user is presented with error message for empty fields below Password Confirmation textbox



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty | PASSED | 1.301 s |
| 3 | Then It should display an error "Please fill out this field." below Password Confirmation textbox | PASSED | 0.120 s |


The user is presented with error message for invalid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.010 s |
| 2 | When User enters "Numpy" ,"testpassword" and "testpassword" | PASSED | 1.227 s |
| 3 | Then User clicks Register and validate "Please enter a valid username" | PASSED | 0.467 s |


The user is presented with error message for invalid credentials

DETAILED SECTION -- 19 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc" | PASSED | 1.251 s |
| 3 | Then User clicks Register and validate "Username already exists" | PASSED | 0.413 s |


The user is presented with error message for invalid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Numpy@sdet84_1" ,"testpassword" and "testpassword1" | PASSED | 1.076 s |
| 3 | Then User clicks Register and validate "password_mismatch:The two password fields didn't match." | PASSED | 0.354 s |


The user is presented with error message for invalid credentials

DETAILED SECTION -- 20 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.001 s |
| 2 | When User enters "Numpy@sdet84_1" ,"a1b2c3" and "a1b2c3" | PASSED | 1.151 s |
| 3 | Then User clicks Register and validate "Password should contain at least 8 characters" | PASSED | 0.335 s |


The user is presented with error message for invalid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Numpy@sdet84_1" ,"12345678" and "12345678" | PASSED | 1.189 s |
| 3 | Then User clicks Register and validate "Password can't be entirely numeric." | PASSED | 0.512 s |


The user is presented with error message for invalid credentials

DETAILED SECTION -- 21 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84" | PASSED | 1.138 s |
| 3 | Then User clicks Register and validate "password can't be too similar to your other personal information." | PASSED | 0.504 s |


The user is presented with error message for invalid credentials



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.001 s |
| 2 | When User enters "Numpy@sdet84_1" ,"Welcome1" and "Welcome1" | PASSED | 1.051 s |
| 3 | Then User clicks Register and validate "Password can't be commonly used password" | PASSED | 0.422 s |

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 22 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Register" and 0 | FAILED | 0.063 s |
| | java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) | | |
| | at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) | | |
| | at ?.User enters "Register" and 0(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ | | |
| | TC_Register.feature:35) | | |
| | Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream | | |
| | at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) | | |
| | at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) | | |
| | at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) | | |
| | at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) | | |
| | at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66) | | |
| | at io.cucumber.java.lnvoker.invoke(lnvoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |

DETAILED SECTION -- 23 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |
| | at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) | | |
| | at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) | | |
| | at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match." | SKIPPED | 0.004 s |

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 24 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Register" and 1 | FAILED | 0.005 s |
| | java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 1(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC_Register.feature:35) | | |
| | Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.AbstractGlueDefinition.execute(JavaStepDefinition.java:49) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep.flestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep.flestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep.flestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep.flestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep.flestStep.java:56) at io.cucumber.core.runner.TestStep.executeStep.flestStep.java:56) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |

DETAILED SECTION -- 25 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |
| | at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) | | |
| | at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) | | |
| | at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match." | SKIPPED | 0.001 s |

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 26 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.002 s |
| 2 | When User enters "Register" and 2 | FAILED | 0.009 s |
| | java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 2(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ | | |
| | TC_Register.feature:35) | | |
| | Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) | | |
| | at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) | | |
| | at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.AbstractolideDefinition.invokeMethod(AbstractolideDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinition.execute(CorestepDefinition.java.ob) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |

DETAILED SECTION -- 27 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |
| | at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) | | |
| | at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) | | |
| | at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match." | SKIPPED | 0.001 s |

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 28 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User opens Register Page | PASSED | 0.003 s |
| 2 | When User enters "Register" and 3 | FAILED | 0.007 s |
| | java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 3(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream | | |
| | at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) | | |
| | at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) | | |
| | at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) | | |
| | at utils.Excelfilereader.getRowCount(Excelfilereader.java:42) | | |
| | at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |

DETAILED SECTION -- 29 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |
| | at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) | | |
| | at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) | | |
| | at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match." | SKIPPED | 0.001 s |