


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Launch ds-algo portal and navigate to home page	10.601 s	16	16	0	0	54	54	0	0
To verify and validate Registration Page	7.447 s	14	10	4	0	42	34	4	4



#	Feature Name	T	P	F	S	Duration
1	Launch ds-algo portal and navigate to home page	16	16	0	0	10.601 s
2	To verify and validate Registration Page	14	10	4	0	7.447 s

SCENARIOS SUMMARY -- 4 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch ds-algo portal and navigate to home page	User launch home page of an dsalgo project	3	3	0	0	1.553 s
2	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.612 s
3	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.937 s
4	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.604 s
5	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.766 s
6	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.596 s
7	Launch ds-algo portal and navigate to home page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.559 s

SCENARIOS SUMMARY -- 5 -



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.538 s
9	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.537 s
10	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.524 s
11	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.512 s
12	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.515 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
13	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.492 s
14	Launch ds-algo portal and navigate to home page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.479 s
15	Launch ds-algo portal and navigate to home page	User is on Home page and click on sign in	3	3	0	0	0.352 s
16	Launch ds-algo portal and navigate to home page	User is on Home page and click on Register	3	3	0	0	0.407 s
17	To verify and validate Registration Page	The user is presented with error message for empty fields below Username textbox	3	3	0	0	0.176 s

SCENARIOS SUMMARY -- 7 -



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	To verify and validate Registration Page	The user is presented with error message for empty fields below Password textbox	3	3	0	0	0.336 s
19	To verify and validate Registration Page	The user is presented with error message for empty fields below Password Confirmation textbox	3	3	0	0	0.525 s
20	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.778 s
21	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	1.015 s
22	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.917 s
23	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.850 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.991 s
25	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.796 s
26	To verify and validate Registration Page	The user is presented with error message for invalid credentials	3	3	0	0	0.755 s
27	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.038 s
28	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.010 s
29	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.008 s
30	To verify and validate Registration Page	Read data from Excel for Register page and verify Message	3	1	1	1	0.008 s

## Launch ds-algo portal and navigate to home page


Scenarios		Steps	
Total - 16		Total - 54	
Pass - 16	16	Pass - 54	54
Fail - 0	10	Fail - 0	J 7
Skip - 0		Skip - 0	
	Total - 16  Pass - 16  Fail - 0	Total - 16 Pass - 16 Fail - 0	Total - 16 Pass - 16 Fail - 0  Total - 54 Pass - 54 Fail - 0

### User launch home page of an dsalgo project




#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.482 s
2	When The user clicks the "Get Started" button	PASSED	1.032 s
3	Then The user should be redirected to homepage	PASSED	0.015 s

#### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.150 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.003 s
3	Then The user clicks on any dropdown "Arrays"	PASSED	0.387 s
4	Then The user get warning message "You are not logged in"	PASSED	0.063 s

# User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.174 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.002 s
3	Then The user clicks on any dropdown "Linkedlist"	PASSED	0.700 s
4	Then The user get warning message "You are not logged in"	PASSED	0.055 s


### User is on Home page and click on dropdown without sign in

PASSED	DURATION - 0.604 s	0.6 -	Steps
/ 11:18:45.721	PM // 11:18:46.325 PM /	0.4 -	Total - 4
		0.4	Pass - 4
Launch ds-algo	portal and navigate to home page	0.2	Skip - 0
		0 -	
			1 2 3 4

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.165 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	Then The user clicks on any dropdown "Stack"	PASSED	0.377 s
4	Then The user get warning message "You are not logged in"	PASSED	0.055 s

### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.183 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.008 s
3	Then The user clicks on any dropdown "Queue"	PASSED	0.516 s
4	Then The user get warning message "You are not logged in"	PASSED	0.052 s


### User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.148 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.004 s
3	Then The user clicks on any dropdown "Tree"	PASSED	0.383 s
4	Then The user get warning message "You are not logged in"	PASSED	0.049 s


DETAILED SECTION -- 12 --

# User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.117 s
2	When The user clicks on datastructure dropdown without signin	PASSED	0.003 s
3	Then The user clicks on any dropdown "Graph"	PASSED	0.381 s
4	Then The user get warning message "You are not logged in"	PASSED	0.049 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.154 s
2	When The user clicks on any Get Started link "Datastructures" on homepage without signin	PASSED	0.325 s
3	Then The user get warning message "You are not logged in"	PASSED	0.052 s


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 13 --



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.157 s
2	When The user clicks on any Get Started link "Arrays" on homepage without signin	PASSED	0.311 s
3	Then The user get warning message "You are not logged in"	PASSED	0.064 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.152 s
2	When The user clicks on any Get Started link "Linkedlist" on homepage without signin	PASSED	0.306 s
3	Then The user get warning message "You are not logged in"	PASSED	0.061 s


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 14 --



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.152 s
2	When The user clicks on any Get Started link "Stack" on homepage without signin	PASSED	0.293 s
3	Then The user get warning message "You are not logged in"	PASSED	0.058 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.153 s
2	When The user clicks on any Get Started link "Queue" on homepage without signin	PASSED	0.299 s
3	Then The user get warning message "You are not logged in"	PASSED	0.059 s


User is on Home page and click getstarted link on home page without sign in

DETAILED SECTION -- 15 --



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.154 s
2	When The user clicks on any Get Started link "Tree" on homepage without signin	PASSED	0.279 s
3	Then The user get warning message "You are not logged in"	PASSED	0.051 s


### User is on Home page and click getstarted link on home page without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.147 s
2	When The user clicks on any Get Started link "Graph" on homepage without signin	PASSED	0.280 s
3	Then The user get warning message "You are not logged in"	PASSED	0.046 s


User is on Home page and click on sign in

DETAILED SECTION -- 16 --




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.142 s
2	When The user clicks on Signin link	PASSED	0.206 s
3	Then The user should be redirected to Sign in page	PASSED	0.001 s

#### User is on Home page and click on Register




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.123 s
2	When The user clicks on Register link	PASSED	0.257 s
3	Then The user should be redirected to Register form	PASSED	0.023 s

# **To verify and validate Registration Page**



### The user is presented with error message for empty fields below Username textbox



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.003 s
2	When User clicks Register button with all fields empty	PASSED	0.103 s
3	Then It should display an error "Please fill out this field." below Username textbox	PASSED	0.066 s

#### The user is presented with error message for empty fields below Password textbox


PASSED DURATION - 0.336 s	0.6 - Steps
/ 11:18:53.218 PM // 11:18:53.554 PM /	0.4
To verify and validate Registration Page	- 0.2 - Fall - 0 Skip - 0
	1 2 3

#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User clicks Register button after entering username as "Numpy@sdet84_1" with other fields empty	PASSED	0.291 s

DETAILED SECTION -- 18 --


#	Sten / Hook Details	Status	Duration
3	Then It should display an error "Please fill out this field" below Password textbox	PASSED	0.040 s

### The user is presented with error message for empty fields below Password Confirmation textbox



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User clicks Register button after entering "Numpy@sdet84_1" and "testpassword" with Password Confirmation field empty	PASSED	0.474 s
3	Then It should display an error "Please fill out this field." below Password Confirmation textbox	PASSED	0.045 s


#### The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.005 s
2	When User enters "Numpy", "testpassword" and "testpassword"	PASSED	0.546 s
3	Then User clicks Register and validate "Please enter a valid username"	PASSED	0.219 s


The user is presented with error message for invalid credentials

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"RT56YUabc" and "RT56YUabc"	PASSED	0.687 s
3	Then User clicks Register and validate "Username already exists"	PASSED	0.323 s


# The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"testpassword" and "testpassword1"	PASSED	0.696 s
3	Then User clicks Register and validate "password_mismatch:The two password fields didn't match."	PASSED	0.218 s


The user is presented with error message for invalid credentials

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"a1b2c3" and "a1b2c3"	PASSED	0.630 s
3	Then User clicks Register and validate "Password should contain at least 8 characters"	PASSED	0.214 s


# The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"12345678" and "12345678"	PASSED	0.763 s
3	Then User clicks Register and validate "Password can't be entirely numeric."	PASSED	0.224 s


The user is presented with error message for invalid credentials

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Numpy@sdet84_1" ,"testsdet84" and "testsdet84"	PASSED	0.601 s
3	Then User clicks Register and validate "password can't be too similar to your other personal information."	PASSED	0.191 s


# The user is presented with error message for invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Numpy@sdet84_1" ,"Welcome1" and "Welcome1"	PASSED	0.556 s
3	Then User clicks Register and validate "Password can't be commonly used password"	PASSED	0.198 s

**Read data from Excel for Register page and verify Message** 

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.002 s
2	When User enters "Register" and 0	FAILED	0.026 s
	When User enters "Register" and 0  java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:39) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 0(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excefilereader.getRowCount(Excefilereader.java:39) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:24) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.JavaStepDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:63) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 23 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.004 s

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 24 --




#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 1	FAILED	0.003 s
	java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:39) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 1(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521)		
	at utils.Excelfilereader.getRowCount(Excelfilereader.java:39)		
	at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 25 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 26 --




#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 2	FAILED	0.004 s
_	When User enters "Register" and 2  java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:39) at stepDefinition.Register SD.user_enters_and(Register_SD.java:100) at ?-User_enters "Register" and 2(file://I/C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.joadClass(ClassLoader.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:39) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:26) at io.cucumber.java.Nuvoker.invoke(Invoker.java:24) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.ore.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinition.execute(ExecutionMode.java:10) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep.TestStep.java:84) at io.cucumber.core.runner.TestStep.executeStep.TestStep.java:85) at io.cucumber.core.runner.TestCase.run(TestStep.java:36) at io.cucumber.core.runner.TestCase.run(TestStep.java:36) at io.cucumber.core.runner.TestCase.run(TestStep.java:36)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s

Read data from Excel for Register page and verify Message

DETAILED SECTION -- 28 --



#	Step / Hook Details	Status	Duration
1	Given User opens Register Page	PASSED	0.001 s
2	When User enters "Register" and 3	FAILED	0.004 s
2	java.lang.NoClassDefFoundError: org/apache/commons/io/output/UnsynchronizedByteArrayOutputStream at utils.Excelfilereader.getRowCount(Excelfilereader.java:39) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at ?.User enters "Register" and 3(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/ninja+project/src/test/resources/features/ TC_Register.feature:35) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.output.UnsynchronizedByteArrayOutputStream at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at utils.Excelfilereader.getRowCount(Excelfilereader.java:39) at stepDefinition.Register_SD.user_enters_and(Register_SD.java:100) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:24)	FAILED	0.004 s
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
3	Then User clicks on Register buttton and should display Message "password_mismatch:The two password fields didn't match."	SKIPPED	0.001 s