


Feature		Scenario				Step				
Name	Duration	T	P	F	S	T	P	F	S	
Launch Start page and Test Home Page	7.397 s	14	14	0	0	43	43	0	0	
Title of your feature	7.835 s	8	8	0	0	21	21	0	0	
performing signin	6.060 s	10	10	0	0	30	30	0	0	
To validate Queue Data Structure	1 m 17.365 s	16	8	8	0	55	32	8	15	
To Validate Graph Data Structure	52.543 s	8	3	5	0	26	14	5	7	


Tag	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@startPage	14	14	0	0	1	1	0	0	

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	14	14	0	0	7.397 s
2	Title of your feature	8	8	0	0	7.835 s
3	performing signin	10	10	0	0	6.060 s
4	To validate Queue Data Structure	16	8	8	0	1 m 17.365 s
5	To Validate Graph Data Structure	8	3	5	0	52.543 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	launch the home page of dsalgo portal	3	3	0	0	1.466 s
2	Launch Start page and Test Home Page	user is on home page	2	2	0	0	0.380 s
3	Launch Start page and Test Home Page	user is on home page	2	2	0	0	0.335 s
4	Launch Start page and Test Home Page	user is on home page	2	2	0	0	0.373 s
5	Launch Start page and Test Home Page	user is on home page	2	2	0	0	0.390 s
6	Launch Start page and Test Home Page	user is on home page	2	2	0	0	0.401 s
7	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.536 s
8	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.488 s
9	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.433 s
10	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.461 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.459 s
12	Launch Start page and Test Home Page	User is on Home page and click on dropdown without sign in	4	4	0	0	0.546 s
13	Launch Start page and Test Home Page	User is on Home page and click on sign in	3	3	0	0	0.213 s
14	Launch Start page and Test Home Page	User is on Home page and click on Register	3	3	0	0	0.271 s
15	<u>Title of your feature</u>	The user is presented with error message for empty fields below Username textbox	3	3	0	0	0.322 s
16	<u>Title of your feature</u>	The user is presented with error message for empty fields below Password textbox	2	2	0	0	0.353 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Title of your feature</u>	The user is presented with error message for empty fields belo Password Confirmation textbox	2	2	0	0	0.354 s
18	<u>Title of your feature</u>	to register with all the data	3	3	0	0	2.393 s
19	<u>Title of your feature</u>	to register with all the data	3	3	0	0	1.386 s
20	<u>Title of your feature</u>	to register with all the data	3	3	0	0	1.325 s
21	<u>Title of your feature</u>	to register with all the data	3	3	0	0	1.264 s
22	<u>Title of your feature</u>	Verifying signin link	2	2	0	0	0.209 s
23	performing signin	Redirect to Register page	3	3	0	0	0.379 s
24	performing signin	Redirect to login page	3	3	0	0	0.238 s
25	performing signin	User on login page and login with invalid inputs	3	3	0	0	0.772 s
26	performing signin	User on login page and login with invalid inputs	3	3	0	0	0.398 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	performing signin	User on login page and login with invalid inputs	3	3	0	0	0.469 s
28	performing signin	"User on login page and login with invalid and valid inputs from Excel"	3	3	0	0	0.865 s
29	performing signin	"User on login page and login with invalid and valid inputs from Excel"	3	3	0	0	0.901 s
30	performing signin	"User on login page and login with invalid and valid inputs from Excel"	3	3	0	0	0.783 s
31	performing signin	"User on login page and login with invalid and valid inputs from Excel"	3	3	0	0	0.838 s
32	performing signin	Verifying signout link	3	3	0	0	0.237 s
33	To validate Queue Data Structure	The user is logged in to DS Algo portal	4	0	1	3	0.488 s
34	To validate Queue Data Structure	User is naviagted to Queue Data structure from homepage	3	3	0	0	0.385 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
35	To validate Queue Data Structure	User is navigated to Implementation of Queue in Python	3	1	1	1	10.357 s
36	To validate Queue Data Structure	User is navigated to tryEditor Page	3	1	1	1	10.376 s
37	To validate Queue Data Structure	User enters valid Python code and Presented with Result	4	1	1	2	10.337 s
38	To validate Queue Data Structure	User enters Invalid Python code and Presented with Error Message	5	2	1	2	11.369 s
39	To validate Queue Data Structure	User navigates to Implementation using collections.deque	3	3	0	0	0.244 s
40	To validate Queue Data Structure	User navigates to tryEditor page	3	3	0	0	0.467 s
41	To validate Queue Data Structure	User enters valid Python code and Presented with Result	4	1	1	2	10.431 s
42	To validate Queue Data Structure	User is navigated to Implementation using array	3	3	0	0	0.265 s

SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
43	To validate Queue Data Structure	User is naviagted to tryEditor page from Implementation using array page	3	3	0	0	0.591 s
44	To validate Queue Data Structure	User enters valid Python code and Presented with Result	4	1	1	2	10.491 s
45	To validate Queue Data Structure	User is navigated to Queue Operations	3	3	0	0	0.226 s
46	To validate Queue Data Structure	User is navigated to tryEditor Page	3	3	0	0	0.415 s
47	To validate Queue Data Structure	User enters valid Python code and Presented with Result	4	1	1	2	10.328 s
48	To validate Queue Data Structure	User navigated to Practice Questions	3	3	0	0	0.219 s
49	To Validate Graph Data Structure	User should be able to navigate to Graph Data Structure Page	3	3	0	0	0.675 s
50	To Validate Graph Data Structure	User should be able to navigate to Graph Page	3	1	1	1	10.281 s
51	To Validate Graph Data Structure	User should be able to navigate to tryEditor Page	3	1	1	1	10.281 s

SCENARIOS SUMMARY -- 11 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
52	To Validate Graph Data Structure	User enters valid Python code and Presented with Result	4	1	1	2	10.306 s
53	To Validate Graph Data Structure	User should be able to navigate to Graph representations Page	3	1	1	1	10.311 s
54	To Validate Graph Data Structure	User should be able to navigate to tryEditor Page	3	3	0	0	0.006 s
55	To Validate Graph Data Structure	User should be able to enter a invalid Python code and Presented with Error Message	4	1	1	2	10.330 s
56	To Validate Graph Data Structure	The user is able to navigate to "Practice Questions" in graph Page	3	3	0	0	0.231 s

Launch Start page and Test Home Page


PASSED	DURATION - 7.397 s	Scenarios		Steps	
		Total - 14		Total - 43	
/ 3:36:43.856 PM	// 3:36:51.253 PM /	Pass - 14	14	Pass - 43	43
		Fail - 0		Fail - 0	10
		Skip - 0		Skip - 0	

launch the home page of dsalgo portal



#	Step / Hook Details	Status	Duration
1	Given user opens the dsalgo portal link	PASSED	0.472 s
2	When user clicks on "Get Started" button	PASSED	0.903 s
3	Then user redirected to home page	PASSED	0.018 s


user is on home page



DETAILED SECTION -- 13 --


#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Data Structures-Introduction" in home page	PASSED	0.308 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.055 s

user is on home page




#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Linked List" in home page	PASSED	0.281 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.044 s

user is on home page




#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Stack" in home page	PASSED	0.309 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.052 s

user is on home page




#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Queue" in home page	PASSED	0.326 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.052 s

user is on home page




#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Tree" in home page	PASSED	0.345 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.046 s

User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.144 s
2	When The user clicks on data structure dropdown	PASSED	0.074 s
3	When The user clicks on dropdown "Arrays" without login	PASSED	0.291 s
4	Then The user get warning message "You are not logged in"	PASSED	0.006 s

User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.148 s
2	When The user clicks on data structure dropdown	PASSED	0.083 s
3	When The user clicks on dropdown "Linked list" without login	PASSED	0.240 s
4	Then The user get warning message "You are not logged in"	PASSED	0.002 s


User is on Home page and click on dropdown without sign in

PASSED DURATION - 0.433 s		Steps
/ 3:36:48.706 PM // 3:36:49.139 PM /		Total - 4 Pass - 4
Launch Start page and Test Home Page	<u>-</u>	Fall - 0 Skip - 0
@startPage	1 2 3	4

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.121 s
2	When The user clicks on data structure dropdown	PASSED	0.064 s


#	Step / Hook Details	Status	Duration
3	When The user clicks on dropdown "Stack" without login	PASSED	0.229 s
4	Then The user get warning message "You are not logged in"	PASSED	0.002 s

User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.118 s
2	When The user clicks on data structure dropdown	PASSED	0.063 s
3	When The user clicks on dropdown "Queue" without login	PASSED	0.255 s
4	Then The user get warning message "You are not logged in"	PASSED	0.007 s


User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.140 s
2	When The user clicks on data structure dropdown	PASSED	0.067 s
3	When The user clicks on dropdown "Tree" without login	PASSED	0.220 s
4	Then The user get warning message "You are not logged in"	PASSED	0.002 s


DETAILED SECTION -- 17 --

User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.147 s
2	When The user clicks on data structure dropdown	PASSED	0.074 s
3	When The user clicks on dropdown "Graph" without login	PASSED	0.298 s
4	Then The user get warning message "You are not logged in"	PASSED	0.003 s


User is on Home page and click on sign in



#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.001 s
2	When The user clicks Sign in	PASSED	0.201 s
3	Then The user should be redirected to Sign in page	PASSED	0.003 s

User is on Home page and click on Register

DETAILED SECTION -- 18 --




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.002 s
2	When The user clicks Register	PASSED	0.253 s
3	Then The user should be redirected to Register form	PASSED	0.001 s

Title of your feature

Total - 21	
Pass - 21	21
Fail - 0	
Skip - 0	
	Fail - 0

The user is presented with error message for empty fields below Username textbox




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.143 s
2	When The user clicks "Register" button with all fields empty	PASSED	0.097 s

DETAILED SECTION -- 19 --


	#	Step / Hook Details	Status	Duration
3	3	Then It should display an error "Please fill out username field." below Username textbox	PASSED	0.068 s

The user is presented with error message for empty fields below Password textbox



#	Step / Hook Details	Status	Duration
1	When User click Register with username as "NumpySDET100" only	PASSED	0.289 s
2	Then User verify the message at password on Register Page as "Please fill out password field."	PASSED	0.058 s


The user is presented with error message for empty fields belo Password Confirmation textbox



#	Step / Hook Details	Status	Duration
1	When User click Register with password as "PasswordSDET100" only	PASSED	0.300 s
2	Then User verify the message at confirmation password on Register Page as "Please fill out password confirmation field."	PASSED	0.050 s


to register with all the data

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.145 s
2	When user enter the sheetname "Sheet1" and row number 0	PASSED	1.934 s
3	Then user click on Register button	PASSED	0.303 s


to register with all the data



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.154 s
2	When user enter the sheetname "Sheet1" and row number 1	PASSED	0.917 s
3	Then user click on Register button	PASSED	0.306 s


to register with all the data

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.145 s
2	When user enter the sheetname "Sheet1" and row number 2	PASSED	0.912 s
3	Then user click on Register button	PASSED	0.259 s


to register with all the data



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.137 s
2	When user enter the sheetname "Sheet1" and row number 3	PASSED	0.867 s
3	Then user click on Register button	PASSED	0.248 s

Verifying signin link

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given The user clicks on signin link on register page	PASSED	0.204 s
2	Then The user redirected to signinpage from registerpage	PASSED	0.001 s

performing signin

PASSED	DURATION - 6.060 s	Scenarios		Steps	
		Total - 10		Total - 30	
/ 3:36:59.167 PM /	// 3:37:05.227 PM /	Pass - 10	10	Pass - 30	30
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Redirect to Register page



#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.141 s
2	When User Clicks on Register link	PASSED	0.223 s
3	Then User should be redirected to Register page	PASSED	0.004 s


DETAILED SECTION -- 23 --

Redirect to login page

PASSED DURATION - 0.238 s	3 -	Steps Total - 3
/ 3:36:59.575 PM // 3:36:59.813 PM / performing signin	1-	Pass - 3 Fail - 0
		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on register page	PASSED	0.005 s
2	When user click on loginbtn	PASSED	0.223 s
3	Then user in on loginpage	PASSED	0.003 s


User on login page and login with invalid inputs



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.003 s
2	When The user enter invalid "user" and "password"	PASSED	0.723 s
3	Then click login button to verify	PASSED	0.042 s


User on login page and login with invalid inputs

DETAILED SECTION -- 24 --



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.002 s
2	When The user enter invalid "" and ""	PASSED	0.355 s
3	Then click login button to verify	PASSED	0.038 s


User on login page and login with invalid inputs



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.002 s
2	When The user enter invalid "" and ""	PASSED	0.436 s
3	Then click login button to verify	PASSED	0.024 s


[&]quot;User on login page and login with invalid and valid inputs from Excel"

DETAILED SECTION -- 25 --



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.099 s
2	When The user enter sheet "signin" and 0	PASSED	0.474 s
3	Then click login button	PASSED	0.288 s


"User on login page and login with invalid and valid inputs from Excel"



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.104 s
2	When The user enter sheet "signin" and 1	PASSED	0.532 s
3	Then click login button	PASSED	0.258 s


[&]quot;User on login page and login with invalid and valid inputs from Excel"

DETAILED SECTION -- 26 --



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.098 s
2	When The user enter sheet "signin" and 2	PASSED	0.422 s
3	Then click login button	PASSED	0.255 s


"User on login page and login with invalid and valid inputs from Excel"



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.083 s
2	When The user enter sheet "signin" and 3	PASSED	0.340 s
3	Then click login button	PASSED	0.413 s

Verifying signout link

DETAILED SECTION -- 27 --




#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page with valid log in	PASSED	0.002 s
2	When The user clicks "Sign out"	PASSED	0.226 s
3	Then The user redirected to homepage	PASSED	0.001 s

To validate Queue Data Structure

Scenarios		Steps	
Total - 16		Total - 55	
Pass - 8	16	Pass - 32	55
Fail - 8		Fail - 8	
Skip - 0		Skip - 15	
	Total - 16 Pass - 8 Fail - 8	Total - 16 Pass - 8 Fail - 8	Total - 16 Pass - 8 Fail - 8 Total - 55 Pass - 32 Fail - 8

The user is logged in to DS Algo portal




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	FAILED	0.012 s
	io.cucumber.core.exception.CucumberException: Step [The user is on Signin page of DS Algo portal] is defined with 1 parameters at		

ion.Queue_SD.the_user_is_on_signin_page_of_ds_algo_portal(java.lang.String)'. However, the gherkin step has 0 arguments. he user is on Signin page of DS Algo portal imber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) imber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) imber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) imber.core.runner.TestStep.executeStep(TestStep.java:84) imber.core.runner.TestStep.run(TestStep.java:56) imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) imber.core.runner.Runner.runPickle(Runner.java:75) imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) imber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
Imber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) Imber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) Imber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) Imber.core.runner.TestStep.executeStep(TestStep.java:84) Imber.core.runner.TestStep.run(TestStep.java:56) Imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) Imber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) Imber.core.runner.TestStep.executeStep(TestStep.java:84) Imber.core.runner.TestStep.run(TestStep.java:56) Imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) Imber.core.runner.TestStep.executeStep(TestStep.java:84) Imber.core.runner.TestStep.run(TestStep.java:56) Imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.TestStep.executeStep(TestStep.java:84) Imber.core.runner.TestStep.run(TestStep.java:56) Imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.TestStep.run(TestStep.java:56) Imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.TestCase.run(TestCase.java:84) Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runner.Runner.runPickle(Runner.java:75) Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
Imber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
imber testna TestNGCucumberRunner runScenario/TestNGCucumberRunner java:120)		
imberitesting. restroculation trainier runs centuro (restroculation runner juvu. 125)		
ımber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
ase/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
ase/java.lang.reflect.Method.invoke(Method.java:578)		
tng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
tng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
tng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
tng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
tng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
tng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
tng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
tng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
tng.TestRunner.privateRun(TestRunner.java:829)		
	1	
the	ng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) ng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) ng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) ng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) ng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) ng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.java:1511)	ng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) ng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50) ng.internal.invokers.TestInvoker.ShethodInvocationAgent.invoke(TestInvoker.java:969) ng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) ng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) ng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) ng.internal.invokers.TestMethodWorker.java:128) ng.internal.invoke

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.462 s
	My screenshot		
	Surging value : Surging value		
2	When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa"	SKIPPED	0.002 s
3	And The user click on login button	SKIPPED	0.001 s
4	Then The user redirected to homepage	SKIPPED	0.000 s


User is naviagted to Queue Data structure from homepage



#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of Dsalgo Portal	PASSED	0.007 s
2	When User clicks on getstarted button	PASSED	0.363 s
3	Then User is navigated to Queue data structure	PASSED	0.004 s

User is navigated to Implementation of Queue in Python


DETAILED SECTION -- 30 -



#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on Implementation of Queue in Python	FAILED	10.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"link text", "selector": "Implementation of Queue in Python"). (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9a572, findElement (using=link text, value=Implementation of Queue in Python)] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.149), goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp. ws://localhost:51875/devtoo, se:cdp.Version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit): 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:ext		

#	Step / Hook Details	Status	Duration
	at stepDefination.Queue_SD.user_clicks_on_implementation_of_queue_in_python(Queue_SD.java:66) at ?.User clicks on Implementation of Queue in Python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.304 s
	My screenshot		
	Supplier in the control of the contr		
	The state of the s		
3	Then User is directed to Implementation of Queue in Python	SKIPPED	0.000 s

User is navigated to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.003 s
2	When User clicks on Try here button	FAILED	10.080 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9392900cbbb5454729028a28d9af572		

DETAILED SECTION -- 32 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.Queue_POM.try_button(Queue_POM.java:88) at stepDefination.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:82) at ?.User clicks on Try here button(file://l/C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/ features/TCO8_QueuePage.feature:22) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.287 s
	The state of the s		
3	Then User is navigated to tryEditor Page	SKIPPED	0.001 s

User enters valid Python code and Presented with Result

DETAILED SECTION -- 33 --




Given User is on Try Editor Page And User Enters "print('Hello, world!')" in the Editor org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//form/div/div/div/textarea"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/	PASSED FAILED	0.002 s 10.041 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//form/div/div/textarea"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/	FAILED	10.041 s
textarea" (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/		
#no_such_element Build info: version: '4.8.1', revision: '8ebccae88' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9a572, findElement (using=xpath, value=/form/div/div/div/textarea)] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C*\Users\Padma\AppData\Loca}), goog:chromeOptions: (debuggerAddress: localhost:51875/devtoc, se.cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:virtualAuthenticators: true) Session ID: b9392900cbbb5454729028a28d9af572 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Ginetrictor.gava:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:543) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:543) at org.openqa.selenium.remote.RemoteWebDriver.indElement(CelmentLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(PelmentLocation.java:32) at org.openqa.selenium.remote.PelmentLocation.findElement(PelmentLocation.java:32) at		

DETAILED SECTION -- 34 --

Step / Hook Details	Status	Duration
at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:100) at ?.User Enters "print('Hello, world!')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/st/resources/features/TC08_QueuePage.feature:27) Not displayable characters are replaced by '?'.		
FTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.290 s
Applies to the contract of the		
and clicks on Run Button	SKIPPED	0.000 s 0.001 s
nd cli		cks on Run Button SKIPPED

User enters Invalid Python code and Presented with Error Message




#	Step / Hook Details	Status	Duration
1	Given User is navigated to Implementation of Queue in python	PASSED	0.222 s
2	When User clicks on Try here button	PASSED	0.787 s
3	And User Enters Invalid python code "print'Hello, world!')" in the Editor	FAILED	10.123 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chromeChromeDriver Command: [b9392900cbbb5454729028a28d9af572, sendKeysToElement {id=c251811f-d259-4a94-9a9b-f269046e358c, value=[Ljava.lang.CharSequence;@5c261c74}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false,		

DETAILED SECTION -- 35 --


#	Step / Hook Details	Status	Duration
	pageLoadStrategy: normal, platformName: WINDOWS, proxy; Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b9392900cbbb5454729028a28d9af572)] -> xpath: //form/div/div/div/textarea] Session ID: b9392900cbbb5454729028a28d9af572 at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.DectMethod.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.spProxy43.sendKeys(Unknown Source) at pageObjectModel_Queue_PSProxy43.sendKey		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.231 s
	My screenshot		
4	And clicks on Run Button	SKIPPED	0.000 s
5	Then The User is Presented with a Error Message for Invalid python code	SKIPPED	0.001 s

DETAILED SECTION -- 36 --



#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on the Implementation using collections.deque link	PASSED	0.237 s
3	Then User is navigated to Implementation using collections.deque page	PASSED	0.001 s


User navigates to tryEditor page



#	Step / Hook Details	Status	Duration
1	Given User is on Implementation using collections.deque page	PASSED	0.001 s
2	When User clicks on Try here button	PASSED	0.446 s
3	Then User is navigated to tryEditor Page	PASSED	0.002 s

User enters valid Python code and Presented with Result

DETAILED SECTION -- 37 --




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('Implementation using collections.deque')" in the Editor	FAILED	10.124 s
2	When User Enters "print('Implementation using collections.deque')" in the Editor org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '48.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [b3392900cbbb5454729028a28d9af572, sendKeysToElement [id=7ae42cbf-ee2a-4fe2-8967-c635ff709519, value=[Ljava.lang.CharSequence;@26c1f3eb]] Capabilities (accepthsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:UsersPadmaNappDatalLoca), goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prif: true, webauthn:vettension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prif: true, webauthn:vettension:prif: true, webauthn:vettension:prif: true, webauthn:vettension:prif: true, webauthn:vettension:prif: true, webauthn:vettension:newlpethologobis-545729028a28d9af572] >> xpath: //form/div/div/div/textarea] Session ID: b9392900cbbb5454729028a28d9af572] at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PitverCommandExecutor.java:142)	FAILED	10.124 s
	at pageObjectModel.Queue_POM.textarea(Queue_POM.java:93) at stepDefination.Queue SD.user enters in the editor(Queue SD.java:100)		
	at stehnelingtion: Anere _on:noet_elifeto_in_flue_ention(Anere_on:languarion)		

DETAILED SECTION -- 38 --

#	Step / Hook Details	Status	Duration
	at ?.User Enters "print('Implementation using collections.deque')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.301 s
	My screenshot		
3	And clicks on Run Button	SKIPPED	0.001 s
4	Then The User is Presented with a Result	SKIPPED	0.000 s


User is navigated to Implementation using array



#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.001 s
2	When User clicks on Implementation using array link	PASSED	0.251 s
3	Then User is navigated to Implementation using array page	PASSED	0.002 s


User is naviagted to tryEditor page from Implementation using array page

DETAILED SECTION -- 39 --



#	Step / Hook Details	Status	Duration
1	Given User is on Implementation using array page	PASSED	0.004 s
2	When User clicks on Try here button	PASSED	0.581 s
3	Then User is navigated to tryEditor Page	PASSED	0.001 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.002 s
2	When User Enters "print('Implementation using array page')" in the Editor	FAILED	10.187 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, sendKeysToElement {id=b1cc8165-5f7b-4a4e-8024-586b031b4e05, value=[Ljava.lang.CharSequence;@25890ce3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b9392900cbbb5454729028a28d9af572)] -> xpath: //form/div/div/div/textarea] Session ID: b9392900cbbb5454729028a28d9af572		

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:93) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:100) at ?.User Enters "print("Implementation using array page")" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TCO8_QueuePage.feature:66) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.295 s
3	And clicks on Run Button	SKIPPED	0.001 s
4	Then The User is Presented with a Result	SKIPPED	0.000 s


User is navigated to Queue Operations

DETAILED SECTION -- 41 --




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.000 s
2	When User clicks on Queue Operations link	PASSED	0.219 s
3	Then User is navigated to Queue Operations Page	PASSED	0.002 s

User is navigated to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given User is on QUeue Operations Page	PASSED	0.003 s
2	When User clicks on Try here button	PASSED	0.405 s
3	Then User is navigated to tryEditor Page	PASSED	0.001 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('Queue Operations')" in the Editor	FAILED	10.104 s
2	When User Enters "print('Queue Operations')" in the Editor org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chrome ChromeDriver Command: [b9392900cbb5454729028a28d9af572, sendKeysToElement (id=209d6142-4e87-4747-91ec-4512ae3b9fd3, value=ILjava.lang.CharSequence:@38b7004d)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:UsersPadmaNappDatalLoca), goog:chromeOptions: (debuggerAddress: localhost:51875), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prif: true, webauthn:vextension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prif: true, webauthn:vextension:prif: true, vextension:prif: true, vexte	FAILED	10.104 s
	at pageObjectModel.Queue_POM.textarea(Queue_POM.java:93) at stepDefination Queue_SD user_enters_in_the_editor(Queue_SD java:100)		
	at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:100)		

DETAILED SECTION -- 43 --


#	Step / Hook Details	Status	Duration
	at ?.User Enters "print('Queue Operations')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:82) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.219 s
	My screenshot		
3	And clicks on Run Button	SKIPPED	0.000 s
4	Then The User is Presented with a Result	SKIPPED	0.000 s

User navigated to Practice Questions




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.000 s
2	When User clicks on Practice Questions link	PASSED	0.213 s
3	Then User is navigated to Practice Questions	PASSED	0.001 s

To Validate Graph Data Structure




User should be able to navigate to Graph Data Structure Page



#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DsAlgo Portal	PASSED	0.256 s
2	When User clicks on Graph Get started button	PASSED	0.408 s
3	Then User re-directed to Graph Page	PASSED	0.002 s

User should be able to navigate to Graph Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.004 s
2	When User clicks on Graph link in Graph Page	FAILED	10.035 s


DETAILED SECTION -- 45 --

Step / Hook Details	Status	Duration
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ul[2]/a[text()='Graph']"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, findElement {using=xpath, value=//ul[2]/a[text()='Graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149,		
setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn		
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:102) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)		
at pageObjectModel.GraphPage_POM.grph_link(GraphPage_POM.java:51) at stepDefination.Graph_SD.user_clicks_on_graph_link_in_graph_page(Graph_SD.java:36)		
at ?.User clicks on Graph link in Graph Page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:9)		
* Not displayable characters are replaced by '?'. ACTED, STED, healts Healt offerston/in quaumber into Separatio)	DACCED	0.220 c
AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.238 s

DETAILED SECTION -- 46 --

#		Step / Hook Details	Status	Duration
	Namp (Vigo 1) The membrane of			
3	Then User is re-directed to	Graphlink of Graph Page	SKIPPED	0.000 s

User should be able to navigate to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph link of Graph Page	PASSED	0.001 s
2	When User clicks on Try here button of Graph page	FAILED	10.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:51875/devtoo, secdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9392900cbbb5454729028a28d9af572 at java.base/java.lang.reflect.DirectConstructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133)		

DETAILED SECTION -- 47 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.Internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2.jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.clck_try_button(GraphPage_POM.java:56) at stepDefination.Graph_SD.user_clicks_on_try_here_button_of_Graph_page(Graph_SD.java:54) at ?.User clicks on Try here button of Graph page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot Wighting Tellinois Step Committee Commi	PASSED	0.230 s
3	Then User is re-directed to tryEditor Page	SKIPPED	0.000 s

User enters valid Python code and Presented with Result




DETAILED SECTION -- 48 --

#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.000 s
2	When User enters Valid Python code "print('Implementation of Graph')"	FAILED	10.064 s
2	When User enters Valid Python code "print(Implementation of Graph)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//form/div/div/div/textarea") (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, findElement (using=xpath, value=//form/div/div/div/textarea)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C3UsersIPadmaNapDataLoca}, googc.chromeOptions: (debuggerAddress: localhost:51875), networkConnection:Enabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), ser.cdp: ws://localhost:51875/dev1oo, ser.cdp/version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad' 300000, script: 30000), unhandledPrompBehavior: dismiss and notify, webauthnextension:credBlob: true, webauthnextension:smlPinLength: true, webauthnextension:credBlob: true, webauthnextension:mlmPinLength: true, webauthnextension:truel biological plant of the plant of t	FAILED	10.064 s
	SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:19)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.236 s
	My screenshot		

#	Step / Hook Det	ails Status	Duration
	Managerities in the contraction. But Stronger translations Get Stronger translations As a second of the contraction of the c		
3	And clicks on Run button	SKIPPED	0.001 s
4	Then User is presented with the Result	SKIPPED	0.000 s

User should be able to navigate to Graph representations Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.001 s
2	When User clicks on Graph Representations link	FAILED	10.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"//a[text()='Graph Representations]"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, findElement {using=link text, value=//a[text()='Graph Representations']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9392900cbbb5454729028a28d9af572 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

DETAILED SECTION -- 50 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.internal.LocatingElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:72) at stepDefination.Graph_SD.user_clicks_on_graph_representations_link(Graph_SD.java:105) at v.User clicks on Graph Representations link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.250 s
3	Then User is navigated to Graph Representations Page	SKIPPED	0.000 s

User should be able to navigate to tryEditor Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.001 s
2	When User clicks on Try here button of Graph Representations page	PASSED	0.001 s
3	Then User is re-directed to tryEditor Page	PASSED	0.001 s

User should be able to enter a invalid Python code and Presented with Error Message



	4	
tus	Duration	
D	0.001 s	
)	10.080 s	


#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	When User enters code "print(Graph Representation"	FAILED	10.080 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"//a[text()='Graph Representations']"} (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9392900cbbb5454729028a28d9af572, findElement {using=link text, value=//a[text()='Graph Representations']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51875}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51875/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9392900cbbb5454729028a28d9af572		

DETAILED SECTION -- 52 --

#	Step / Hook Details	Status	Duration
#	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.\$Element(Element(Element(Element(Element(Element(Location.java:162)) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:342) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:342) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(Locator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.gphp_rep_link(GraphPage_POM.java:72) at stepDefination.Graph_SD.user_enters_code(Graph_SD.java:91) at ?User enters code "print(Graph Representation"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/feature:35)	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario)	PASSED	0.248 s
	Magnifight destinations and statement of the following destination of the		
3	And clicks on Run button	SKIPPED	0.000 s
4	Then User is presented with Error Message	SKIPPED	0.000 s

The user is able to navigate to "Practice Questions" in graph Page

DETAILED SECTION -- 53 --



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.000 s
2	When User clicks on Practice Questions of Graph page	PASSED	0.224 s
3	Then The user should be redirected to Practice Questions of Graph page	PASSED	0.002 s