
Cucumber Report

Mar. 23, 2023, 1:59:16 p.m.



| Feature | | | Scer | nario | | | St | Step | |
|--------------------------------------|----------|---|------|-------|---|---|----|------|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Launch Start page and Test Home Page | 31.519 s | 1 | 0 | 1 | 0 | 3 | 1 | 1 | 1 |

| Tag | | Scei | nario | | | Fea | ture | |
|------------|---|------|-------|---|---|-----|------|---|
| Name | T | P | F | S | T | P | F | S |
| @pagestart | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|----------|
| 1 | Launch Start page and Test Home Page | 1 | 0 | 1 | 0 | 31.519 s |

SCENARIOS SUMMARY -- 5 --




| 1 | # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--------------------------------------|--|---|---|---|---|----------|
| | 1 | Launch Start page and Test Home Page | User launch home page of an dsalgo project | 3 | 1 | 1 | 1 | 31.485 s |

DETAILED SECTION -- 6 --

Launch Start page and Test Home Page

| FAILED | DURATION - 31.519 s | Scenarios | | Steps | |
|-----------------------|---------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 3 | |
| / 1:58:42.477 p.m. // | 1:59:13.996 p.m. / | Pass - 0 | 1 | Pass - 1 | 3 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |
| | | | | | |

User launch home page of an dsalgo project



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens DS Algo portal link | PASSED | 0.426 s |
| 2 | When The user clicks the "Get Started" button | FAILED | 31.021 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//button[@class='btn]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: "Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [384bc73d99621e34715d50b957a67371, findElement {using=xpath, value=//button[@class='btn]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\14377\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:60859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60859/devtoo, se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 384bc73d99621e34715d50b957a67371 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

DETAILED SECTION -- 7 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at com.sun.proxy.\$Proxy41.getText(Unknown Source) | | |
| | at pageObjectModel.HomePage_POM.getstarted(HomePage_POM.java:48) | | |
| | at stepDefination.HomePage.the_user_clicks_the_button(HomePage.java:23) | | |
| | at ?.The user clicks the "Get Started" button(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/ | | |
| | TC01_HomePage.feature:6) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to homepage | SKIPPED | 0.002 s |