


| Feature | | Scenario | | | | Step | | | | |
|--------------------------------------|----------|----------|----|----|---|------|----|----|----|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Launch Start page and Test Home Page | 6.730 s | 14 | 14 | 0 | 0 | 43 | 43 | 0 | 0 | |
| Title of your feature | 8.679 s | 8 | 8 | 0 | 0 | 21 | 21 | 0 | 0 | |
| performing signin | 4.685 s | 10 | 10 | 0 | 0 | 30 | 30 | 0 | 0 | |
| To validate Queue Data Structure | 16.698 s | 16 | 1 | 15 | 0 | 55 | 16 | 15 | 24 | |
| To Validate Graph Data Structure | 0.199 s | 8 | 1 | 7 | 0 | 26 | 9 | 7 | 10 | |


| Tag | Scenario | | | | Feature | | | | |
|------------|----------|----|---|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @startPage | 14 | 14 | 0 | 0 | 1 | 1 | 0 | 0 | |

FEATURES SUMMARY




| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------------|----|----|----|---|----------|
| 1 | Launch Start page and Test Home Page | 14 | 14 | 0 | 0 | 6.730 s |
| 2 | <u>Title of your feature</u> | 8 | 8 | 0 | 0 | 8.679 s |
| 3 | performing signin | 10 | 10 | 0 | 0 | 4.685 s |
| 4 | To validate Queue Data Structure | 16 | 1 | 15 | 0 | 16.698 s |
| 5 | To Validate Graph Data Structure | 8 | 1 | 7 | 0 | 0.199 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------------------------|--|---|---|---|---|----------|
| 1 | Launch Start page and Test Home Page | launch the home page of dsalgo portal | 3 | 3 | 0 | 0 | 1.406 s |
| 2 | Launch Start page and Test Home Page | user is on home page | 2 | 2 | 0 | 0 | 0.356 s |
| 3 | Launch Start page and Test Home Page | user is on home page | 2 | 2 | 0 | 0 | 0.335 s |
| 4 | Launch Start page and Test Home Page | user is on home page | 2 | 2 | 0 | 0 | 0.337 s |
| 5 | Launch Start page and Test Home Page | user is on home page | 2 | 2 | 0 | 0 | 0.376 s |
| 6 | Launch Start page and Test Home Page | user is on home page | 2 | 2 | 0 | 0 | 0.327 s |
| 7 | Launch Start page and Test Home Page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.502 s |
| 8 | Launch Start page and Test Home Page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.395 s |
| 9 | Launch Start page and Test Home Page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.424 s |
| 10 | Launch Start page and Test Home Page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.417 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------------------------|--|---|---|---|---|----------|
| 11 | Launch Start page and Test Home Page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.420 s |
| 12 | Launch Start page and Test Home Page | User is on Home page and click on dropdown without sign in | 4 | 4 | 0 | 0 | 0.470 s |
| 13 | Launch Start page and Test Home Page | User is on Home page and click on sign in | 3 | 3 | 0 | 0 | 0.196 s |
| 14 | Launch Start page and Test Home Page | User is on Home page and click on Register | 3 | 3 | 0 | 0 | 0.180 s |
| 15 | <u>Title of your feature</u> | The user is presented with error message for empty fields below Username textbox | 3 | 3 | 0 | 0 | 0.269 s |
| 16 | Title of your feature | The user is presented with error message for empty fields below Password textbox | 2 | 2 | 0 | 0 | 0.262 s |

SCENARIOS SUMMARY -- 7 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------|--|---|---|---|---|----------|
| 17 | <u>Title of your feature</u> | The user is presented with error message for empty fields belo Password Confirmation textbox | 2 | 2 | 0 | 0 | 0.288 s |
| 18 | <u>Title of your feature</u> | to register with all the data | 3 | 3 | 0 | 0 | 1.802 s |
| 19 | <u>Title of your feature</u> | to register with all the data | 3 | 3 | 0 | 0 | 4.019 s |
| 20 | <u>Title of your feature</u> | to register with all the data | 3 | 3 | 0 | 0 | 0.846 s |
| 21 | <u>Title of your feature</u> | to register with all the data | 3 | 3 | 0 | 0 | 0.867 s |
| 22 | <u>Title of your feature</u> | Verifying signin link | 2 | 2 | 0 | 0 | 0.160 s |
| 23 | performing signin | Redirect to Register page | 3 | 3 | 0 | 0 | 0.323 s |
| 24 | performing signin | Redirect to login page | 3 | 3 | 0 | 0 | 0.167 s |
| 25 | performing signin | User on login page and login with invalid inputs | 3 | 3 | 0 | 0 | 0.490 s |
| 26 | performing signin | User on login page and login with invalid inputs | 3 | 3 | 0 | 0 | 0.296 s |

SCENARIOS SUMMARY -- 8 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|---|---|---|---|---|----------|
| 27 | performing signin | User on login page and login with invalid inputs | 3 | 3 | 0 | 0 | 0.271 s |
| 28 | performing signin | "User on login page and login with invalid and valid inputs from Excel" | 3 | 3 | 0 | 0 | 0.639 s |
| 29 | performing signin | "User on login page and login with invalid and valid inputs from Excel" | 3 | 3 | 0 | 0 | 0.739 s |
| 30 | performing signin | "User on login page and login with invalid and valid inputs from Excel" | 3 | 3 | 0 | 0 | 0.636 s |
| 31 | performing signin | "User on login page and login with invalid and valid inputs from Excel" | 3 | 3 | 0 | 0 | 0.775 s |
| 32 | performing signin | Verifying signout link | 3 | 3 | 0 | 0 | 0.204 s |
| 33 | To validate Queue Data Structure | The user is logged in to DS Algo portal | 4 | 0 | 1 | 3 | 0.339 s |
| 34 | To validate Queue Data Structure | User is naviagted to Queue Data structure from homepage | 3 | 3 | 0 | 0 | 0.220 s |

SCENARIOS SUMMARY -- 9 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|---|---|---|---|---|----------|
| 35 | To validate Queue Data Structure | User is navigated to Implementation of Queue in Python | 3 | 1 | 1 | 1 | 10.391 s |
| 36 | To validate Queue Data Structure | User is navigated to tryEditor Page | 3 | 1 | 1 | 1 | 5.226 s |
| 37 | To validate Queue Data Structure | User enters valid Python code and Presented with Result | 4 | 1 | 1 | 2 | 0.023 s |
| 38 | To validate Queue Data Structure | User enters Invalid Python code and Presented with Error Message | 5 | 0 | 1 | 4 | 0.017 s |
| 39 | To validate Queue Data Structure | User navigates to Implementation using collections.deque | 3 | 1 | 1 | 1 | 0.017 s |
| 40 | To validate Queue Data Structure | User navigates to tryEditor page | 3 | 1 | 1 | 1 | 0.017 s |
| 41 | To validate Queue Data Structure | User enters valid Python code and Presented with Result | 4 | 1 | 1 | 2 | 0.015 s |
| 42 | To validate Queue Data Structure | User is navigated to Implementation using array | 3 | 1 | 1 | 1 | 0.010 s |

SCENARIOS SUMMARY -- 10 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|--|---|---|---|---|----------|
| 43 | To validate Queue Data Structure | User is naviagted to tryEditor page from Implementation using array page | 3 | 1 | 1 | 1 | 0.017 s |
| 44 | To validate Queue Data Structure | User enters valid Python code and Presented with Result | 4 | 1 | 1 | 2 | 0.017 s |
| 45 | To validate Queue Data Structure | User is navigated to Queue Operations | 3 | 1 | 1 | 1 | 0.015 s |
| 46 | To validate Queue Data Structure | User is navigated to tryEditor Page | 3 | 1 | 1 | 1 | 0.018 s |
| 47 | To validate Queue Data Structure | User enters valid Python code and Presented with Result | 4 | 1 | 1 | 2 | 0.016 s |
| 48 | To validate Queue Data Structure | User navigated to Practice Questions | 3 | 1 | 1 | 1 | 0.010 s |
| 49 | To Validate Graph Data Structure | User should be able to navigate to Graph Data Structure Page | 3 | 0 | 1 | 2 | 0.012 s |
| 50 | To Validate Graph Data Structure | User should be able to navigate to Graph Page | 3 | 1 | 1 | 1 | 0.019 s |
| 51 | To Validate Graph Data Structure | User should be able to navigate to tryEditor Page | 3 | 1 | 1 | 1 | 0.019 s |

SCENARIOS SUMMARY -- 11 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|---|---|---|---|---|----------|
| 52 | To Validate Graph Data Structure | User enters valid Python code and Presented with Result | 4 | 1 | 1 | 2 | 0.012 s |
| 53 | To Validate Graph Data Structure | User should be able to navigate to Graph representations Page | 3 | 1 | 1 | 1 | 0.013 s |
| 54 | To Validate Graph Data Structure | User should be able to navigate to tryEditor Page | 3 | 3 | 0 | 0 | 0.007 s |
| 55 | To Validate Graph Data Structure | User should be able to enter a invalid Python code and Presented with Error Message | 4 | 1 | 1 | 2 | 0.013 s |
| 56 | To Validate Graph Data Structure | The user is able to navigate to "Practice Questions" in graph Page | 3 | 1 | 1 | 1 | 0.011 s |

Launch Start page and Test Home Page


| PASSED | DURATION - 6.730 s | Scenarios | | Steps | |
|---------------------|--------------------|------------|----|------------|----|
| | | Total - 14 | | Total - 43 | |
| / 3:16:42.960 PM // | / 3:16:49.690 PM / | Pass - 14 | 14 | Pass - 43 | 43 |
| | | Fail - 0 | | Fail - 0 | 10 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

launch the home page of dsalgo portal



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user opens the dsalgo portal link | PASSED | 0.459 s |
| 2 | When user clicks on "Get Started" button | PASSED | 0.889 s |
| 3 | Then user redirected to home page | PASSED | 0.013 s |


user is on home page



DETAILED SECTION -- 13 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When The user click any of the Get started button "Data Structures-Introduction" in home page | PASSED | 0.297 s |
| 2 | Then It should Alert the user with the message "You are not logged in" | PASSED | 0.047 s |

user is on home page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When The user click any of the Get started button "Linked List" in home page | PASSED | 0.287 s |
| 2 | Then It should Alert the user with the message "You are not logged in" | PASSED | 0.038 s |

user is on home page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When The user click any of the Get started button "Stack" in home page | PASSED | 0.285 s |
| 2 | Then It should Alert the user with the message "You are not logged in" | PASSED | 0.040 s |

user is on home page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When The user click any of the Get started button "Queue" in home page | PASSED | 0.324 s |
| 2 | Then It should Alert the user with the message "You are not logged in" | PASSED | 0.043 s |

user is on home page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When The user click any of the Get started button "Tree" in home page | PASSED | 0.275 s |
| 2 | Then It should Alert the user with the message "You are not logged in" | PASSED | 0.040 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.137 s |
| 2 | When The user clicks on data structure dropdown | PASSED | 0.086 s |
| 3 | When The user clicks on dropdown "Arrays" without login | PASSED | 0.255 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.002 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.123 s |
| 2 | When The user clicks on data structure dropdown | PASSED | 0.058 s |
| 3 | When The user clicks on dropdown "Linked list" without login | PASSED | 0.195 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.001 s |


User is on Home page and click on dropdown without sign in

| PASSED DURATION - 0.424 s | 0.3 - Steps | |
|--------------------------------------|-------------|---|
| / 3:16:47.439 PM // 3:16:47.863 PM / | 02 | |
| Launch Start page and Test Home Page | 0.1 | J |
| @startPage | 1 2 3 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.119 s |
| 2 | When The user clicks on data structure dropdown | PASSED | 0.057 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | When The user clicks on dropdown "Stack" without login | PASSED | 0.226 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.004 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.104 s |
| 2 | When The user clicks on data structure dropdown | PASSED | 0.074 s |
| 3 | When The user clicks on dropdown "Queue" without login | PASSED | 0.220 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.002 s |

User is on Home page and click on dropdown without sign in



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.106 s |
| 2 | When The user clicks on data structure dropdown | PASSED | 0.058 s |
| 3 | When The user clicks on dropdown "Tree" without login | PASSED | 0.225 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.003 s |


DETAILED SECTION -- 17 --

User is on Home page and click on dropdown without sign in

| PASSED DURATION - 0.470 s | 0.6 | Steps Total - 4 | |
|--------------------------------------|-----|----------------------|--|
| / 3:16:48.794 PM // 3:16:49.264 PM / | 0.4 | Pass - 4 | |
| Launch Start page and Test Home Page | 0.2 | Fail - 0 Skip - 0 | |
| @startPage | 0 - | 1 2 3 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Home page | PASSED | 0.111 s |
| 2 | When The user clicks on data structure dropdown | PASSED | 0.069 s |
| 3 | When The user clicks on dropdown "Graph" without login | PASSED | 0.271 s |
| 4 | Then The user get warning message "You are not logged in" | PASSED | 0.003 s |


User is on Home page and click on sign in



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Home Page | PASSED | 0.002 s |
| 2 | When The user clicks Sign in | PASSED | 0.179 s |
| 3 | Then The user should be redirected to Sign in page | PASSED | 0.008 s |

User is on Home page and click on Register

DETAILED SECTION -- 18 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Home Page | PASSED | 0.002 s |
| 2 | When The user clicks Register | PASSED | 0.171 s |
| 3 | Then The user should be redirected to Register form | PASSED | 0.001 s |

Title of your feature

| Total 0 | | | |
|-----------|------------------------|------------------------|--------------------------------------|
| Total - 8 | | Total - 21 | |
| Pass - 8 | 8 | Pass - 21 | 21 |
| Fail - 0 | , , , | Fail - 0 | |
| Skip - 0 | | Skip - 0 | |
| | Pass - 8 — Fall - 0 | Pass - 8 — Fail - 0 | Pass - 8 Fail - 0 Pass - 21 Fail - 0 |

The user is presented with error message for empty fields below Username textbox




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.113 s |
| 2 | When The user clicks "Register" button with all fields empty | PASSED | 0.096 s |

DETAILED SECTION -- 19 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | Then It should display an error "Please fill out username field." below Username textbox | PASSED | 0.052 s |

The user is presented with error message for empty fields below Password textbox



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User click Register with username as "NumpySDET100" only | PASSED | 0.210 s |
| 2 | Then User verify the message at password on Register Page as "Please fill out password field." | PASSED | 0.045 s |


The user is presented with error message for empty fields belo Password Confirmation textbox



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User click Register with password as "PasswordSDET100" only | PASSED | 0.240 s |
| 2 | Then User verify the message at confirmation password on Register Page as "Please fill out password confirmation field." | PASSED | 0.040 s |


to register with all the data

DETAILED SECTION -- 20 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.121 s |
| 2 | When user enter the sheetname "Sheet1" and row number 0 | PASSED | 1.452 s |
| 3 | Then user click on Register button | PASSED | 0.217 s |


to register with all the data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.137 s |
| 2 | When user enter the sheetname "Sheet1" and row number 1 | PASSED | 3.695 s |
| 3 | Then user click on Register button | PASSED | 0.180 s |


to register with all the data

DETAILED SECTION -- 21 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.100 s |
| 2 | When user enter the sheetname "Sheet1" and row number 2 | PASSED | 0.566 s |
| 3 | Then user click on Register button | PASSED | 0.177 s |


to register with all the data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user opens Register Page | PASSED | 0.096 s |
| 2 | When user enter the sheetname "Sheet1" and row number 3 | PASSED | 0.582 s |
| 3 | Then user click on Register button | PASSED | 0.184 s |

Verifying signin link

DETAILED SECTION -- 22 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user clicks on signin link on register page | PASSED | 0.155 s |
| 2 | Then The user redirected to signinpage from registerpage | PASSED | 0.002 s |

performing signin

| PASSED | DURATION - 4.685 s | Scenarios | | Steps | |
|---------------------|--------------------|------------|----|------------|----|
| | | Total - 10 | | Total - 30 | |
| / 3:16:58.446 PM // | 3:17:03.131 PM / | Pass - 10 | 10 | Pass - 30 | 30 |
| | | Fail - 0 | 10 | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Redirect to Register page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on SignIn page | PASSED | 0.107 s |
| 2 | When User Clicks on Register link | PASSED | 0.206 s |
| 3 | Then User should be redirected to Register page | PASSED | 0.002 s |


DETAILED SECTION -- 23 --

Redirect to login page

| PASSED DURATION - 0.167 s | Steps | |
|--------------------------------------|------------------|---|
| / 2/40/F0 705 PM // 2/40/F0 052 PM / | Total - 3 | |
| / 3:16:58.785 PM // 3:16:58.952 PM / | 02- | |
| performing signin | 0.1 - Fail - 0 | 3 |
| | Skip - 0 | |
| | 0 1 | |
| | 1 2 3 | |

| # | Step / Hook Details | Status | Duration |
|---|--------------------------------|--------|----------|
| 1 | Given User is on register page | PASSED | 0.001 s |
| 2 | When user click on loginbtn | PASSED | 0.160 s |
| 3 | Then user in on loginpage | PASSED | 0.001 s |


User on login page and login with invalid inputs



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on signin page | PASSED | 0.002 s |
| 2 | When The user enter invalid "user" and "password" | PASSED | 0.456 s |
| 3 | Then click login button to verify | PASSED | 0.031 s |


User on login page and login with invalid inputs

DETAILED SECTION -- 24 --



| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given The user is on signin page | PASSED | 0.001 s |
| 2 | When The user enter invalid "" and "" | PASSED | 0.268 s |
| 3 | Then click login button to verify | PASSED | 0.022 s |


User on login page and login with invalid inputs



| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given The user is on signin page | PASSED | 0.002 s |
| 2 | When The user enter invalid "" and "" | PASSED | 0.243 s |
| 3 | Then click login button to verify | PASSED | 0.020 s |


[&]quot;User on login page and login with invalid and valid inputs from Excel"

DETAILED SECTION -- 25 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on login page | PASSED | 0.090 s |
| 2 | When The user enter sheet "signin" and 0 | PASSED | 0.296 s |
| 3 | Then click login button | PASSED | 0.251 s |


"User on login page and login with invalid and valid inputs from Excel"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on login page | PASSED | 0.101 s |
| 2 | When The user enter sheet "signin" and 1 | PASSED | 0.396 s |
| 3 | Then click login button | PASSED | 0.239 s |


[&]quot;User on login page and login with invalid and valid inputs from Excel"

DETAILED SECTION -- 26 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on login page | PASSED | 0.079 s |
| 2 | When The user enter sheet "signin" and 2 | PASSED | 0.296 s |
| 3 | Then click login button | PASSED | 0.258 s |


"User on login page and login with invalid and valid inputs from Excel"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on login page | PASSED | 0.083 s |
| 2 | When The user enter sheet "signin" and 3 | PASSED | 0.315 s |
| 3 | Then click login button | PASSED | 0.375 s |

Verifying signout link

DETAILED SECTION -- 27 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is in the Home page with valid log in | PASSED | 0.002 s |
| 2 | When The user clicks "Sign out" | PASSED | 0.195 s |
| 3 | Then The user redirected to homepage | PASSED | 0.002 s |

To validate Queue Data Structure

| FAILED | DURATION - 16.698 s | Scenarios Total - 16 | | Steps Total - 55 | |
|---------------------|---------------------|-------------------------|----|------------------------|----|
| / 3:17:03.163 PM // | '3:17:19.861 PM / | Pass - 1 Fail - 15 | 16 | Pass - 16 Fail - 15 | 55 |
| | | Skip - 0 | | Skip - 24 | |

The user is logged in to DS Algo portal




| # | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | | Given The user is on Signin page of DS Algo portal | FAILED | 0.007 s |
| | | java.lang.Error: Unresolved compilation problem: Signin cannot be resolved | | |

DETAILED SECTION -- 28 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at pageObjectModel.Queue_POM.sigin_link(Queue_POM.java:46) at stepDefination.Queue_SD.the_user_is_on_signin_page_of_ds_algo_portal(Queue_SD.java:23) at ?.The user is on Signin page of DS Algo portal(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:4) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | PASSED | 0.326 s |
| | My screenshot | | |
| | Segment between the control of the c | | |
| 2 | When The user enter valid "bahnisikha.dalbehera@gmail.com" and "Bahnirupa" | SKIPPED | 0.001 s |
| 3 | And The user click on login button | SKIPPED | 0.001 s |
| 4 | Then The user redirected to homepage | SKIPPED | 0.000 s |


User is naviagted to Queue Data structure from homepage



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Home Page of Dsalgo Portal | PASSED | 0.000 s |
| 2 | When User clicks on getstarted button | PASSED | 0.215 s |
| 3 | Then User is navigated to Queue data structure | PASSED | 0.001 s |

User is navigated to Implementation of Queue in Python


DETAILED SECTION -- 29 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Queue Data Structure | PASSED | 0.001 s |
| 2 | When User clicks on Implementation of Queue in Python | FAILED | 10.035 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"link text", "selector":"Implementation of Queue in Python?" (Session info: chrome=111.0.5563.149) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement (using=link text, value=Implementation of Queue in Python)] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 110.5563.149, chromedriverVersion: 110.5563.149, chromedriver | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefination.Queue_SD.user_clicks_on_implementation_of_queue_in_python(Queue_SD.java:66) at ?.User clicks on Implementation of Queue in Python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:17) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | PASSED | 0.350 s |
| | My screenshot | | |
| | Magning in later | | |
| | Laborationis 4 MI STATE CONTROLL CONTROL C | | |
| | Management of the contract of | | |
| | Fig. 1. A continue continue to the continue of | | |
| 3 | Then User is directed to Implementation of Queue in Python | SKIPPED | 0.001 s |

User is navigated to tryEditor Page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Implementation of Queue in Python | PASSED | 0.001 s |
| 2 | When User clicks on Try here button | FAILED | 5.208 s |
| | org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.linkText: Try here>>> For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) | | |

DETAILED SECTION -- 31 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at pageObjectModel.Queue_POM.try_button(Queue_POM.java:89) at stepDefination.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:82) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:22) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '6ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddfess: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.deccede(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.AttpCommandExecutor.execute(HttpCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDri | | |
| 3 | Then User is navigated to tryEditor Page | SKIPPED | 0.004 s |

User enters valid Python code and Presented with Result




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Try Editor Page | PASSED | 0.002 s |
| 2 | And User Enters "print('Hello, world!')" in the Editor | FAILED | 0.007 s |
| 2 | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openga.selenium.chromec.Chromebriver Command: [b3f6e56bece44ea25017e275651.ab977, findElement (Jusing-xpath, value=///lorm/div/div/div/textarea/) Capabilities {accept/session: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C7.\Users\PadmalAppData\Loca\}, goog:chromeOptions: {debuggerAddress: localhost:50347/, networkConnectionEnabled: false, pageLoadStrategy: normal, platform/Name: WINDOWS, proxy), set.cdp: ws://localhost:50347/, networkConnectionEnabled: false, pageLoadStrategy: normal, platform/Name: WINDOWS, proxy), set.cdp: ws://localhost:50347/, networkConnectionEnabled: false, pageLoadStrategy: normal, platform/Name: WINDOWS, proxy), set.cdp: ws://localhost:50347/, networkConnectionEnabled: false, pageLoadStrategy: normal, platform/Name: WINDOWS, proxy), set.cdp: ws://localhost:50347/, networkConnectionEnabled: false, pageLoadStrategy: normal, platform/Name: WINDOWS, proxy), set.cdp: ws.capt.co.ads.co.oco.oco.oco.oco.oco.oco.oco.oco.oco | FAILED | 0.007 s |
| | at pageObjectModel.Queue_POM.textarea(Queue_POM.java:94) at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:100) | | |

DETAILED SECTION -- 33 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at ?.User Enters "print('Hello, world!')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:27) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 'Bdf6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.R | | |
| 3 | And clicks on Run Button | SKIPPED | 0.000 s |
| 4 | Then The User is Presented with a Result | SKIPPED | 0.000 s |

User enters Invalid Python code and Presented with Error Message




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is navigated to Implementation of Queue in python | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/queue/implementation-lists/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | FAILED | 0.007 s |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) | | |
| | at pageObjectModel.Queue_POM.call_que_implement(Queue_POM.java:62) at stepDefination.Queue_SD.user_is_navigated_to_Implementation_of_queue_in_python(Queue_SD.java:119) at ?.User is navigated to Implementation of Queue in python(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:32) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: | | |

DETAILED SECTION -- 35 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp\version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:inPinLength: true, webauthn:extension:inPinLength:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:inPinLength:extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:printEngth.extension:prin | Ciulido | |
| 2 | When User clicks on Try here button | SKIPPED | 0.001 s |
| 3 | And User Enters Invalid python code "print'Hello, world!')" in the Editor | SKIPPED | 0.001 s |
| 4 | And clicks on Run Button | SKIPPED | 0.001 s |
| 5 | Then The User is Presented with a Error Message for Invalid python code | SKIPPED | 0.000 s |

User navigates to Implementation using collections.deque




DETAILED SECTION -- 36 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Queue Data Structure | PASSED | 0.002 s |
| 2 | When User clicks on the Implementation using collections.deque link | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/queue/implementation-collections/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) | | |
| | | | |
| | at pageObjectModel.Queue_POM.call_que_colln(Queue_POM.java:68) at stepDefination.Queue SD.user clicks on the implementation using collections deque link(Queue SD.java:147) | | |
| | at stepDefination.Queue_SD.user_clicks_on_the_implementation_using_collections_deque_imk(Queue_SD.java.147) at ?.User clicks on the Implementation using collections.deque link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ | | |
| | SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:40) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | I AILLD | 0.000 3 |
| | (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |
| | [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | | |
| | 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) | | |
| | at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | Then User is navigated to Implementation using collections.deque page | SKIPPED | 0.000 s |

User navigates to tryEditor page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Implementation using collections.deque page | PASSED | 0.001 s |
| 2 | When User clicks on Try here button | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |

| # | Step / Hook Details | Status | Duration |
|-----|--|--------|----------|
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) | | |
| | at pageObjectModel.Queue_POM.try_button(Queue_POM.java:89) | | |
| | at stepDefination.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:82) | | |
| | at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/ | | |
| | | | |
| - 1 | features/TC08_QueuePage.feature:45) | | |
| | features/TC08_QueuePage.feature:45) * Not displayable characters are replaced by '?'. | | |
| + | | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccae989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | FAILED | 0.004 s |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | FAILED | 0.004 s |
| | *Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp/version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | FAILED | 0.004 s |
| • | *Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) | FAILED | 0.004 s |
| | *Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp/version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | FAILED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | Then User is navigated to tryEditor Page | SKIPPED | 0.000 s |

User enters valid Python code and Presented with Result




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Try Editor Page | PASSED | 0.001 s |
| 2 | When User Enters "print('Implementation using collections.deque')" in the Editor | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=xpath, value=//form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp\ ws://localhost:50347/devtoo, se:cdp\ version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |

| org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651abb77, screenshot {}] Capabilities (acceptitinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:444) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | # | Step / Hook Details Status Dura | ration |
|--|---|--|--------|
| AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.40 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {Implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.chttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | im.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) im.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) im.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) im.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) im.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) im.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) im.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) im.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) iy2.\$Proxy43.sendKeys(Unknown Source) Queue_POM.textarea(Queue_POM.java:94) eue_SD.user_enters_in_the_editor(Queue_SD.java:100) nt('Implementation using collections.deque')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ _ds_algo/src/test/resources/features/TC08_QueuePage.feature:50) | |
| (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | s.Hook.afterstep(io.cucumber.java.Scenario) FAILED 0.004 s | |
| at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | 111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: .0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 7e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: e: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: cy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, alse, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, dBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, ticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | |
| at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | g.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | |
| | | ım.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) ım.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) ım.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) ım.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | |
| at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) | | ım.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) ım.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) ım.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | |
| at hooks.Hook.afterstep(Hook.java:41) | 2 | ep(Hook.java:41) | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then The User is Presented with a Result | SKIPPED | 0.001 s |

User is navigated to Implementation using array




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Queue Data Structure | PASSED | 0.001 s |
| 2 | When User clicks on Implementation using array link | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/queue/Implementation-array/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true) b3f6e56bece44ea25017e275651a9b77 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(Dr | | |

DETAILED SECTION -- 42 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at ?.User clicks on Implementation using array link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:56) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C*Users\Padma\AppData\Loca\}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execut | | |
| 3 | Then User is navigated to Implementation using array page | SKIPPED | 0.000 s |

User is naviagted to tryEditor page from Implementation using array page




DETAILED SECTION -- 43 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| L | Given User is on Implementation using array page | PASSED | 0.002 s |
| 2 | When User clicks on Try here button | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: D3f6e56bece44ea25017e275651a9b77, findElement (using=link text, value=Try here>>>}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C.\UsersiPadma\AppData\Loca), goog:chromeOptions: (debuggerAddress: localhost:50347), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy: Proxy(), se.cdp: ws://localhost:50347/devtoc, se.cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability, false, timeouts: (implicit: 0, pageLoad.300000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prf: true, webauthn:extension: | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) | | |
| | at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | Then User is navigated to tryEditor Page | SKIPPED | 0.002 s |

User enters valid Python code and Presented with Result




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Try Editor Page | PASSED | 0.001 s |
| 2 | When User Enters "print('Implementation using array page')" in the Editor | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=xpath, value=//form/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: | | |

DETAILED SECTION -- 45 --

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 77 | C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform\Name: WiNDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp\Version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jaku.internal.reflect.DirectConstructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:343) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.internal.LocatingElement(PemoteVebDriver.java:344) at org.openqa.sele | Siatus | Duration |
| | * Not displayable characters are replaced by '?'. AETER, STER, hooks Hook afterstan(in cucumber inva Scenario) | FAILED | 0.004 s |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | FAILED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) | CKINDED | 0.001 - |
| 3 | And clicks on Run Button | SKIPPED | 0.001 s |
| 4 | Then The User is Presented with a Result | SKIPPED | 0.000 s |

User is navigated to Queue Operations




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Queue Data Structure | PASSED | 0.001 s |
| 2 | When User clicks on Queue Operations link | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/queue/QueueOp/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.createException(W3cHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at pageObjectModel.Queue_POM.call_array_op(Queue_POM.java:79) at stepDefination.Queue_SD.user_clicks_on_queue_operations_link(Queue_SD.java:178) at ?.User clicks on Queue Operations link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:72) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccace98' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C*UsersPadmaNappDatal\u00e4ca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnablet: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.e | | |
| 3 | Then User is navigated to Queue Operations Page | SKIPPED | 0.000 s |

DETAILED SECTION -- 48 --

User is navigated to tryEditor Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on QUeue Operations Page | PASSED | 0.001 s |
| 2 | When User clicks on Try here button | FAILED | 0.005 s |
| | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement (using=link text, value=Try here->>] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: CXUsers)PadmalAppDataLtoca}, goog:chromeOptions: (debuggerAddress: localhost:50347/6, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, weba | | |

DETAILED SECTION -- 49 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at pageObjectModel.Queue_POM.try_button(Queue_POM.java:89) at stepDefination.Queue_SD.user_clicks_on_try_here_button(Queue_SD.java:82) at ?.User clicks on Try here button(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:77) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: 'debccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dpv ws://localhost:50347/devtoo, sec.dpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.Brivice.DriverCommandExecutor.execute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDri | | |
| 3 | Then User is navigated to tryEditor Page | SKIPPED | 0.001 s |

User enters valid Python code and Presented with Result

DETAILED SECTION -- 50 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Try Editor Page | PASSED | 0.001 s |
| 2 | When User Enters "print('Queue Operations')" in the Editor | FAILED | 0.005 s |
| 2 | When User Enters "print('Queue Operations')" in the Editor org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccae989' System info: os.name: Windows 10', os.arch: 'am664', os.version: '10.0', java.version: '19.01' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=xpath, value=//form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.146, chrome: pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:503477, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp/version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, serpt: 30000, unhandledPromptBehavior: dismiss and notify, webauthn:extension:pri: true, webauthn:virualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.RemoteWebDriver.execute(PriverCommandExecutor.java:162) at org.openqa.selenium.remote.RemoteWebDriver. | FAILED | 0.005 s |
| | at juk.proxy2/juk.proxy2.serioxy4s.serioxeys(Ofikriowif Source) at pageObjectModel.Queue_POM.textarea(Queue_POM.java:94) | | |
| | at stepDefination.Queue_SD.user_enters_in_the_editor(Queue_SD.java:100) | | |

DETAILED SECTION -- 51 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at ?.User Enters "print('Queue Operations')" in the Editor(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC08_QueuePage.feature:82) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: 'debccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.op; ws://localhost:50347/devtoo, sec.op\Version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:300) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.entitpCommandExecutor.execute(HttpCommandExecutor.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDriver.g | | |
| 3 | And clicks on Run Button | SKIPPED | 0.000 s |
| 4 | Then The User is Presented with a Result | SKIPPED | 0.000 s |

User navigated to Practice Questions




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Given User is on Implementation of Queue in Python | PASSED | 0.002 s |
| | When User clicks on Practice Questions link | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/queue/practice}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteW | FAILED | 0.003 s |
| | at pageObjectModel.Queue_POM.call_prt_qut(Queue_POM.java:84) | | |
| | at stepDefination.Queue_SD.user_clicks_on_practice_questions_link(Queue_SD.java:194) at ?.User clicks on Practice Questions link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/ | | |
| | resources/features/TC08_QueuePage.feature:88) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |


DETAILED SECTION -- 53 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |
| | [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | | |
| | 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, | | |
| | goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) | | |
| | at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | Then User is navigated to Practice Questions | SKIPPED | 0.000 s |

To Validate Graph Data Structure



User should be able to navigate to Graph Data Structure Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Given User is on Home Page of DsAlgo Portal | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp\Version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session Ib: b3f6e56bece44ea25017e275651a9b77 at java.base/jaki.niternal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:297) | FAILED | 0.005 s |
| | at ?.User is on Home Page of DsAlgo Portal(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:3) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |

DETAILED SECTION -- 55 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| # | Step / Hook Details | Status | Duration |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) | | |
| 2 | When User clicks on Graph Get started button | SKIPPED | 0.000 s |
| 3 | Then User re-directed to Graph Page | SKIPPED | 0.000 s |

User should be able to navigate to Graph Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Graph Data Structure Page | PASSED | 0.002 s |
| 2 | When User clicks on Graph link in Graph Page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |


DETAILED SECTION -- 56 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| π | (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=xpath, value=//ul[2]/a[text()=Graph*]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: CXUsersNPadmaNapDataLoca), goog:chromeOptions: {debuggerAddress: localhost:50347, leveburkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy. Proxy(), se:cdp: ws://localhost:50347/leveburconse:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension.minPint.ength: true, webauthn:extension.credBlob: true, webauthn:extension.minPint.ength: true, webauthn:extension.credBlob: true, webauthn:extension.credFlob: true, webauthn:extension.cre | Julius | |
| | * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |

DETAILED SECTION -- 57 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) | | |
| | at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | Then User is re-directed to Graphlink of Graph Page | SKIPPED | 0.000 s |

User should be able to navigate to tryEditor Page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Graph link of Graph Page | PASSED | 0.001 s |
| 2 | When User clicks on Try here button of Graph page | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jdk.internal.reflect.Constructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.selementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:itualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/jdx.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | FAILED | 0.003 s |

DETAILED SECTION -- 59 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | Then User is re-directed to tryEditor Page | SKIPPED | 0.001 s |

User enters valid Python code and Presented with Result




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on tryEditor Page | PASSED | 0.001 s |
| 2 | When User enters Valid Python code "print('Implementation of Graph')" | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=xpath, value=//form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loa}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347{devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| - | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at pageObjectModel.GraphPage_POM.pass_code_txtarea(GraphPage_POM.java:60) at stepDefination.Graph_SD.user_enters_valid_python_code(Graph_SD.java:70) at ?.User enters Valid Python code "print("Implementation of Graph)"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/ | Status | Duration |
| | SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:19) * Not displayable characters are replaced by '?'. AFTER STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccae989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot f]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: (chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca\}, goog.chromeOptions: (debuggerAddress: localhost:50347), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:50347/devtoo, secdp\Version: 111.0.5563.149, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhanledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.CircetConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.ope | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 3 | And clicks on Run button | SKIPPED | 0.000 s |
| 4 | Then User is presented with the Result | SKIPPED | 0.000 s |

User should be able to navigate to Graph representations Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Graph Data Structure Page | PASSED | 0.001 s |
| 2 | When User clicks on Graph Representations link | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=link text, value="/a[text()="Graph Representations"]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C3Users\Padma\AppData\Loca\}, goog.chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp/version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minFilenLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minFilength: true, webauthn:extension:intrue} at java.base/java.lang.reflect.ConstructorInamleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecuto | | |

DETAILED SECTION -- 62 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:72) at stepDefination.Graph_SD.user_clicks_on_graph_representations_link(Graph_SD.java:105) at ?.User clicks on Graph Representations link(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/test/resources/features/TC10_GraphPage.feature:25) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, screenshot {}} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdp/version: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:truelAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.come.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:137) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(Remot | FAILED | 0.004 s |
| 3 | Then User is navigated to Graph Representations Page | SKIPPED | 0.001 s |


User should be able to navigate to tryEditor Page

DETAILED SECTION -- 63 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Graph Representations Page | PASSED | 0.001 s |
| 2 | When User clicks on Try here button of Graph Representations page | PASSED | 0.000 s |
| 3 | Then User is re-directed to tryEditor Page | PASSED | 0.001 s |

User should be able to enter a invalid Python code and Presented with Error Message




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on tryEditor Page | PASSED | 0.001 s |
| 2 | When User enters code "print(Graph Representation" | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, findElement {using=link text, value=//a[text()='Graph Representations']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |

| ava.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) ava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) ava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
|---|---|---|
| ava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | l . | |
| org openga selenjum remote codec w3c W3CHttpResponseCodec decode(W3CHttpResponseCodec java:133) | | |
| rg.openquiscientum emote:oodee:woe:woerntpresponseoodee:deoode(woorntpresponseoodee:java:200) | | |
| org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| org.openga.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| esources/features/TC10_GraphPage.feature:35) | | |
| displayable characters are replaced by '?'. | | |
| ER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| penqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |
| ion info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| or o | g.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) g.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) g.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) g.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) k.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) ageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:72) epDefination.Graph_SD.user_enters_code(Graph_SD.java:91) User enters_code "print(Graph Representation"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/sources/features/TC10_GraphPage.feature:35) isplayable characters are replaced by '?'. R_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) enqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | g.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) g.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(Centor.findElementLocator.java:70) g.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:39) k.proxy2/jdk.proxy2.SeProxy43.click(Unknown Source) ageObjectModel.GraphPage_POM.grph_rep_link(GraphPage_POM.java:72) epDefination.Graph_SD.user_enters_code(Graph_SD.java:91) User enters code "print(Graph Representation"(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/src/sources/features/Tc10_GraphPage.feature:35) isplayable characters are replaced by "?. R_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) enqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found on info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: '1, os.version: '1.0.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome_ChromeDriver Command: '566ce44ea25017e275651a9b77, screenshot {} Capabilities {accepthisecureCerts: false, browserName: chrome, browserVersion: 5663.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:UsersPadma/AppDataLoca}, hromeOptions: {debuggerAddress: localhost:50347/networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: DWS, proxy: Proxy(), secucj: ws://localhost:50347/devtoo, secucylersion: 111.0.5563.149, setWindowRect: true, leInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, thru:xtension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pff: true, thru:virtualAuthenticators: true} Session ID: b3f6e56beca44ea25017e275651a9b77 val.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) g.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode |

DETAILED SECTION -- 65 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at hooks.Hook.afterstep(Hook.java:41) | | |
| 3 | And clicks on Run button | SKIPPED | 0.001 s |
| 4 | Then User is presented with Error Message | SKIPPED | 0.000 s |

The user is able to navigate to "Practice Questions" in graph Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Graph Representations Page | PASSED | 0.001 s |
| 2 | When User clicks on Practice Questions of Graph page | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3f6e56bece44ea25017e275651a9b77, get {url=https://dsportalapp.herokuapp.com/graph/practice}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca\}, goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 at java.base/java.lang.reflect.DirectConstructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

DETAILED SECTION -- 66 --

| ŧ | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) | | |
| | at pageObjectModel.GraphPage_POM.grph_prac_quest(GraphPage_POM.java:76) | | |
| | at stepDefination.Graph_SD.user_clicks_on_practice_questions_of_graph_page(Graph_SD.java:133) | | |
| | at ?.User clicks on Practice Questions of Graph page(file:///C:/Users/Padma/eclipse-kalpanasworkspace/SDET100/numpy_ninja_ds_algo/ | | |
| | src/test/resources/features/TC10_GraphPage.feature:46) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - hooks.Hook.afterstep(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.149) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |
| | [b3f6e56bece44ea25017e275651a9b77, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | | |
| | 111.0.5563.149, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Padma\AppData\Loca}, | | |
| | goog:chromeOptions: {debuggerAddress: localhost:50347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50347/devtoo, se:cdpVersion: 111.0.5563.149, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: b3f6e56bece44ea25017e275651a9b77 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) | | |
| | at hooks.Hook.afterstep(Hook.java:41) | | |
| 1 | Then The user should be redirected to Practice Questions of Graph page | SKIPPED | 0.000 s |