Cucumber Report

| Start : Mar. 23, 11:35:09.123 p.m.	End : Mar. 23, 11:40:12.813 p.m.	Duration : 5 m 3.690 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 15 SKIPPED - 0	PASSED - 24 FAILED - 15 SKIPPED - 15

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Launch Start page and Test Home Page	_5 m 3.690 s_	_16_	_1_	_15_	_0_	_54_	_24_	_15_	_15_

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@startPage	16	1	15	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	16	1	15	0	5 m 3.690 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	User is on Home Page and clicks on any dropdown "Stack" without sign in	4	2	1	1	1 m 32.134 s
2	Launch Start page and Test Home Page	User is on Home Page and clicks on any dropdown "Tree" without sign in	4	2	1	1	2 m 2.206 s
3	Launch Start page and Test Home Page	User is on Home Page and clicks on any dropdown "Queue" without sign in	4	2	1	1	1 m 1.849 s
4	Launch Start page and Test Home Page	User is on Home Page and clicks on any dropdown "Linked List" without sign in	4	2	1	1	2 m 32.225 s
5	Launch Start page and Test Home Page	User is on Home Page and clicks on any dropdown "Graph" without sign in	4	2	1	1	3 m 2.477 s
6	Launch Start page and Test Home Page	User is on Home Page and clicks on any dropdown "Arrays" without sign in	4	2	1	1	3 m 31.768 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
7	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Linked List" without sign in	3	1	1	1	3 m 32.509 s
8	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Arrays" without sign in	3	1	1	1	3 m 32.799 s
9	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Data Structures-Introduction" without sign in	3	1	1	1	3 m 32.777 s
10	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Stack" without sign in	3	1	1	1	3 m 1.635 s
11	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Queue" without sign in	3	1	1	1	3 m 1.692 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Tree" without sign in	3	1	1	1	3 m 1.514 s
13	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link "Graph" without sign in	3	1	1	1	3 m 1.411 s
14	Launch Start page and Test Home Page	launch the home page of dsalgo portal	3	1	1	1	31.498 s
15	Launch Start page and Test Home Page	User is on Home page and Clicks on Signin	3	3	0	0	1 m 1.334 s
16	Launch Start page and Test Home Page	User is on Home page and Clicks on Register	3	1	1	1	31.097 s

Launch Start page and Test Home Page

FAILED	DURATION - 5 m 3.690 s	Scenarios		Steps	
/ 11:35:09.123 p.m. // 11:40:12.813 p.m. /		Total - 16 Pass - 1 Fail - 15 Skip - 0	16	Total - 54 Pass - 24 Fail - 15 Skip - 15	54

User is on Home Page and clicks on any dropdown "Stack" without sign in

FAILED	DURATION - 1 m 32.134 s		Steps	
/ 11:35:09.129 p.m. // 11:36:41.263 p.m. /			Total - 4 Pass - 2 Fail - 1 Skip - 1	4
Launch Start page and Test Home Page				
@startPage				

| #	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	0.728 s
2	When The user clicks on data structure dropdown before signin	PASSED	0.001 s
3	Then The user select any dropdown menu "Stack"	FAILED	1 m 31.347 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='dropdown-menu show']/a[3]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo. .., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:97) at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47) at ?.The user select any dropdown menu "Stack"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
4	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.003 s

User is on Home Page and clicks on any dropdown "Tree" without sign in

FAILED	DURATION - 2 m 2.206 s
/ 11:35:09.139 p.m. // 11:37:11.345 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	0.897 s
2	When The user clicks on data structure dropdown before signin	PASSED	0.001 s
3	Then The user select any dropdown menu "Tree"	FAILED	2 m 1.260 s

| #	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='dropdown-menu show']/a[5]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[5]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo. .., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　　at com.sun.proxy.$Proxy41.click(Unknown Source) 　　at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:105) 　　at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47) 　　at ?.The user select any dropdown menu "Tree"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
4	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

User is on Home Page and clicks on any dropdown "Queue" without sign in

FAILED	DURATION - 1 m 1.849 s
	/ 11:35:09.142 p.m. // 11:36:10.991 p.m. /
	Launch Start page and Test Home Page
	@startPage

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	0.489 s
2	When The user clicks on data structure dropdown before signin	PASSED	0.001 s
3	Then The user select any dropdown menu "Queue"	FAILED	1 m 1.339 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='dropdown-menu show']/a[4]"}   (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[4]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo. .., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:101) at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47) at ?.The user select any dropdown menu "Queue"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
4	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.002 s

User is on Home Page and clicks on any dropdown "Linked List" without sign in

FAILED	DURATION - 2 m 32.225 s
/ 11:35:09.164 p.m. // 11:37:41.389 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	1.173 s
2	When The user clicks on data structure dropdown before signin	PASSED	0.002 s
3	Then The user select any dropdown menu "Linked List"	FAILED	2 m 31.016 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='dropdown-menu show']/a[2]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:93) at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47) at ?.The user select any dropdown menu "Linked List"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12) * Not displayable characters are replaced by '?'.		
4	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

User is on Home Page and clicks on any dropdown "Graph" without sign in

FAILED	DURATION - 3 m 2.477 s		Steps
/ 11:35:09.166 p.m. // 11:38:11.643 p.m. /			Total - 4
Launch Start page and Test Home Page			Pass - 2
			Fail - 1
@startPage			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	1.245 s
2	When The user clicks on data structure dropdown before signin	PASSED	0.001 s
3	Then The user select any dropdown menu "Graph"	FAILED	3 m 1.197 s

| #	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='dropdown-menu show']/a[6]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo. .., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at com.sun.proxy.$Proxy41.click(Unknown Source)
	  at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:109)
	  at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47)
	  at ?.The user select any dropdown menu "Graph"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12)
	* Not displayable characters are replaced by '?'.		

4	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

User is on Home Page and clicks on any dropdown "Arrays" without sign in

FAILED	DURATION - 3 m 31.768 s
/ 11:35:09.187 p.m. // 11:38:40.955 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	1.306 s
2	When The user clicks on data structure dropdown before signin	PASSED	0.001 s
3	Then The user select any dropdown menu "Arrays"	FAILED	3 m 30.431 s

	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo. .., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:89)		
	at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47)		
	at ?.The user select any dropdown menu "Arrays"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1957)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2092)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.dropdown(HomePage_POM.java:89)		
	at stepDefination.HomePage_SD.the_user_select_any_dropdown_menu(HomePage_SD.java:47)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)		
	at java.base/java.lang.Thread.run(Thread.java:835)		
	* Not displayable characters are replaced by '?'.		
4	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.000 s

User is on Home Page and clicks on any getStarted link "Linked List" without sign in

FAILED	DURATION - 3 m 32.509 s		Steps	
/ 11:35:09.152 p.m. // 11:38:41.661 p.m. /			Total - 3	
Launch Start page and Test Home Page			Pass - 1	3
			Fail - 1	
@startPage			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	0.561 s
2	When The user click any of the Get started link before signin "Linked List" in home page	FAILED	3 m 31.943 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, clickElement {id=c5252089-a201-4d76-abc1-66325b4135dd}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (772130e5594ea7cabd0f106e17552d17)] -> xpath: //a[@href ='linked-list']] Session ID: 772130e5594ea7cabd0f106e17552d17
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:567)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at com.sun.proxy.$Proxy41.click(Unknown Source)
	    at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:128)
	    at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59)
	    at ?.The user click any of the Get started link before signin "Linked List" in home page(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26)
	* Not displayable characters are replaced by '?'.		

3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.000 s

User is on Home Page and clicks on any getStarted link "Arrays" without sign in

FAILED	DURATION - 3 m 32.799 s
/ 11:35:09.155 p.m. // 11:38:41.954 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	0.831 s
2	When The user click any of the Get started link before signin "Arrays" in home page	FAILED	3 m 31.958 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, clickElement {id=3e9affec-a617-47dd-b8e2-e25b0465073e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (772130e5594ea7cabd0f106e17552d17)] -> xpath: //a[@href ='array']] Session ID: 772130e5594ea7cabd0f106e17552d17
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:124) at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59) at ?.The user click any of the Get started link before signin "Arrays" in home page(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26) * Not displayable characters are replaced by '?'.		
3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.002 s

User is on Home Page and clicks on any getStarted link "Data Structures-Introduction" without sign in

FAILED	DURATION - 3 m 32.777 s
/ 11:35:09.169 p.m. // 11:38:41.946 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	0.647 s
2	When The user click any of the Get started link before signin "Data Structures-Introduction" in home page	FAILED	3 m 32.124 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, clickElement {id=daceb0ff-a582-46b3-bc5b-0d12a56c2eea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (772130e5594ea7cabd0f106e17552d17)] -> xpath: //a[@href ='data-structures-introduction']] Session ID: 772130e5594ea7cabd0f106e17552d17
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:120) at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59) at ?.The user click any of the Get started link before signin "Data Structures-Introduction" in home page(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26) * Not displayable characters are replaced by '?'.		
3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.000 s

User is on Home Page and clicks on any getStarted link "Stack" without sign in

FAILED	DURATION - 3 m 1.635 s		Steps
/ 11:35:40.881 p.m. // 11:38:42.516 p.m. /			Total - 3
			Pass - 1
Launch Start page and Test Home Page			Fail - 1
@startPage			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2 m 0.706 s
2	When The user click any of the Get started link before signin "Stack" in home page	FAILED	1 m 0.924 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, getElementText {id=38596e75-134c-41e3-9a89-35dc53af1515}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (772130e5594ea7cabd0f106e17552d17)] -> xpath: //a[@href ='stack']] Session ID: 772130e5594ea7cabd0f106e17552d17
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	  at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:207)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:567)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at com.sun.proxy.$Proxy41.getText(Unknown Source)
	  at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:131)
	  at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59)
	  at ?.The user click any of the Get started link before signin "Stack" in home page(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26)
	* Not displayable characters are replaced by '?'.		

3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.002 s

User is on Home Page and clicks on any getStarted link "Queue" without sign in

FAILED	DURATION - 3 m 1.692 s
/ 11:36:11.102 p.m. // 11:39:12.794 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2 m 30.823 s
2	When The user click any of the Get started link before signin "Queue" in home page	FAILED	30.866 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href ='queue']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//a[@href ='queue']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:136)		
	at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59)		
	at ?.The user click any of the Get started link before signin "Queue" in home page(file:///C:/Users/14377/eclipse-workspace/ numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26)		
	* Not displayable characters are replaced by '?'.		
3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.000 s

### User is on Home Page and clicks on any getStarted link "Tree" without sign in

FAILED	DURATION - 3 m 1.514 s		Steps
/ 11:36:41.297 p.m. // 11:39:42.811 p.m. /			Total - 3
			Pass - 1
Launch Start page and Test Home Page			Fail - 1
			Skip - 1
@startPage			

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2 m 0.759 s
2	When The user click any of the Get started link before signin "Tree" in home page	FAILED	1 m 0.748 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href ='tree']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//a[@href ='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:140)		
	at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59)		
	at ?.The user click any of the Get started link before signin "Tree" in home page(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26)		
	* Not displayable characters are replaced by '?'.		
3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

User is on Home Page and clicks on any getStarted link "Graph" without sign in

FAILED	DURATION - 3 m 1.411 s		Steps	
/ 11:37:11.402 p.m. // 11:40:12.813 p.m. /			Total - 3	
Launch Start page and Test Home Page			Pass - 1	
			Fail - 1	
@startPage			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	1 m 30.766 s
2	When The user click any of the Get started link before signin "Graph" in home page	FAILED	1 m 30.642 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href ='graph']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//a[@href ='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome:		

| #	Step / Hook Details	Status	Duration

	{chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at com.sun.proxy.$Proxy41.click(Unknown Source)
	   at pageObjectModel.HomePage_POM.getStartedhome(HomePage_POM.java:144)
	   at stepDefination.HomePage_SD.the_user_click_any_of_the_get_started_link_before_signin_in_home_page(HomePage_SD.java:59)
	   at ?.The user click any of the Get started link before signin "Graph" in home page(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:26)
	* Not displayable characters are replaced by '?'.		

3	Then It should Alert the user with the message "You are not logged in"	SKIPPED	0.001 s

launch the home page of dsalgo portal

FAILED	DURATION - 31.498 s

/ 11:35:09.173 p.m. // 11:35:40.671 p.m. /

Launch Start page and Test Home Page

@startPage

Steps

Total - 3

Pass - 1

Fail - 1

Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user opens the dsalgo portal link	PASSED	1.068 s
2	When user clicks on "Get Started" button	FAILED	30.400 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@class='btn']"}   (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, findElement {using=xpath, value=//button[@class='btn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 772130e5594ea7cabd0f106e17552d17
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.getstarted(HomePage_POM.java:57) at stepDefination.HomePage_SD.user_clicks_on_button(HomePage_SD.java:24) at ?.user clicks on "Get Started" button(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:6) * Not displayable characters are replaced by '?'.		
3	Then user redirected to home page	SKIPPED	0.000 s

User is on Home page and Clicks on Signin

PASSED	DURATION - 1 m 1.334 s
/ 11:37:41.422 p.m. // 11:38:42.756 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	1 m 0.873 s
2	When user clicks on SignIn link	PASSED	0.457 s
3	Then user redirected to login page	PASSED	0.001 s

User is on Home page and Clicks on Register

FAILED	DURATION - 31.097 s
/ 11:38:11.676 p.m. // 11:38:42.773 p.m. /	
Launch Start page and Test Home Page	
@startPage	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	30.743 s

#	Step / Hook Details	Status	Duration
2	When user clicks on Register link	FAILED	0.349 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772130e5594ea7cabd0f106e17552d17, clickElement {id=566ee0ba-642a-434b-88a4-4c9f6b99eff0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50425/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (772130e5594ea7cabd0f106e17552d17)] -> xpath: //a[@href ='/register']] Session ID: 772130e5594ea7cabd0f106e17552d17 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.$Proxy41.click(Unknown Source) at pageObjectModel.HomePage_POM.registerLink(HomePage_POM.java:154) at stepDefination.HomePage_SD.user_clicks_on_register_link(HomePage_SD.java:79) at ?.user clicks on Register link(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:46) * Not displayable characters are replaced by '?'.		
3	Then user redirected to register page	SKIPPED	0.001 s