Cucumber Report

| Start : Mar. 23, 12:45:50.557 p.m.	End : Mar. 23, 12:48:52.518 p.m.	Duration : 3 m 1.961 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 8 SKIPPED - 0	PASSED - 9 FAILED - 8 SKIPPED - 7

Features: 1

Scenarios: 8

Steps: 24

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 37 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Launch Start page and Test Home Page	*3 m 1.961 s*	*8*	*0*	*8*	*0*	*24*	*9*	*8*	*7*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@pagestart	8	0	8	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	8	0	8	0	3 m 1.961 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link homepage without sign in	3	2	1	0	2 m 32.114 s
2	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link homepage without sign in	3	1	1	1	1 m 32.032 s
3	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link homepage without sign in	3	1	1	1	1 m 1.972 s
4	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link homepage without sign in	3	1	1	1	3 m 1.507 s
5	Launch Start page and Test Home Page	User is on Home Page and clicks on any getStarted link homepage without sign in	3	1	1	1	3 m 1.690 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
6	*Launch Start page and Test Home Page*	*User is on Home Page and clicks on any getStarted link homepage without sign in*	*3*	*1*	*1*	*1*	*2 m 2.040 s*
7	*Launch Start page and Test Home Page*	*User is on Home Page and clicks on any getStarted link homepage without sign in*	*3*	*1*	*1*	*1*	*31.954 s*
8	*Launch Start page and Test Home Page*	*User launch home page of an dsalgo project*	*3*	*1*	*1*	*1*	*3 m 1.906 s*

Launch Start page and Test Home Page

| FAILED	DURATION - 3 m 1.961 s	Scenarios Total - 8 Pass - 0 Fail - 8 Skip - 0	8	Steps Total - 24 Pass - 9 Fail - 8 Skip - 7	24
/ 12:45:50.557 p.m. // 12:48:52.518 p.m. /					

User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 2 m 32.114 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	3
/ 12:45:50.568 p.m. // 12:48:22.682 p.m. /				
Launch Start page and Test Home Page				
@pagestart				

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	1.232 s
2	When The user clicks on Get Started link on homepage "Array" without login	PASSED	0.003 s
3	Then The user get warning message "You are not logged in"	FAILED	2 m 30.819 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'You are not logged in')]"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//div[contains(text(),'You are not logged in')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy41.getText(Unknown Source) at pageObjectModel.HomePage_POM.getAlert(HomePage_POM.java:59) at stepDefination.HomePage.the_user_get_warning_message(HomePage.java:46) at ?.The user get warning message "You are not logged in"(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:12) * Not displayable characters are replaced by '?'.		

User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 1 m 32.032 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 12:45:50.577 p.m. // 12:47:22.609 p.m. /				
Launch Start page and Test Home Page				
@pagestart				

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.892 s
2	When The user clicks on Get Started link on homepage "Linked List" without login	FAILED	1 m 31.092 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1'		

| #	Step / Hook Details	Status	Duration

	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at com.sun.proxy.$Proxy41.getText(Unknown Source)
	  at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:78)
	  at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41)
	  at ?.The user clicks on Get Started link on homepage "Linked List" without login(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:11)
	* Not displayable characters are replaced by '?'.		

3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 1 m 1.972 s

/ 12:45:50.582 p.m. // 12:46:52.554 p.m. /

Launch Start page and Test Home Page

@pagestart

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.695 s
2	When The user clicks on Get Started link on homepage "Stack" without login	FAILED	1 m 1.226 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.$Proxy41.isDisplayed(Unknown Source) at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:84) at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41) at ?.The user clicks on Get Started link on homepage "Stack" without login(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/ src/test/resources/features/TC01_HomePage.feature:11) * Not displayable characters are replaced by '?'.		
3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

### User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 3 m 1.507 s
/ 12:45:50.587 p.m. // 12:48:52.094 p.m. /	
Launch Start page and Test Home Page	
@pagestart	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	1.442 s
2	When The user clicks on Get Started link on homepage "Tree" without login	FAILED	3 m 0.037 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:95)		
	at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41)		
	at ?.The user clicks on Get Started link on homepage "Tree" without login(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/ src/test/resources/features/TC01_HomePage.feature:11)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1957)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2092)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:95)		
	at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)		
	at java.base/java.lang.Thread.run(Thread.java:835)		
	* Not displayable characters are replaced by '?'.		
3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 3 m 1.690 s

/ 12:45:50.602 p.m. // 12:48:52.292 p.m. /

Launch Start page and Test Home Page

@pagestart

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	1.637 s
2	When The user clicks on Get Started link on homepage "Queue" without login	FAILED	3 m 0.031 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//a[@href='queue']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738 　at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65) 　at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) 　at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56) 　at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) 　at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) 　at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56) 　at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　at com.sun.proxy.$Proxy41.isDisplayed(Unknown Source) 　at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:90)		

| #	Step / Hook Details	Status	Duration
	at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41)		
	at ?.The user clicks on Get Started link on homepage "Queue" without login(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:11)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1957)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2092)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.isDisplayed(Unknown Source)		
	at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:90)		
	at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)		
	at java.base/java.lang.Thread.run(Thread.java:835)		
	* Not displayable characters are replaced by '?'.		
3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 2 m 2.040 s		Steps
/ 12:45:50.608 p.m. // 12:47:52.648 p.m. /			Total - 3
Launch Start page and Test Home Page			Pass - 1
@pagestart			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	1.083 s
2	When The user clicks on Get Started link on homepage "Graph" without login	FAILED	2 m 0.944 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href ='graph']"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//a[@href ='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo. .., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at com.sun.proxy.$Proxy41.click(Unknown Source)
	    at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:99)
	    at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41)
	    at ?.The user clicks on Get Started link on homepage "Graph" without login(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/ src/test/resources/features/TC01_HomePage.feature:11)
	* Not displayable characters are replaced by '?'.		

3	Then The user get warning message "You are not logged in"	SKIPPED	0.001 s

User is on Home Page and clicks on any getStarted link homepage without sign in

FAILED	DURATION - 31.954 s
/ 12:45:50.623 p.m. // 12:46:22.577 p.m. /	
Launch Start page and Test Home Page	
@pagestart	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.535 s
2	When The user clicks on Get Started link on homepage "Data Structures-Introduction" without login	FAILED	31.390 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href ='data-structures-introduction']"}   (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//a[@href ='data-structures-introduction']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.$Proxy41.getText(Unknown Source) at pageObjectModel.HomePage_POM.gethomepagetopic(HomePage_POM.java:68) at stepDefination.HomePage.the_user_clicks_on_get_started_link_on_homepage_without_login(HomePage.java:41) at ?.The user clicks on Get Started link on homepage "Data Structures-Introduction" without login(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:11) * Not displayable characters are replaced by '?'.		
3	Then The user get warning message "You are not logged in"	SKIPPED	0.002 s

User launch home page of an dsalgo project

FAILED	DURATION - 3 m 1.906 s		Steps
/ 12:45:50.612 p.m. // 12:48:52.518 p.m. /			Total - 3
			Pass - 1
Launch Start page and Test Home Page			Fail - 1
			Skip - 1
@pagestart			

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	1.854 s
2	When The user clicks the "Get Started" button	FAILED	3 m 0.028 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '12.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e63def54f7e9b3367a5fbf6882b738, findElement {using=xpath, value=//button[@class='btn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\14377\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54439}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54439/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72e63def54f7e9b3367a5fbf6882b738 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.getstarted(HomePage_POM.java:45)		
	at stepDefination.HomePage.the_user_clicks_the_button(HomePage.java:23)		
	at ?.The user clicks the "Get Started" button(file:///C:/Users/14377/eclipse-workspace/numpy_ninja_ds_algo/src/test/resources/features/TC01_HomePage.feature:6)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1957)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2092)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy41.click(Unknown Source)		
	at pageObjectModel.HomePage_POM.getstarted(HomePage_POM.java:45)		
	at stepDefination.HomePage.the_user_clicks_the_button(HomePage.java:23)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:835) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to homepage	SKIPPED	0.001 s