MET Bhujbal Knowledge City Institute of Technology- Polytechnic

Adgaon, Nashik-422 003. Date: Packed No. g Pim: To implement the K-Newtool Negghous clustification digosithm using python & evaluate its performance. On a red - world dataset	
Pim: To implement the K-Newroll Neighbour Clust fiedtion disposition using python of evaluate its performance and red I -world dataset The put: I natured The put: I natured 3) Target: class of flower Output: I Acarday i) (sussification report: I prefision 2) Pecul 3) Pi-scrote 4) Spapart	
Pim: To implement the K-Newroll Neighbour Clust fiedtion disposition using python of evaluate its performance and red I -world dataset The put: I natured The put: I natured 3) Target: class of flower Output: I Acarday i) (sussification report: I prefision 2) Pecul 3) Pi-scrote 4) Spapart	
The first of flower Outful: Jacusay J	
The first of flower Outful: Jacusay J	
The first of flower Outful: Jacusay J	
The put: I Dataset (III) 2) features 3) Taryet: along of flower Output: I Accuracy i) (nonsification report: I Precision 2) Pecul 3) FI-Crore 4) Crupurt	
2) feature) 3) Tartet: Clar of flower Outful: J Accuracy 2) Precision 2) Precision 2) Precision 4) Chapart	
2) feature) 3) Tartet: Clar of flower Outful: J Accuracy 2) Precision 2) Precision 2) Precision 4) Chapart	
3) Taryer: Lang of flower Output: J Acarday L necal L perport A spapart	
OUTPUT: J ACCURACY 2) (IUSSIFICATION NOPUEL: J PRESISTON 2) PECUL 3) PI-CEROTE 4) CRUPOTI	
1) (lussification repost: i) Medision 2) recul 3) fl-scrore 4) spuport	
1) (lussification repost: i) Medision 2) recul 3) fl-scrore 4) spuport	
2) Recul 3) \$1-5c **010	
4) CPUPOTI	1450
	64
Theory:	Y
intuitive supervised reasoning algorithms well for classification	
L'aritive concernised reasonne algorithmented for classification	
	8
1 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
continuity trained model. Instead, it members on its on its on its	
exprinity tour a make predictions bused on its on it.	
training outa & more reserved	

How is works:
VI SIMPLE STOTES FOR
1) Store the data det: ITNIV sing
Store The data det: ITNN SImple Stores fre John Choose a value of K: The number on nearest Neighbours to be considered.
John John John John John John John John
2. Choole a Value of ciclesect.
neighbours to be Considered
2. Distance colculation: A when a more to tance before
3. Distance colculation: A when a new outer between a colculates the tance between the
7612 moint 1/ OURSU moint in training dutates
Clossified the algorithm calculates the tonce person This point & every point in training dutured 4. find K nemeral Neighbrus: The identifies the K nome
4. Tird K Nemel Nemel Nemel
points.
- la Maldra
Mathematical formula - fullidean Bistance:
$\delta(P,d) = \left[\frac{2}{2} (P_i - d_i)^2 \right]$
$\frac{1}{ i }$
V
where:
ps q use two data points
nis the number of feutures
The state of the s

MET Bhujbal Knowledge City

Institute of Technology- Polytechnic

Adgaon, Nashik- 422 003. Date: Algorithms: conclusion: we Implemental ation aldorithm lowe es matrice Uter

