

VegPro scouting — office setup and deploy

For: Kalpit Patel, on site at VegPro (FDB)

Database: Microsoft SQL Server, database **Scouting**

Server: FDB, 192.168.16.14 , port **1433** (confirmed by Imran)

The app uses **only MS SQL**. Do not configure Supabase on this server.

Bring with you

- This PDF
- The project folder from your laptop (vegpro-smart-farm), including .env.local and sql\mssql\
- A USB stick if the office PC cannot copy from your laptop

GitHub does **not** have the latest MS SQL scripts. Copy the folder from your laptop. Do not clone and expect it to be complete.

Confirmed connection

Item	Value
Server name	FDB
IP	192.168.16.14
Port	1433
Database	Scouting
SQL login	In .env.local as MSSQL_USER / MSSQL_PASSWORD
Where to work	On the VegPro LAN, or on the FDB computer itself

On FDB, this check already succeeded once (TcpTestSucceeded : True). Node.js was **not** installed yet.

Part 1 — Database (SSMS, about 10 minutes)

Do this first. It does not need Node.js.

1. On FDB, open **SQL Server Management Studio**.
2. Connect to 192.168.16.14 with the SQL login from Imran (not Windows login unless IT says so).
3. Select database **Scouting**.
4. Open each file and click **Execute**, in this order:

Order	File	What it does
1	sql\mssql\001_schema.sql	Tables
2	sql\mssql\002_seed_bemack_core.sql	Farm / crop master data
3	sql\mssql\003_activities.sql	Activities and QR tables
4	sql\mssql\004_seed_users.sql	Demo logins

1. In a new query on **Scouting**, run:

```
SELECT email, role FROM dbo.users ORDER BY email;
```

You should see `admin@vegpro.com` , `manager@vegpro.com` , and `worker@vegpro.com` .

Demo password for all three (app login, not the SQL login): **VegPro2026!**

If a script says the object already exists, it is safe to continue. These scripts skip tables that are already there.

Part 2 — Install Node.js on FDB

1. In a browser on FDB, open <https://nodejs.org> and install the **LTS** Windows installer (64-bit).
2. Accept the defaults, including **Add to PATH**.
3. Close every Command Prompt window, open a **new** one, and run:

```
node -v
npm -v
```

Both must print a version. If `node` is not recognized, the PATH was not refreshed — open a new window or sign out and back in.

Part 3 — Copy the app onto FDB

1. Copy the project to:

```
D:\Apps\vegpro-scouting
```

1. Confirm these files are inside that folder:

- `.env.local`
- `package.json`
- `sql\mssql\001_schema.sql` through `004_seed_users.sql`

1. If `.env.local` is missing, create it (Part 4) before the next commands.

1. Open Command Prompt **as a normal user** (Administrator only if `npm` is blocked):

```
cd /d D:\Apps\vegpro-scouting
npm install
npm run test:mssql
```

`test:mssql` must print a success line. If it times out, you are not on the VegPro network. If it says login failed, check the SQL user and password with Imran.

Optional one-shot (only if Part 1 was **not** done in SSMS):

```
npm run setup:vegpro
```

That command tests SQL, runs scripts 001–003, and seeds users. If you already ran all four scripts in SSMS, skip it and use `npm run test:mssql` only.

Part 4 — .env.local on FDB

File: `D:\Apps\vegpro-scouting\.env.local`

Copy the file from your laptop. It must look like this (fill the blanks from your laptop file; do not email the password):

```
DATA_BACKEND=mssql
NEXT_PUBLIC_DATA_BACKEND=mssql
MSSQL_SERVER=192.168.16.14
MSSQL_DATABASE=Scouting
MSSQL_USER=your-sql-login
MSSQL_PASSWORD="your-sql-password"
MSSQL_TRUST_SERVER_CERTIFICATE=true
SESSION_SECRET=paste-the-long-secret-from-your-laptop

EVIDENCE_STORAGE_PATH=D:\Apps\vegpro-scouting\data\evidence
```

Rules:

- Quote the password if it contains * or other symbols: `MSSQL_PASSWORD="..."`.
- Copy `SESSION_SECRET` from your laptop `.env.local`. Do not invent a short one.
- Do **not** put Supabase URL or keys in this file on FDB.
- Create the photo folder:

```
mkdir D:\Apps\vegpro-scouting\data\evidence
```

Part 5 — Prove the app before IIS

Still in `D:\Apps\vegpro-scouting` :

```
npm run dev
```

On that PC, open:

```
http://localhost:3000/auth/login
```

Email	Password	Role
worker@vegpro.com	VegPro2026!	Worker
manager@vegpro.com	VegPro2026!	Manager
admin@vegpro.com	VegPro2026!	Admin

Sign in as the worker. If login works, stop the dev server with **Ctrl+C** and continue to production.

Part 6 — Production deploy (IIS + HTTPS)

Scouts' phones need **HTTPS**. GPS does not work on plain `http://` except localhost.

6.1 Build

```
cd /d D:\Apps\vegpro-scouting
npm run build
```

Wait until the build finishes with no errors.

6.2 Keep Node running

The site is served by Node on port **3000**. IIS only forwards HTTPS traffic to it.

For the first day you can start it in a window and leave that window open:

```
cd /d D:\Apps\vegpro-scouting
npm run start
```

Ask Imran to keep that process running after reboot (Task Scheduler at startup, or NSSM). The command is:

```
cd /d D:\Apps\vegpro-scouting
npm run start
```

Working directory must be `D:\Apps\vegpro-scouting`.

Check: `http://localhost:3000/auth/login` still opens while `npm run start` is running.

6.3 IIS reverse proxy

On FDB, IIS needs:

- **IIS** (Web Server role)
- **URL Rewrite**
- **Application Request Routing (ARR)**

Then enable the proxy (Command Prompt as Administrator):

```
%windir%\system32\inetsrv\appcmd.exe set config -section:system.webServer/proxy /enabled:"True" /cc
```

Create a site folder, for example `D:\Apps\vegpro-scouting\iis`, and save this as `web.config`:

```
<?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <system.webServer>
    <rewrite>
      <rules>
        <rule name="ReverseProxyToNode" stopProcessing="true">
          <match url="(.*)" />
          <action type="Rewrite" url="http://127.0.0.1:3000/{R:1}" />
        </rule>
      </rules>
    </rewrite>
  </system.webServer>
</configuration>
```

In **IIS Manager**:

1. Add a website (or use the existing FDB site if Imran prefers).
2. Physical path: the folder that contains `web.config`.
3. Binding: **https**, port **443**, with the farm certificate Imran already uses.
4. Browse `https:///auth/login` from another PC on the farm Wi-Fi.

Do not publish SQL port 1433 to the internet. Phones only need **443**.

Part 7 — Smoke test on the farm Wi-Fi

Use a phone or another PC, not only localhost.

#	Check	Pass
1	Open the HTTPS address Imran assigned	Login page loads, padlock present
2	worker@vegpro.com / VegPro2026!	Lands on the worker home
3	Start a scouting walk and save a stop	Stop is stored
4	manager@vegpro.com / VegPro2026!	Stop appears on the Scouting screen within about 15 seconds
5	Report an infestation and log a spray	Both save; photo opens
6	admin@vegpro.com / VegPro2026!	Admin can open staff / create a user

Change the three demo passwords after go-live (admin screen, or ask for a reset script).

If something fails

What you see	What to do
node is not recognized	New Command Prompt after install. If it still fails, reinstall Node LTS and tick Add to PATH
Timeout to 192.168.16.14	PC is not on the VegPro LAN. Use FDB itself or office Wi-Fi
Login failed for SQL user	User or password in .env.local does not match Imran's login. Quote the password
App login says invalid email or password	Part 1 script 004_seed_users.sql was not run. Run it in SSMS on Scouting
Page opens on the server but not on a phone	IIS binding, certificate, or firewall port 443. Node must still be running (npm run start)
GPS missing on the phone	The site must be HTTPS , not http://192.168...
Build fails	Stay on Node LTS. Run npm install again in D:\Apps\vegpro-scouting, then npm run build

Order of the day

1. SSMS: run 001, 002, 003, 004 on **Scouting**
2. Install Node.js LTS
3. Copy the app to D:\Apps\vegpro-scouting with .env.local
4. npm install then npm run test:mssql
5. npm run dev and log in once
6. npm run build then npm run start
7. IIS HTTPS proxy to port 3000

8. Phone smoke test on farm Wi-Fi