

VegPro Smart Farm — Admin / Manager Presenter Script

Audience: VegPro Kenya Ltd — farm managers, supervisors, and operations leads

Duration: 20–25 minutes (admin walkthrough first)

App: VegPro Smart Farm — <http://localhost:3000> (or deployed URL)

Role: Admin / Manager login — admin@vegpro.com

What this script covers

This script walks through the **VegPro Operations Center** — the admin and manager side of the platform. It covers every feature in the manager navigation and how field data from scouts flows into these views in near real time.

Manager area	Route	What it does
Dashboard	/manager/dashboard	KPI cards, alerts, spray program summary, activity chart, live feed
Scouting	/manager/scouting	Heat grid, scout routes, pressure analytics, spray/work program, records table
Map	/manager/map	Hotspots, spray pins, live worker GPS; mark sprayed / resolved
Workers	/manager/workers	Who is in the field, current problems, ratings by greenhouse
History	/manager/history	3-month timeline, greenhouse health, improvement chart

Extended routes (same admin role, direct URL):

Area	Route	What it does
Activity logs	/manager/logs	QR / activity log table
Supervisor panel	/manager/supervisor	Live activity review and approval

Pre-demo checklist (30 minutes before)

1. Apply Supabase migrations 006 through 012 and run `supabase/link-auth-users.sql`.
2. Create Auth user `admin@vegpro.com` (and optionally `worker@vegpro.com` for live updates). Update UUIDs in `link-auth-users.sql` if they differ.
3. Run `supabase/migrations/012_sample_bemack_demo.sql` — pre-fills scout routes, heat grid, farm map pins, and demo history.

4. Confirm `.env.local` has `NEXT_PUBLIC_SUPABASE_URL` and `NEXT_PUBLIC_SUPABASE_ANON_KEY`.
5. Start the app: `npm run dev` (port 3000).
6. Log in as **admin** on the main screen (projector or laptop).
7. Optional second device: worker login to show live updates during the admin demo.

Offline mode: Without Supabase, cookie login still works and manager views use local demo data. Say:
 "Production connects to your Supabase project for multi-device realtime."

Opening (1 minute) — what to say

*"Thank you for your time. Today we'll start on the **manager side** — the VegPro Operations Center — where your team sees everything scouts capture in the field.*

>

*We'll walk through the **dashboard, precision scouting, farm map, workers, and history**. The demo uses **Bemack** with your **17 greenhouses (BEGH 01–17)**. If a scout saves a stop on a phone, you'll see it appear here within seconds."*

Action: Log in as `admin@vegpro.com`. Confirm the sidebar shows **VegPro Operations Center** with Dashboard, Scouting, Map, Workers, and History.

Part 1 — Dashboard (5 minutes)

Route: `/manager/dashboard`

Header: *Bemack · Precision scouting — Farm overview*

1a. KPI metric cards (2 min)

Point to the five metric cards across the top. Each card is clickable and deep-links to the relevant screen.

"The dashboard opens with live KPIs that refresh automatically when field activity changes:

>

- **Scouting stops today** — precision stops saved from the field app today
- **Active hotspots** — open infestation reports still needing action
- **Sprays today** — insecticide treatments logged in the field
- **Workers in field** — scouts whose GPS updated in the last 30 minutes

- **Severe issues** — active hotspots rated severity 4 or 5

>

These numbers update in real time when Supabase is connected — no manual refresh."

Action: Click **Scouting stops today** to show navigation; return to Dashboard.

1b. Quick action links (30 sec)

*"Below the KPIs are shortcuts to **Scouting dashboard**, **Open map**, **View workers**, and **View history** — the same areas we'll cover in detail."*

1c. Operations alerts (1 min)

*"**Needs attention** surfaces open operational alerts — for example a new severe infestation or a spray overdue. When everything is normal, you see a green 'all clear' message. Alerts also push through Supabase Realtime."*

1d. Spray / work program — compact view (30 sec)

*"The dashboard includes a compact **Spray / work program** panel. It auto-generates today's intervention list from scouting pressure — urgent sprays, items scheduled within 48 hours, and monitor-only rows. The full program lives under **Scouting**."*

1e. Activity chart & live feed (1 min)

Point to the weekly line chart and the live activity feed on the right.

*"The **weekly activity chart** compares infestation reports and spray treatments day by day — useful for spotting busy periods."*

>

*The **live activity feed** shows the latest field events: who did what, where, and when — scouting stops, infestation reports, and spray logs as they arrive from scouts."*

Part 2 — Precision scouting (6 minutes)

Route: /manager/scouting

Header: *Precision scouting — Bemack*

2a. Data flow panel (30 sec)

Point to the blue “**Demo: scout data** → **GPS** → **dashboards**” panel.

*“This panel summarises the pipeline: GPS assigns farm and greenhouse → scouts enter structured data in Field work → each stop stores coordinates → **these manager views update** — heat grid, routes, spray program, map, and records.”*

2b. Spray / work program — full view (1 min)

*“The full **Spray / work program** — **today** ranks greenhouses and varieties by scouting pressure. Items are tagged **Spray today** (urgent), **Within 48h** (scheduled), or **Monitor**. Each row shows greenhouse, variety, bed location, issue, and average rating — so agronomy can plan the day’s spray crew without re-keying scout sheets.”*

Action: Scroll through urgent and scheduled items. Click **Open field map** if shown.

2c. Greenhouse heat grid (1.5 min)

*“The **GH heat map** is a column × bay grid inside a selected greenhouse. Darker red means higher scouting pressure from recent stops. Switch the greenhouse dropdown across **BEGH 01–17** to compare houses. Click a cell to see issue type, pest or disease, and rating.”*

Action: Select **BEGH 05** or a demo GH with data. Point at a red cell.

2d. Scout route map (1.5 min)

*“The **Scout route map** is the GPS story for managers. Each saved stop is a map point with greenhouse, column, bay, issue, and time. Select a **scouting round** from the dropdown to see the path the scout walked — Scarab-style session timing and multi-stop routes. Seed data includes a demo round across **BEGH 01** and **BEGH 05**.”*

Action: Select the demo round; zoom and pan the map. Point out stop markers and route line.

2e. Scouting pressure analytics (1 min)

*“**Pressure analytics** roll up the last 30 days: bar charts by greenhouse (pest vs disease pressure) and by variety. This helps managers see which houses and crop lines need IPM focus beyond today’s heat grid.”*

2f. Recent scouting stops — records table (1 min)

Scroll to **Recent scouting stops**.

“Every scouting stop is stored in a full audit table — date, scout name, farm, greenhouse, category, variety, bed/column/bay, issue type and name, rating, and GPS coordinates. This is the structured payload your reporting and spray program build on.”

Column	Example	Purpose
Date	Today 10:42	When recorded
Scout	Worker name	Accountability
Farm / GH	Bemack / BEGH 16	Location context
Category / Variety	Super Premium · ANNAKARINA	Crop program
Bed/Col/Bay	20 / 2 / 8	In-greenhouse position
Issue	Pest · Thrips	IPM targeting
Rating	1–5	Severity
GPS	-1.29210, 36.82190	Route map & audit

Part 3 — Farm map (4 minutes)

Route: /manager/map

Header: *Farm map — Live hotspots, spray locations, and worker GPS*

3a. Map layers (2 min)

“The farm map ties operational data to geography on one screen:

>

*- **Red pins** — active infestation hotspots from scout reports*

- **Green pins** — spray treatments logged in the field
- **Blue dots** — live worker GPS (updated every 15 seconds while Field work is open)

>

Use the **Farm** filter to focus on Bemack or all farms. The map auto-centres on visible activity."

Action: Point out each pin type in the legend. Pan the map around Bemack.

3b. Hotspot actions (1.5 min)

Action: Click a red hotspot pin.

"Selecting a hotspot opens the detail panel — pest type, greenhouse, severity, problem description, and main issue. Managers can **Mark sprayed** or **Mark resolved** to close the loop without leaving the map. Status changes flow back to KPIs and alerts."

Action: Demonstrate **Mark resolved** or **Mark sprayed** (demo mode works offline).

3c. Live worker proof (30 sec)

If a worker device is available:

"Watch the blue worker dot move as the scout walks — the same GPS that assigns BEGH greenhouses in the field app."

Part 4 — Workers (3 minutes)

Route: /manager/workers

Header: *Workers — Who is working where, current problems, and ratings*

"The **Workers** screen answers: who is in the field right now, what greenhouse they're assigned to, and what problem they're working on.

>

Rows are grouped by greenhouse. Each worker shows **Working on** (current assignment), **Problem, Main issue**, and **Rating** out of 5. Filter by greenhouse to focus a supervisor on one BEGH unit during a walk-through."

Action: Set greenhouse filter to **All**, then filter to a single GH. Point at worker name and rating columns.

"This view refreshes from live GPS and latest scouting or infestation activity — linked from the same data scouts enter on their phones."

Part 5 — History (4 minutes)

Route: /manager/history

Header: *History — Greenhouse health, improvement chart, and field activity for the last 3 months*

5a. Greenhouse selector & filters (30 sec)

*"History is organised by **greenhouse** and **activity type** — all events, reports only, or sprays only. The default lookback is **three months** of field activity."*

Action: Select a greenhouse from the dropdown (e.g. BEGH 01).

5b. Improvement chart & condition panel (1.5 min)

*"For the selected greenhouse you get an **improvement chart** — how pressure and treatments trend over time — and a **greenhouse condition** summary comparing current vs previous period: average severity, open hotspots, spray count, and direction (improving, stable, or worsening)."*

Action: Point at the chart trend line and condition badges.

5c. Activity timeline (1.5 min)

Scroll to **Activity timeline**.

"The timeline lists every infestation report and spray log chronologically — who worked on it, when, severity badges, and resolution status. Supervisors use this for audits, traceability, and proving intervention after a scout escalation."

Action: Expand one report and one spray entry. Note severity badge and worker attribution.

Part 6 — Extended admin features (optional, 2 minutes)

Activity logs — /manager/logs

*"**Farm Activity Logs** shows the QR and general activity log table — useful when scouts scan bed codes or log non-scouting activities. Same admin login; navigate directly to /manager/Logs."*

Supervisor panel — /manager/supervisor

*"The **Supervisor Panel** supports live activity monitoring, evidence review, and approve/reject workflows for field submissions. It complements the dashboard live feed for teams that require sign-off before work is closed."*

Part 7 — How field data feeds the admin views (2 minutes)

Brief context only — after admin tour

*"Everything you saw on the manager side comes from the **Field work** app scouts use on their phones:*

>

1. **GPS** assigns the nearest Bernack greenhouse every 15 seconds
2. **Scout stop** captures category, variety, column/bay, pests/diseases, 15 parameters, and coordinates on save
3. **Infestation reports** and **spray logs** use the same location model
4. **Scouting rounds** (start → stops → complete) drive the route map

>

When a scout hits Save, manager KPIs, heat grid, map pins, workers table, and history timeline update within seconds on Supabase."

If time allows, show one live save on a worker device while the manager screen is visible.

Closing (1 minute) — what to say

*"To summarise the **admin side**: one Operations Center gives you **live KPIs and alerts**, **precision scouting** with heat grids and GPS routes, an **auto-generated spray program**, a **geographic farm map** with hotspot workflow, **worker visibility** by greenhouse, and **three months of history** with improvement trends."*

>

Next steps: connect to your production Supabase project, onboard manager and scout accounts, and align greenhouse GPS anchors with your surveyed coordinates for sub-metre assignment."

Quick reference — admin demo flow (cheat sheet)

Step	Screen	Do	Say (one line)
1	Login	Admin login	"Operations Center for managers."
2	Dashboard	Scan KPI cards	"Five live metrics from the field."
3	Dashboard	Alerts + spray summary	"What needs attention today."
4	Dashboard	Chart + live feed	"Weekly trends and latest events."
5	Scouting	Heat grid	"Pressure by column and bay inside each GH."
6	Scouting	Route map	"GPS path and stops by scouting round."
7	Scouting	Spray program + records	"Interventions and full audit table."
8	Map	Hotspots + workers	"Geography + mark sprayed/resolved."
9	Workers	Filter by GH	"Who is working on what, with ratings."
10	History	Chart + timeline	"3-month health and traceability."

Likely questions & suggested answers

Q: Who can access the manager screens?

A: Users with **admin** or **supervisor** role. Scouts use the worker Field work app only.

Q: Do KPIs refresh automatically?

A: Yes — with Supabase and Realtime migrations applied, dashboard cards, alerts, map, and feed update without page reload.

Q: How is the spray program generated?

A: From recent scouting ratings and pressure thresholds — urgent (spray today), scheduled (48h), or monitor. Full logic aligns with VegPro SOW §3.

Q: Can managers close hotspots from the map?

A: Yes — select a pin and **Mark sprayed** or **Mark resolved**. Status syncs to KPIs and history.

Q: How far back does History go?

A: Three months by default, filterable by greenhouse and activity type (reports vs sprays).

Q: Does this replace Scarab?

A: Manager scouting mirrors Scarab-style **rounds, routes, and stop timing** while integrating infestation, spray, dashboards, and auto spray program in one VegPro platform.

Q: What about farms beyond Bemack?

A: The data model is multi-farm; this demo is seeded for Bemack per your spreadsheet. Farm filter on the map supports additional sites as you onboard them.

Troubleshooting during the admin demo

Problem	Fix
Empty KPIs / scouting views	Run 012_sample_bemack_demo.sql or save a live scout stop
“Dashboard not ready” toast	Check .env.local Supabase vars; run migrations 006–012
Manager doesn’t update live	Confirm Realtime migrations 004, 008, 010
Blank heat grid	Select a GH with seed data (e.g. BEGH 01 or BEGH 05)
No worker dots on map	Open Field work on a worker device; GPS must be active or use demo seed
History chart empty	Select a greenhouse with reports or sprays in the last 3 months

VegPro Smart Farm · Admin / Manager demo script · Bemack operations · June 2026