

Commit 3fe4c52

Kalpita024 authored 18 minutes ago Verified

Initial commit

 `main`

2 files changed +220

[Browse files](#)

Filter files...

 .gitignore

 README.md

Search within code

... @@ -0,0 +1,118 @@

1 + * Byte-compiled / optimized / DLL files

2 + __pycache__

3 + *.py[co]

4 + *.py.class

5 +

6 + * c extensions

7 + *.so

8 +

9 + * Distribution / packaging

10 + *.pytho

11 + build/

12 + develop-eggs/

13 + dist/

14 + downloads/

15 + eggs/

16 + .eggs/

17 + lib/

18 + lib64/

19 + parts/

+218

Filter files...

- .gitignore
- README.md

↑ Top Search within code

```
.gitignore
29 * parts/
30 * sdist/
31 * var/
32 * wheels/
33 * share/python-wheels/
34 * *.egg-info/
35 * .installed.cfg
36 * *.egg
37 * MANIFEST
38 *
39 * # PyInstaller
40 * # Usually these files are written by a python script from a template
41 * # before PyInstaller builds the exe, so as to inject data/other infos into it.
42 * *.manifest
43 * *.spec
44 *
45 * # Installer logs
46 * pip.log.txt
47 * pip-delete-this-directory.txt
48 *
49 * # Unit test / coverage reports
50 * htmlcov/
51 * .tox/
52 * .nox/
53 * .coverage
54 * .coverage.*
55 * .cache
56 * nosetests.xml
57 * coverage.xml
58 * *.cover
59 * *.py.cover
60 * .hypothesis/
61 * .pytest_cache/
62 * cover/
63 *
64 * # Translations
```

Filter files...

- gitignore
- README.md

↑ Top Search within code

```

14 + # Translations
15 + *.mo
16 + *.pot
17 +
18 + # Django stuff:
19 + *.log
20 + local_settings.py
21 + db.sqlite3
22 + db.sqlite3-journal
23 +
24 + # Flask stuff:
25 + instance/
26 + .webassets-cache
27 +
28 + # Scrapy stuff:
29 + .scrapy
30 +
31 + # Sphinx documentation
32 + docs/_build/
33 +
34 + # PyBuilder
35 + .pybuilder/
36 + target/
37 +
38 +
39 + # Jupyter Notebook
40 + .ipynb_checkpoints
41 +
42 + # IPython
43 + profile_default/
44 + ipython_config.py
45 +
46 +
47 + # pycov
48 +
49 + # For a library or package, you might want to ignore these files since the code is
50 + # intended to run in multiple environments; otherwise, check the in:
51 + # .python-version
```

Filter files...

gitignore
README.md

↑ Top Search within code

```

89 +
90 + # pipenv
91 + # According to pyipa/pipenv#599, it is recommended to include Pipfile.lock in version control.
92 + # However, in case of collaboration, if having platform-specific dependencies or dependencies
93 + # having no cross-platform support, pipenv may install dependencies that don't work, or not
94 + # install all needed dependencies.
95 + # Pipfile.lock
96 +
97 + # uv
98 +
99 + # Similar to Pipfile.lock, it is generally recommended to include uv.lock in version control.
100 + # This is especially recommended for binary packages to ensure reproducibility, and is more
101 + # commonly ignored for libraries.
102 + # uv.lock
103 +
104 + # poetry
105 + # Similar to Pipfile.lock, it is generally recommended to include poetry.lock in version control.
106 + # This is especially recommended for binary packages to ensure reproducibility, and is more
107 + # commonly ignored for libraries.
108 + # https://python-poetry.org/docs/basic-usage/#commit-your-poetrylock-file-to-version-control
109 + # poetry.lock
110 + # poetry.toml
111 +
112 + # pdm
113 + # Similar to Pipfile.lock, it is generally recommended to include pdm.lock in version control.
114 + # pdm recommends including project-side configuration in pdm.toml, but excluding .pdm.python.
115 + # https://pdm-project.org/en/latest/usage/projects/working-with-version-control
116 + # pdm.lock
117 + # pdm.toml
118 + # .pdm.python
119 + # .pdm.build/
120 +
121 + # pixi
122 + # Similar to Pipfile.lock, it is generally recommended to include pixi.lock in version control.
123 + # pixi.lock
124 + # Pixi creates a virtual environment in the .pixi directory, just like venv module creates one
```

Filter files...

```

├── .gitignore
└── README.md

```

 Top
 Search within code


[.gitignore](#)

+210  1

```

124 + # in the .env directory. It is recommended not to include this directory in version control.
125 + .fixl
126 +
127 + # PEP 582; used by e.g. github.com/David-Connor/pyflow and github.com/pdm-project/pdm
128 + __pypackages__
129 +
130 + # Celery stuff
131 + celerybeat-schedule
132 + celerybeat.pid
133 +
134 + # Redis
135 + *.rdb
136 + *.aof
137 + *.pid
138 +
139 + # RabbitMQ
140 + mnesia/
141 + rabbitmq/
142 + rabbitmq-data/
143 +
144 + # ActiveMQ
145 + activemq-data/
146 +
147 + # SageMath parsed files
148 + *.sage.py
149 +
150 + # Environments
151 + .env
152 + .envrc
153 + .venv
154 + env/
155 + venv/
156 + ENV/
157 + env.bak/
158 + venv.bak/

```

Filter Files...

- gitignore
- README.md

Top Search within code


```
.gitignore
124 + # in the .venv directory. It is recommended not to include this directory in version control.
125 + .ixl
126 +
127 + # PEP 582; used by e.g. github.com/DavidCemer/pyflow and github.com/pdm-project/pdm
128 + __pypackages__/
129 +
130 + # Celery stuff
131 + celerybeat-schedule
132 + celerybeat.pid
133 +
134 + # Redis
135 + *.rdb
136 + *.aof
137 + *.pid
138 +
139 + # RabbitMQ
140 + mesia/
141 + rabbitmq/
142 + rabbitmq-data/
143 +
144 + # ActiveMQ
145 + activemq-data/
146 +
147 + # SageMath parsed files
148 + *.sage.py
149 +
150 + # Environments
151 + .env
152 + .envrc
153 + .venv
154 + env/
155 + venv/
156 + ENV/
157 + env.bak/
158 + venv.bak/
```

Q Filter files...

- .gitignore
- README.md

↑ Top Q Search within code

```
.gitignore
158 + venv/.bak/
159 +
160 + # Spyder project settings
161 + .spyderproject
162 + .spypyproject
163 +
164 + # Rapa project settings
165 + .rapaproject
166 +
167 + # kkdcs documentation
168 + /site
169 +
170 + # mypy
171 + .mypy_cache/
172 + .dmypy.json
173 + .dmypy.json
174 +
175 + # Pyre type checker
176 + .pyr/
177 +
178 + # pytype static type analyzer
179 + .pytype/
180 +
181 + # cython debug symbols
182 + cython_debug/
183 +
184 + # PyCharm
185 + # JotBrains specific template is maintained in a separate JotBrains.gitignore that can
186 + # be found at https://github.com/github/gitignore/blob/main/Global/JotBrains.gitignore
187 + # and can be added to the global gitignore or merged into this file. For a more nuclear
188 + # option (not recommended) you can uncomment the following to ignore the entire idea folder.
189 + # .idea/
190 +
191 + # Abstra
192 + # Abstra is an AI-powered process automation framework.
```



Retrieval-Augmented-Generation-RAG-for-Educational-Systems-Gro... Public Pin Watch 0 Fork 0 Star 0

main 1 Branch 0 Tags

Q Go to file T Add file <> Code

Kalpita024 Create README.MD 9a1407a · 16 minutes ago 8 Commits		
data	Create README.MD	21 minutes ago
depolymnt	Create README.MD	16 minutes ago
reports	Create README.MD	20 minutes ago
src	Create README.MD	18 minutes ago
.gitignore	Initial commit	25 minutes ago
README.md	Initial commit	25 minutes ago

README

About

An AI-powered educational-systems using Retrieval-Augmented Generation (RAG) to generates summaries, important questions, flashcards, and revision note which will work as Exam Preparation Assistant

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published