PROJECT STATEMENT 2

1. Virtual private network



Details Info

VPC ID vpc-0ff3e5ae36fd2f72f	State Available	DNS hostnames Enabled	DNS resolution Enabled
Tenancy Default	DHCP options set dopt-02b207179fb92c1dd	Main route table rtb-033d359df47a79f3c	Main network ACL acl-09f75fbd06d9d59d7
Default VPC No	IPv4 CIDR 10.0.0.0/16	IPv6 pool –	IPv6 CIDR –
Route 53 Resolver DNS Firewall rule groups –	Owner ID 132810250999		

CIDRs | Flow logs | Tags

CIDRs Info

2. Public subnets and private subnets created in Multi-AZ



Subnets (5) Info

Actions ▾ | Create subnet

Filter subnets

Name	Subnet ID	State	VPC	IPv4 CIDR	IPv6
project-subnet-private1-us-east-2a	subnet-03c38dc7251545d5e	Available	vpc-0ff3e5ae36fd2f72f | proje...	10.0.128.0/20	–
project-subnet-public1-us-east-2a	subnet-06be0640f1d557447	Available	vpc-0ff3e5ae36fd2f72f | proje...	10.0.0.0/20	–
project-subnet-private2-us-east-2b	subnet-05daf63de5f92302b	Available	vpc-0ff3e5ae36fd2f72f | proje...	10.0.144.0/20	–
project-subnet-public2-us-east-2b	subnet-021b2139d87d52358	Available	vpc-0ff3e5ae36fd2f72f | proje...	10.0.16.0/20	–
–	subnet-08eea7a91cafff988	Available	vpc-0b9a6d5e693a1d683	172.31.16.0/20	–

Select a subnet

3. Public subnets are associated with public route tables and internet gateway
4. Private subnets are associated with route tables and NAT gateway
5. Front end web application is deployed in a public subnet where users can access the data



6. The database server will be at the backend without public access (set to be private)



7. A backup plan must be created to avoid loss of data due to any disaster or accidental data loss



8. A backup rule should be created based on production requirement



9. Resource assignment should be created and add the required resources for backup



10. And created an autoscaling group to burst into 4 instances when there is high utilization