


Feature			Scer	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
Renew Fleet feature	5.505 s	1	0	1	0	17	0	1	16

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Renew Fleet feature	1	0	1	0	5.505 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Renew Fleet feature	IRP Renew fleet chrome	17	0	1	16	5.500 s

DETAILED SECTION -- 5 --

## **Renew Fleet feature**



## **IRP Renew fleet chrome**



#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	FAILED	0.005 s
	io.cucumber.core.exception.CucumberException: class com.celtic.automation.cmcs.parallel.RWC001 does not have a public zero-argument constructor. To use dependency injection add an other ObjectFactory implementation such as: * cucumber-picocontainer * cucumber-spring * cucumber-jakarta-cdi *etc		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:57)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
at io.cucumber.core.runtime.Rethat io.cucumber.core.runtime.Cucat io.cucumber.testng.TestNGCuat io.cucumber.testng.AbstractTeat java.base/jdk.internal.reflect.Nat java.base/jdk.internal.reflect.Dat java.base/jdk.internal.reflect.Dat java.base/java.lang.reflect.Meat org.testng.internal.MethodInvoat org.testng.internal.TestInvokelat org.testng.internal.TestInvokelat org.testng.internal.TestMethodat org.testng.internal.TestMethodat java.base/java.util.concurrent.at java.base/java.lang.Thread.run	hrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) tumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) tucumberRunner.runScenario(TestNGCucumberRunner.java:129) testNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) tativeMethodAccessorImpl.invoke0(Native Method) tativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) telegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) thod.invoke(Method.java:568) totationHelper.invokeMethod(MethodInvocationHelper.java:133) tr.invokeMethod(TestInvoker.java:598) tr.invokeTestMethod(TestInvoker.java:173) dWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) dWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) FutureTask.run(FutureTask.java:264) Executors\$RunnableAdapter.call(Executors.java:539) FutureTask.run(FutureTask.java:264) ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) ThreadPoolExecutorsWorker.run(ThreadPoolExecutor.java:635) n(Thread.java:833) odException: com.celtic.automation.cmcs.parallel.RWC001. <init>() Constructor0(Class.java:3585)</init>	Status	Duration
AFTER_STEP - com.celtic.auto java.lang.NullPointerException: Car because the return value of "com.ce at com.celtic.automation.cmcs.ut	faultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:52) mation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) mot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" eltic.automation.cmcs.util.GenericFunctions.getDriver()" is null til.GenericFunctions.getByteScreenshot(GenericFunctions.java:39) pphooks.ApplicationHooks.as(ApplicationHooks.java:50)	FAILED	0.004 s
2 When User will navigate to the I		SKIPPED	0.000 s
	ccount Number Details to start with IRP Transaction	SKIPPED	0.000 s
4 Then User will navigate to accord		SKIPPED	0.001 s
	section and fill the data and validate message "IRPACC00 : [I] Renewal account has been	SKIPPED	0.001 s
6 Then User will navigate to Dista generated." "[I] MCE: IRP status	nnce section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been s successfully updated."	SKIPPED	0.001 s
7 Then User will navigate to Weig been generated."	tht group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has	SKIPPED	0.001 s
8 Then User will navigate to Amm	nend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a	SKIPPED	0.001 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."		
9	Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.001 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.001 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.001 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.001 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.001 s
14	Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.001 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.001 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
17	Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"	SKIPPED	0.000 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:70)		
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.celtic.automation.cmcs.apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:57)		