

Cucumber Report

04-Dec-2022, 8:25:12 pm

Start : Dec 04, 8:25:06.685 pm

End : Dec 04, 8:25:11.390 pm

Duration : 4.705 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 23



<i>Feature</i>		<i>Scenario</i>				<i>Step</i>			
<i>Name</i>	<i>Duration</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<u>Reinstate Fleet feature</u>	4.698 s	1	0	1	0	6	0	0	6
<u>Renew Fleet feature</u>	4.693 s	1	0	1	0	17	0	0	17



#	Feature Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	1	0	1	0	4.698 s
2	<u>Renew Fleet feature</u>	1	0	1	0	4.693 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	<u>IRP Reinstate fleet edge</u>	6	0	0	6	4.694 s
2	<u>Renew Fleet feature</u>	<u>IRP Renew fleet chrome</u>	17	0	0	17	4.693 s

Reinstate Fleet feature

<div>FAILED</div>	<div>DURATION - 4.698 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div><div></div><div>6</div></div>
<div>/ 8:25:06.685 pm // 8:25:11.383 pm /</div>					



IRP Reinstate fleet edge

<div>FAILED</div>	<div>DURATION - 4.694 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 8:25:06.689 pm // 8:25:11.383 pm /</div>				
<div>Reinstate Fleet feature</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.celtic.automation.cmcs.apphooks.ApplicationHooks.launchBrowser(io.cucumber.java.Scenario) java.io.FileNotFoundException: Failure Alert: File is not created. Need immediate attention on the same at com.celtic.automation.cmcs.factory.DriverFactory.configureLoggerSystem(DriverFactory.java:85) at com.celtic.automation.cmcs.factory.DriverFactory.initdriver(DriverFactory.java:40) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:44)	FAILED	4.283 s
1	Given User login as an Internal user	SKIPPED	0.001 s
2	When User will navigate to IRP & Reinstate Fleet	SKIPPED	0.001 s
3	Then User will provide all the inputs & select the record on the grid	SKIPPED	0.002 s
4	Then User will navigate to Distance page & Proceed	SKIPPED	0.001 s
5	Then User will navigate to billing Page & provide mandatory inputs & proceed	SKIPPED	0.001 s
6	And User will validate the Success Information Message	SKIPPED	0.001 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.27.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.35, ms:edgeOptions: {debuggerAddress: localhost:61533}, msedge:	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre>{msedgedriverVersion: 107.0.1418.62 (cd9348711d31..., userDataDir: C:\Users\SANGEE~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61533/devtoo..., se:cdpVersion: 107.0.1418.35, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69)</pre>		

Renew Fleet feature

FAILED	DURATION - 4.693 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 0 Fail - 0 Skip - 17	
/ 8:25:06.697 pm // 8:25:11.390 pm /					

IRP Renew fleet chrome

FAILED	DURATION - 4.693 s		Steps Total - 17 Pass - 0 Fail - 0 Skip - 17	
/ 8:25:06.697 pm // 8:25:11.390 pm /				
Renew Fleet feature				

#	Step / Hook Details	Status	Duration
	BEFORE - com.celtic.automation.cmcs.apphooks.ApplicationHooks.launchBrowser(io.cucumber.java.Scenario)	FAILED	4.257 s
	<pre>java.io.FileNotFoundException: Failure Alert: File is not created. Need immediate attention on the same at com.celtic.automation.cmcs.factory.DriverFactory.configureLoggerSystem(DriverFactory.java:85) at com.celtic.automation.cmcs.factory.DriverFactory.initdriver(DriverFactory.java:40)</pre>		

#	Step / Hook Details	Status	Duration
	at com.celtic.automation.cmcs.apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:44)		
1	Given User login as a Internal user	SKIPPED	0.002 s
2	When User will navigate to the IRPLink	SKIPPED	0.000 s
3	Then User will provide all the Account Number Details to start with IRP Transaction	SKIPPED	0.001 s
4	Then User will navigate to account section and fill the data	SKIPPED	0.000 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.004 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.002 s
7	Then User will navigate to Weight group section and fill the data and validate message "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.001 s
8	Then User will navigate to Amend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.003 s
9	Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.001 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.006 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.001 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.001 s
14	Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.001 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.001 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.001 s
17	Then user should land on the installment payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"	SKIPPED	0.001 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.27.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.95, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\SANGEE~1\AppData\Local\Temp\chrome-win-108.0.5359.71\chrome-win-108.0.5359.71}, goog:chromeOptions: {debuggerAddress: localhost:61526}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61526/devtools, se:cdpVersion: 108.0.5359.95,		

#	Step / Hook Details	Status	Duration
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:69)		