


| Feature | | | Scer | nario | | | St | ер | |
|---------------------|----------|---|------|-------|---|----|----|----|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Renew Fleet feature | 5.317 s | 1 | 0 | 1 | 0 | 17 | 0 | 1 | 16 |

FEATURES SUMMARY -- 3 --



| # | Feature Name | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|----------|
| 1 | Renew Fleet feature | 1 | 0 | 1 | 0 | 5.317 s |


SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------|------------------------|----|---|---|----|----------|
| 1 | Renew Fleet feature | IRP Renew fleet chrome | 17 | 0 | 1 | 16 | 5.293 s |

DETAILED SECTION -- 5 --

Renew Fleet feature



IRP Renew fleet chrome



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User login as a Internal user | FAILED | 0.010 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.celtic.automation.cmcs.parallel.RWC001 | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.TestInvoker.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:179) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask,java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:136) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor.sunWorker(ThreadPoolExecutor.java:635) at java.base/java.util.concurrent.ThreadPoolExecutor.sunWorker(ThreadPoolExecutor.java:635) at java.base/java.lang.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructor.newInstance(Osntructor.java:499) at java.base/jdk.internal.reflect.Onstructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(DefaultObjectFactory.java:480) at io.cucumber.core.backend.DefaultObjectFactory.c | | |
| | AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) | FAILED | 0.008 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.celtic.automation.cmcs.util.GenericFunctions.getDriver()" is null at com.celtic.automation.cmcs.util.GenericFunctions.getByteScreenshot(GenericFunctions.java:39) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(ApplicationHooks.java:50) | | |
| 2 | When User will navigate to the IRPLink | SKIPPED | 0.001 s |
| 3 | Then User will provide all the Account Number Details to start with IRP Transaction | SKIPPED | 0.000 s |
| 4 | Then User will navigate to account section and fill the data | SKIPPED | 0.000 s |
| 5 | Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." | SKIPPED | 0.000 s |
| 6 | Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated." | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 7 | Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated." | SKIPPED | 0.001 s |
| 8 | Then User will navigate to Ammend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a | SKIPPED | 0.001 s |
| | vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully." | | |
| 9 | Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully." | SKIPPED | 0.000 s |
| 10 | And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully" | SKIPPED | 0.000 s |
| 11 | Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully" | SKIPPED | 0.001 s |
| 12 | Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required." | SKIPPED | 0.000 s |
| 13 | And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully." | SKIPPED | 0.000 s |
| 14 | Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart." | SKIPPED | 0.000 s |
| 15 | Then User will navigate to payment tab and fill the requirement | SKIPPED | 0.000 s |
| 16 | And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully." | SKIPPED | 0.000 s |
| 17 | Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully" | SKIPPED | 0.001 s |
| | AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:70) | | |
| | AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.quitBrowser() | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.celtic.automation.cmcs.apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:57) | | |