

Cucumber Report

01-Dec-2022, 11:41:23 am

Start : Dec 01, 11:34:56.640 am

End : Dec 01, 11:41:21.572 am

Duration : 6 m 24.932 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 22



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Reinstate Fleet feature</u>	1 m 34.130 s	1	0	1	0	6	1	1	4
<u>Renew Fleet feature</u>	4 m 50.745 s	2	0	2	0	19	0	1	18





#	Feature Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	1	0	1	0	1 m 34.130 s
2	<u>Renew Fleet feature</u>	2	0	2	0	4 m 50.745 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Reinstate Fleet feature</u>	<u>IRP Reinstate fleet edge</u>	6	1	1	4	1 m 34.123 s
2	<u>Renew Fleet feature</u>	<u>IRP Renew fleet chrome</u>	17	0	1	16	4 m 50.713 s
3	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	2	0	0	2	0.007 s



Reinstate Fleet feature

FAILED	DURATION - 1 m 34.130 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 11:34:56.640 am // 11:36:30.770 am /					



IRP Reinstate fleet edge

FAILED	DURATION - 1 m 34.123 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 11:34:56.647 am // 11:36:30.770 am /				
Reinstate Fleet feature				



#	Step / Hook Details	Status	Duration
1	Given User login as an Internal user Launch the application using URL and login with valid credentials	PASSED	17.059 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.461 s
2	When User will navigate to IRP & Reinstate Fleet Expand the Services header on the left column of the screen and select IRP java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null at com.celtic.automation.cmcs.parallel.RIN001.user_will_navigate_to_irp_reinstate_fleet(RIN001.java:73) at ?.User will navigate to IRP & Reinstate Fleet(file:///C:/Users/SANGEETHA/git/Celtic_Main/src/test/resources/parallel/RIN001.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	FAILED	17.670 s
		PASSED	0.208 s


#	Step / Hook Details	Status	Duration
	anyname 		
3	Then User will provide all the inputs & select the record on the grid	SKIPPED	0.000 s
4	Then User will navigate to Distance page & Proceed	SKIPPED	0.000 s
5	Then User will navigate to billing Page & provide mandatory inputs & proceed	SKIPPED	0.000 s
6	And User will validate the Success Information Message	SKIPPED	0.000 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.372 s
	IRP_Reinstate_fleet_edge		
			


Renew Fleet feature

<div>FAILED</div> <div>DURATION - 4 m 50.745 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 18</div>	<div></div>
/ 11:36:30.827 am // 11:41:21.572 am /					

IRP Renew fleet chrome

<div>FAILED</div>	<div>DURATION - 4 m 50.713 s</div>	<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 11:36:30.827 am // 11:41:21.540 am /</div>				
<div>Renew Fleet feature</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User login as a Internal user</p> <p>Launch the application using URL and login with valid credentials</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-DGDHGIH4', ip: '192.168.43.190', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, actions {actions=[org.openqa.selenium.interactions.Sequence@4b916cc2]] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.35, ms:edgeOptions: {debuggerAddress: localhost:54329}, msedge: {msedgedriverVersion: 107.0.1418.62 (cd9348711d31..., userDataDir: C:\Users\SANGEE~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54329/devtoo..., se:cdpVersion: 107.0.1418.35, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:637) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at com.celtic.automation.cmcs.util.ElementUtil.clickElementUsingActions(ElementUtil.java:367) at com.celtic.automation.cmcs.pages.LoginPage.clickLoginBtn(LoginPage.java:34) at com.celtic.automation.cmcs.parallel.RWC001.user_login_as_a_internal_user(RWC001.java:105) at ?.User login as a Internal user(file:///C:/Users/SANGEE~1/git/Celtic_Main/src/test/resources/parallel/RWC001.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	4 m 5.742 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.194 s

#	Step / Hook Details	Status	Duration
2	When User will navigate to the IRPLink	SKIPPED	0.000 s
3	Then User will provide all the Account Number Details to start with IRP Transaction	SKIPPED	0.000 s
4	Then User will navigate to account section and fill the data	SKIPPED	0.000 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.000 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
7	Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.001 s
8	Then User will navigate to Ammend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
9	Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.000 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.000 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s
14	Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.000 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.001 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
17	Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"	SKIPPED	0.001 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.386 s
	IRP_Renew_fleet_chrome		
			

IRP Renew fleet

<div>FAILED</div> <div>DURATION - 0.007 s</div>		<table border="1"><thead><tr><th>x</th><th>y</th></tr></thead><tbody><tr><td>1</td><td>0.001</td></tr><tr><td>2</td><td>0.001</td></tr></tbody></table>	x	y	1	0.001	2	0.001	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
x	y									
1	0.001									
2	0.001									
/ 11:41:21.565 am // 11:41:21.572 am /										
Renew Fleet feature										

#	Step / Hook Details	Status	Duration
	BEFORE - com.celtic.automation.cmcs.apphooks.ApplicationHooks.launchBrowser(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at com.celtic.automation.cmcs.factory.DriverFactory.initdriver(DriverFactory.java:14) at com.celtic.automation.cmcs.apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:48)		
1	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.001 s
2	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.001 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.celtic.automation.cmcs.apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:62)		